

Product Information VM.20.03 08-07-2025

VatOil Syngold LL 5W-30

Description

SynGold LL 5W-30 is a very modern, synthetic universal engine oil. It is formulated with the highest quality synthetic base oils with a high viscosity index and advanced additive systems. SynGold LL 5W-30 properties:

- Enhanced fuel efficiency by smooth lubrication
- Good fluidity at low temperatures
- Suitable for extended oil change intervals in GM engines
- Very strong protection against wear, corrosion and foaming

Application

SynGold LL 5W-30 is suitable for petrol and diesel engines, with and without turbochargers, in cars and vans insofar as they require the following specifications. SynGold LL 5W-30 complies with the latest applicable Opel Long Life specifications and can be used in Ford Zetec engines.

Specifications

	API SN/CF
	ACEA A3/B4
	BMW Longlife-01
	MB 229.3/226.5
	Renault RN0700
	VW 502.00/505.00
	GM LL-A-025/LL-B-025

Typicals

Density at 15 °C, kg/l	0,854
Viscosity -30 °C, mPa.s	6030
Viscosity 40 °C, mm²/s	71,60
Viscosity 100 °C, mm²/s	12,15
Viscosity Index	167
Flash Point COC, °C	233
Pour Point, °C	-39
Total Base Number, mgKOH/g	10,8
Acid number, mgKOH/g	2,10
Sulphate Ash, %	1,32

Available packagings











50016 5

4 L can

50139 20 L can

60 L drum

50141 210 L drum

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.