

Product Information VM.20.10

23-04-2024

VatOil Syntech 10W-40

Description

SynTech 10W-40 is a premium engine oil. It is formulated with high quality synthetic base oils and highly advanced additive technology to achieve the following properties:

- Reduces formation of sludge and varnish deposits
- Lowers oil evaporation and consumption at extreme conditions
- Good fluidity at low temperatures
- Wear protection, improved oil film strength and breakdown resistance

Application

SynTech 10W-40 is suitable for most passenger cars and vans with petrol, diesel or gas engine. The product provides protection under severe working conditions. According to the special endurance test (VW-DID) it meets the requirements of most cars and vans. Always check the product recommendation database for the right application.

Specifications

Suitable for use:

API SL/CF

ACEA A3/B4

MB 229.1

VW 501.01/505.00

Typicals

Density at 15 °C, kg/l	0,872
Viscosity -25 °C, mPa.s	4100
Viscosity 40 °C, mm ² /s	89,90
Viscosity 100 °C, mm ² /s	14,00
Viscosity Index	160
Flash Point COC, °C	232
Pour Point, °C	-39
Total Base Number, mgKOH/g	11,4
Sulphate Ash, %	1,31

Available packagings



50028
1 L bottle



50029
4 L can



50030
5 L can



50123
20 L can



50031
60 L drum



50032
210 L drum

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.