

Product Information VW.10.01 02-05-2024

VatOil Brake Fluid DOT 4

Description

Brake Fluid DOT 4 is a premium synthetic brake fluid. The product has the following properties

- Good resistance against ageing
- Very low pouring point
- Minimal corrosion tendency
- High wet boiling point
- Optimal viscosity at low temperatures

Application

Brake Fluid DOT 4 is suitable for all hydraulic brake systems with drum or disk brakes requiring a synthetic brake fluid. Recommended where a brake fluid of the type DOT 4 is prescribed. Always check the product recommendation database for the right application.

Specifications

FMVSS 116 DOT 4 SAE J1703, ISO 4925

Typicals

| Density at 15 °C, kg/l | 1,062 |
|-----------------------------|-------|
| Viscosity -40 °C, mm²/s | 1270 |
| Viscosity 100 °C, mm²/s | 2,10 |
| Flash Point PM, °C | 91 |
| Boiling Point (reflux) , °C | 261 |
| Wet Boiling Point, °C | 158 |
| pH - 50% in ethanolsolution | 8,0 |

Available packagings





50355 50356 20 L can 60 L drum



The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.