

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 16-5-2018 Revision date: 12-6-2024 Supersedes version of: 23-9-2022 Version: 2.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : VatOil FerroCool
Product code : VI.30.01
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Use of the substance/mixture : Metal working fluid Function or use category : Metalworking fluid

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

VatOil

Dollegoorweg 15 NL 7602 EC Almelo Netherlands T 0031 (0)546 81 81 65

vib@vatoil.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

12-6-2024 (Revision date) EN (English) 1/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning

Contains : 1,2-benzisothiazol-3(2H)-one

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing mist, vapours.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, eye protection, protective clothing.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Highly refined mineral oils and additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohols, C16-18 and C18-unsatd., ethoxylated	CAS-No.: 68920-66-1 EC-No.: 500-236-9 REACH-no: 01-2119489407- 26	< 5	Skin Irrit. 2, H315 Aquatic Chronic 2, H411
sodium petroleum sulfonate	CAS-No.: 68608-26-4 EC-No.: 271-781-5 REACH-no: 01-2119527859- 22	< 2,5	Eye Irrit. 2, H319
Amides, C12-18 and C18-unsatd., N-(hydroxyethyl), ethoxylated	CAS-No.: 157707-44-3 EC-No.: 500-350-9	< 2,5	Eye Dam. 1, H318
Alcohols, C16-18, ethoxylated propoxylated	CAS-No.: 68002-96-0 EC-No.: 935-076-2	< 2,5	Aquatic Chronic 3, H412

12-6-2024 (Revision date) EN (English) 2/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-	< 0,3	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
pyridine-2-thiol 1-oxide, sodium salt	CAS-No.: 3811-73-2 EC-No.: 223-296-5 REACH-no: 01-2119493385- 28	< 0,3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
sodium petroleum sulfonate	CAS-No.: 68608-26-4 EC-No.: 271-781-5 REACH-no: 01-2119527859- 22	(61,5 ≤ C < 100) Eye Irrit. 2, H319	
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-	(0,05 ≤ C < 100) Skin Sens. 1, H317	

Comments : The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

12-6-2024 (Revision date) EN (English) 3/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

12-6-2024 (Revision date) EN (English) 4/15
15-6-2024 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from

heat.

Storage temperature : 0-40 °C Keep out of frost

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

VatOil FerroCool	/atOil FerroCool		
EU - Indicative Occupational Exposure Limit (IOEL)			
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended	5 mg/m³ - ACGIH TLV (inhalable fraction).		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374

Other skin protection

Materials for protective clothing:

Wear suitable protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Yellow.
Odour : characteristic.
Odour threshold : Not available
Melting point : Not applicable

Freezing point : -18 °C - ASTM D5950 (pour point)

Boiling point : Not available Flammability : Not applicable

Explosive properties : Presents no particular fire or explosion hazard.

Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : 220 °C - ASTM D92 (COC)

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : 10
pH solution : 10 vol %

Viscosity, kinematic : $41,1 \text{ mm}^2/\text{s} (40 \,^{\circ}\text{C})$ - ASTM D7042

Solubility : Water: Emulsifiable
Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available

Density : 0,895 kg/l (15 °C) - ASTM D4052

Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

12-6-2024 (Revision date) EN (English) 6/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0 % Refractive index : 1,481

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (ilinalation)	. Not classified		
sodium petroleum sulfonate (68608-26-4)			
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:		
Alcohols, C16-18 and C18-unsatd., ethoxyla	ated (68920-66-1)		
LD50 oral rat	> 2000 mg/kg		
LC50 Inhalation - Rat (Vapours)	1,6 mg/l/4h		
Amides, C12-18 and C18-unsatd., N-(hydro	Amides, C12-18 and C18-unsatd., N-(hydroxyethyl), ethoxylated (157707-44-3)		
LD50 oral rat	> 2000 mg/kg		
1,2-benzisothiazol-3(2H)-one (2634-33-5)			
LD50 oral rat	> 490 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
LD50 dermal rabbit	> 2000 mg/kg bodyweight		

12-6-2024 (Revision date) EN (English) 7/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Causes serious eye irritation. ph: 10 Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified 1,2-benzisotthiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1) : 56,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) pyridine-2-thiol 1-oxide, sodium salt (3811-73-2) LOAEL (animal/male, F1) : 2.8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) LOAEL (animal/male, F1) : 2.8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/male, F1) : 1,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/male, F1) : 1,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 1,4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 0,7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure : Not classified STOT-repeated exposure : Not classified SOUT-repeated exposure : Not classified NOAEL (oral, rat, 90 days) : 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) : 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)		3 - 3 () ,,			
(Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)) LDS0 dermal rabbit 1800 – 1900 mg/kg bodyweight LCS0 Inhalation - Rat 1.88 mg/kg hodyweight Animai: rat, Quideline: EPA OPP 81-3 (Acute inhalation toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)) Skin corrosion/irritation : Not classified pth: 10 Ph: 10 Serious eye damage/irritation : Aus vause an allergic skin reaction. Serious eye damage/irritation : May cause an allergic skin reaction. Seep ratery or skin sensitissation : May cause an allergic skin reaction. Seep received in the property of the common of the property of the common of the property or skin sensitissation : May cause an allergic skin reaction. Seep received in the property of the common of the property of the property of the common of the property of the	pyridine-2-thiol 1-oxide, sodium salt (3811-7	3-2)			
LC50 Inhalation - Rat 1,08 mg/l/4h Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity), Guideline: EUMethod B.2 (Acute Toxicity (Inhalation)) Skin corrosion/irritation 2	LD50 oral rat				
EUMethod B.2 (Acute Toxicity (Inhalation))	LD50 dermal rabbit	1800 – 1900 mg/kg bodyweight			
Serious eye damage/intitation : Causes serious eye irritation. pht 10 Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 56,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870,3800 (Reproduction and Fertility Effects) pyridine-2-thiol 1-oxide, sodium salt (3811-73-z) LOAEL (animal/female, F1) : 2,8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870,3800 (Reproduction and Fertility Effects) LOAEL (animal/female, F1) : 1,4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870,3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 1,4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870,3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 1,4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870,3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 0,7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870,3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 0,7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870,3800 (Reproduction and Fertility Effects) NOAEL (cral, rat, 90 days) : 0,0 mg/kg bodyweight Animal: rat, Quideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (cral, rat, 90 days) : 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (cral, rat, 90 days) : 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Application hazard : Not classified VatOli FerroCool Viscosity, kinematic : 41,1 mm/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-	LC50 Inhalation - Rat				
pth: 10 Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified 1,2-bonzisothiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1) : S6,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) pyridine-2-thiol 1-oxide, sodium salt (3811-73-2) LOAEL (animal/male, F1) : 2,8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) LOAEL (animal/male, F1) : 2,8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) LOAEL (animal/male, F1) : 1,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/male, F1) : 1,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 0,7 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified SOU mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (cral, rat, 90 days) : 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (cral, rat, 90 days) : 2500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (cral, rat, 90 days) : Not classified VatOil FerroCool Viscosity, kinematic : Not classified VatOil FerroCool Viscosity, kinematic : 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylate- G8920-66-1) Viscosity, kinematic : 34,502 mm²/s	Skin corrosion/irritation				
Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified 1,2-benzisothiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1) : S6,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) pyridine-2-thiol 1-oxide, sodium salt (3811-73-2) LOAEL (animal/female, F1) : 2,8 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) LOAEL (animal/female, F1) : 1,4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 1,4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 1,4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 0,7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 0,7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 0,7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) : 0,7 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 400 (Repeated Dose 20-20) (Part Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) : 000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 400 (Repeated Dose 20-20) (Part Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) : 000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 400 (Repeated Dose 20-20) (Part Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) : 000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 400	Serious eye damage/irritation	•			
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Reproduction and Fertility Effects) NOAEL (animal/female, F1)	Respiratory or skin sensitisation	•			
Carcinogenicity : Not classified Reproductive toxicity : Not classified 1,2-benzisothiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1)		•			
Reproductive toxicity : Not classified 1,2-benzisothiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1)					
1,2-benzisothiazol-3(2H)-one (2634-33-5) NOAEL (animal/female, F1)					
NOAEL (animal/female, F1) 56,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) Pyridine-2-thiol 1-oxide, sodium salt (3811-73-2) LOAEL (animal/male, F1) 2.8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) LOAEL (animal/female, F1) 1.4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/male, F1) 1.4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) 0,7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) 0,7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure 1 Not classified STOT-repeated exposure 2 Not classified Sodium petroleum sulfonate (68608-26-4) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) NOAEL (oral, rat, 90 days) 2 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) 2 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) 3 Not classified VatOil FerroCool Viscosity, kinematic 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic 3 4,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	•	. Not dassilieu			
pyridine-2-thiol 1-oxide, sodium salt (3811-73-2) LOAEL (animal/male, F1) 2,8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) LOAEL (animal/male, F1) 1,4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/male, F1) 1,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/male, F1) 1,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/male, F1) 1,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/male, F1) 3,7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOTI-single exposure 3, Not classified Sodium petroleum sulfonate (68608-26-4) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose 28-Day Oral Toxicity: 21/28-Day Study) Alcohols, C16-18 and C18-unsatd., ethoxylate/ VatOil FerroCool Viscosity, kinematic 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylate/ (68920-66-1) Viscosity, kinematic 41,5 mm²/s 41,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)					
LOAEL (animal/male, F1) 2,8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) LOAEL (animal/female, F1) 1,4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/male, F1) 1,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) 0,7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure NOAEL (animal/female, F1) 1,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure NOAEL (animal/female, F1) NOAEL (oral, rat, 90 days) 1,000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 1,000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose 28-Day Oral Toxicity: 21/28-Day Study) Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) NOAEL (oral, rat, 90 days) 1,000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity: Study in Rodents) NOAEL (oral, rat, 90 days) 1,000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity: Study in Rodents) NOAEL (oral, rat, 90 days) 1,000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity: Study in Rodents) NOAEL (oral, rat, 90 days) 1,000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity: Study in Rodents) NOAEL (oral, rat, 90 days) 1,000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity: Study in Rodents) NOAEL (oral, rat, 90 days) 1,000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral To	NOAEL (animal/female, F1)	56,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)			
(Reproduction and Fertility Effects) LOAEL (animal/female, F1)	pyridine-2-thiol 1-oxide, sodium salt (3811-7	3-2)			
(Reproduction and Fertility Effects) NOAEL (animal/male, F1) 1,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) NOAEL (animal/female, F1) 0,7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects) STOT-single exposure Not classified STOT-repeated exposure NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose 28-Day Oral Toxicity: 21/28-Day Study) Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) NOAEL (oral, rat, 90 days) 2500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Aspiration hazard Not classified VatOil FerroCool Viscosity, kinematic 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	LOAEL (animal/male, F1)				
Reproduction and Fertility Effects	LOAEL (animal/female, F1)				
Reproduction and Fertility Effects STOT-single exposure	NOAEL (animal/male, F1)				
Sodium petroleum sulfonate (68608-26-4) NOAEL (oral, rat, 90 days) NOAEL (dermal, rat/rabbit, 90 days) Som mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) Som mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) NOAEL (oral, rat, 90 days) Som mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Aspiration hazard Not classified VatOil FerroCool Viscosity, kinematic 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	NOAEL (animal/female, F1)				
Sodium petroleum sulfonate (68608-26-4) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) NOAEL (oral, rat, 90 days) > 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Aspiration hazard : Not classified VatOil FerroCool Viscosity, kinematic 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	STOT-single exposure	: Not classified			
NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) NOAEL (oral, rat, 90 days) > 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Aspiration hazard Not classified VatOil FerroCool Viscosity, kinematic 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	STOT-repeated exposure	: Not classified			
Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Aspiration hazard: Not classified VatOil FerroCool Viscosity, kinematic: 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic: 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	sodium petroleum sulfonate (68608-26-4)				
Dermal Toxicity: 21/28-Day Study) Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) NOAEL (oral, rat, 90 days) Soon mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Aspiration hazard Not classified VatOil FerroCool Viscosity, kinematic 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	NOAEL (oral, rat, 90 days)				
NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Aspiration hazard: Not classified VatOil FerroCool Viscosity, kinematic: 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic: 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	NOAEL (dermal, rat/rabbit, 90 days)				
Day Oral Toxicity Study in Rodents) Aspiration hazard: Not classified VatOil FerroCool Viscosity, kinematic: 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic: 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	Alcohols, C16-18 and C18-unsatd., ethoxyla	ted (68920-66-1)			
VatOil FerroCool Viscosity, kinematic 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)			
Viscosity, kinematic 41,1 mm²/s (40 °C) - ASTM D7042 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	Aspiration hazard	: Not classified			
Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1) Viscosity, kinematic 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	VatOil FerroCool				
Viscosity, kinematic 34,502 mm²/s pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	Viscosity, kinematic	41,1 mm²/s (40 °C) - ASTM D7042			
pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	Alcohols, C16-18 and C18-unsatd., ethoxyla	ted (68920-66-1)			
	Viscosity, kinematic	34,502 mm²/s			
Viscosity, kinematic 6687 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'	pyridine-2-thiol 1-oxide, sodium salt (3811-7	3-2)			
	Viscosity, kinematic	6687 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'			

11.2. Information on other hazards

No additional information available

12-6-2024 (Revision date) EN (English) 8/15 15-6-2024 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)	
sodium petroleum sulfonate (68608-26-4)	
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Alcohols, C16-18 and C18-unsatd., ethoxylate	ed (68920-66-1)
LC50 - Fish [1]	108 mg/l (96h, Dario rerio)
EC50 - Crustacea [1]	51 mg/l (48h, Daphnia magna)
EC50 72h - Algae [1]	> 100 mg/l (72h, Scenedesmus subspicatus)
ErC50 algae	10 mg/l
Amides, C12-18 and C18-unsatd., N-(hydroxy	ethyl), ethoxylated (157707-44-3)
LC50 - Fish [1]	1 – 10 mg/l
EC50 - Crustacea [1]	1 – 10 mg/l
ErC50 algae	14 mg/l
1,2-benzisothiazol-3(2H)-one (2634-33-5)	
LC50 - Fish [1]	2,15 mg/l
EC50 - Crustacea [1]	2,9 mg/l
EC50 72h - Algae [1]	2 mg/l
ErC50 algae	0,11 mg/l
pyridine-2-thiol 1-oxide, sodium salt (3811-73	-2)
LC50 - Fish [1]	7,3 μg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	0,6 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0,22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

VatOil FerroCool		
Persistence and degradability	Not rapidly degradable	
sodium petroleum sulfonate (68608-26-4)		
Persistence and degradability	Not rapidly degradable	
Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1)		
Persistence and degradability	Readily biodegradable.	

12-6-2024 (Revision date) 15-6-2024 (Printing date) EN (English) 9/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Amides, C12-18 and C18-unsatd., N-(hydroxyethyl), ethoxylated (157707-44-3)			
Persistence and degradability	Persistence and degradability Rapidly degradable		
Alcohols, C16-18, ethoxylated propoxylated (68002-96-0)			
Persistence and degradability	Persistence and degradability Not rapidly degradable		
1,2-benzisothiazol-3(2H)-one (2634-33-5)			
Persistence and degradability Not rapidly degradable			
pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)			
Persistence and degradability Rapidly degradable			

12.3. Bioaccumulative potential

sodium petroleum sulfonate (68608-26-4)		
Partition coefficient n-octanol/water (Log Pow) 41,63		
Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1)		
Partition coefficient n-octanol/water (Log Pow) 4,6		
1,2-benzisothiazol-3(2H)-one (2634-33-5)		
Bioconcentration factor (BCF REACH)	6,95 (fish) [OECD 305]	
Partition coefficient n-octanol/water (Log Kow)	0,7 [OECD 117]	
pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)		
Partition coefficient n-octanol/water (Log Pow)	-0,24	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

Additional information

European List of Waste (LoW, EC 2000/532)

HP Code

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- Dispose in a safe manner in accordance with local/national regulations.
- : Do not re-use empty containers.
- : 13 08 99* wastes not otherwise specified
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

12-6-2024 (Revision date) EN (English) 10/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not regulated for transport				
14.2. UN proper shippin	14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard	14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information	No supplementary information available			

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	VatOil FerroCool; sodium petroleum sulfonate; Alcohols, C16-18 and C18-unsatd., ethoxylated; Amides, C12-18 and C18-unsatd., N-(hydroxyethyl), ethoxylated	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

2-6-2024 (Revision date) EN (English) 11/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	VatOil FerroCool; Alcohols, C16-18 and C18-unsatd., ethoxylated; Alcohols, C16-18, ethoxylated propoxylated	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content : 0 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
4.1	First-aid measures general	Added	
4.2	Symptoms/effects after ingestion	Added	
4.2	Symptoms/effects after inhalation	Added	
5.2	Explosion hazard	Added	
5.2	Hazardous decomposition products in case of fire	Modified	

12-6-2024 (Revision date) EN (English) 12/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
5.2	Fire hazard	Modified	
5.3	Firefighting instructions	Added	
6.1	Protective equipment	Added	
6.1	Emergency procedures	Added	
6.1	General measures	Added	
6.3	For containment	Added	
7.1	Additional hazards when processed	Added	
7.2	Technical measures	Added	
7.2	Packaging materials	Added	
7.2	Storage temperature	Modified	
8.2	Personal protective equipment	Added	
13.1	Additional information	Added	
13.1	Sewage disposal recommendations	Added	
13.1	Regional waste regulation	Added	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

12-6-2024 (Revision date) 15-6-2024 (Printing date)

EN (English)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	

Safety Data Sheet (SDS), EU

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.