

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 17-5-2018 Revision date: 22-11-2022 Supersedes version of: 28-9-2022 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form
Trade name
Product code
Product group

:	Mixture
:	MonoFleet SHPD 70
÷	VM.20.50
:	Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Use of the substance/mixture Function or use category : Industrial use, Professional use, Consumer use

: Engine oil

: Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

VatOil Dollegoorweg, 15 NL– 7602 EC Almelo Netherlands T 0031 (0)546 81 81 65 vib@vatoil.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Cardiff	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: Highly refined mineral oils and additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), solvent-dewaxed heavy paraffinic (Note L)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	0,3 – 2,5	Asp. Tox. 1, H304

Comments

: The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell. 			
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms/effects	: No additional information available.			

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.
5.2. Special hazards arising from the subst	tance or mixture
Fire hazard Hazardous decomposition products in case of fire	 Combustible liquid. Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equip	ment and emergency procedures			
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for containment a	and cleaning up			
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.			
6.4. Reference to other sections				
For further information refer to section 13.				

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Provide good ventilation in process area to prevent formation of vapour. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Storage conditions	: Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.
Storage temperature	: 0-40 °C
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

MonoFleet SHPD 70				
EU - Indicative Occupational Exposure Limit (IOEL)				
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended	5 mg/m³ - ACGIH TLV (inhalable fraction).			

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection				
Type Field of application Characteristics Standard				
Safety glasses	Droplet	clear	EN 166	

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Type Material Permeation Thickness (mm) Penetration Standard				Standard	
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374

Other skin protection

Materials for protective clothing:

Wear suitable protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

22-11-2022 (Revision date) 23-11-2022 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.1. Information on basic physical and chemical properties Physical state : Liquid Colour : Brown. Odour : : characteristic. Odour : : characteristic. Odour : : Not available Melting point : Not available Freezing point : -15 °C - ASTM D5950 (pour point) Boiling point : Not available Frammability : Not available Explosive properties : Presents no particular fire or explosion hazard. Explosive properties : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available Decomposition temperature : Not available Viscosity, kinematic : 381,6 mm³/s (40 °C) - ASTM D7279 Solubility : Water: Insoluble / Slightly miscible Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Vapour pressure at 50°C : Not available Peatitive density : 0,002 kg/l (15 °C) - ASTM D4052		
Colour:Brown.Odour:characteristic.Odour threshold:Not availableMelting point:Not availableFreezing point:-15 °C - ASTM D5950 (pour point)Boiling point:Not availableFlammability:Not availableExplosive properties:Presents no particular fire or explosion hazard.Explosive limits:Not availableLower explosion limit:Not availableUpper explosion limit:Not availableFlash point:242 °C - ASTM D92 (COC)Auto-ignition temperature:Not availablePd:Not availableViscosity, kinematic:381,6 mm²/s (40 °C) - ASTM D7279Solubility::Not availablePartition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not ava	9.1. Information on basic physical and ch	nemical properties
Odour: characteristic.Odour threshold: Not availableMelting point: Not availableFreezing point: -15 °C - ASTM D5950 (pour point)Boiling point: Not availableFlammability: Not availableExplosive properties: Presents no particular fire or explosion hazard.Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableLower explosion temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: Not availableSolubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: Oy902 kg/l (15 °C) - ASTM D4052Relative density: Not availableRelative density		•
Odour threshold:Not availableMelting point:Not availableFreezing point:·15 °C - ASTM D5950 (pour point)Boiling point:Not availableFlammability:Not availableFlammability:Not availableExplosive properties:Presents no particular fire or explosion hazard.Explosive limits:Not availableLower explosion limit:Not availableUpper explosion limit:Not availableFlash point:Not availableFlash point:Vat availablePaccomposition temperature:Not availableDecomposition temperature:Not availableViscosity, kinematic:381,6 mm²/s (40 °C) - ASTM D7279Solubility:Vater: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure:Not availablePartition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure:Not availableVapour pressure:Not availableDensity:Not availableRelative density:Not availableRelative density:Not availableRelative density:Not availableRelative vapour density at 20°C:Not availableRelative density <td></td> <td></td>		
Melting point:Not applicableFreezing point:-15 °C - ASTM D5950 (pour point)Boiling point:Not availableFlammability:Not applicableExplosive properties:Presents no particular fire or explosion hazard.Explosive ilmits:Not availableLower explosion limit:Not availableUpper explosion limit:Not availableUpper explosion limit:Not availablePactor explosion limit:Not availableUpper explosion limit:242 °C - ASTM D92 (COC)Auto-ignition temperature:Not availableDecomposition temperature:Not availablePH:Not availableViscosity, kinematic:381,6 mm²/s (40 °C) - ASTM D7279Solubility:Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow):Not availableVapour pressure at 50°C:Not availableDensity:0.902 kg/l (15 °C) - ASTM D4052Relative density:Not availableRelative vapour density at 20°C:Not available		
Freezing point: -15 °C - ASTM D5950 (pour point)Boiling point: Not availableFlammability: Not applicableExplosive properties: Presents no particular fire or explosion hazard.Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: 242 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 381,6 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableDensity: 0,902 kg/l (15 °C) - ASTM D4052Relative vapour density at 20°C: Not availableRelative vapour density at 20°C: Not available		
Boiling point:Not availableFlammability:Not applicableExplosive properties:Presents no particular fire or explosion hazard.Explosive limits:Not availableLower explosion limit:Not availableUpper explosion limit:Not availableFlash point:242 °C - ASTM D92 (COC)Auto-ignition temperature:Not availableDecomposition temperature:Not availablePH:Not availableViscosity, kinematic:Not availableSolubility:Not availableVator: Insoluble / Slighty miscible:Partition coefficient n-octanol/water (Log Kow):Vapour pressure:Not availableVapour pressure at 50°C:Not availableDensity::Relative density:Not availableRelative vapour density at 20°C:Not available		
Flam ability: Not applicableExplosive properties: Presents no particular fire or explosion hazard.Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 242 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availableDecomposition temperature: Not availableViscosity, kinematic: 381,6 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure: Not availableDensity: 0,902 kg/l (15 °C) - ASTM D4052Relative density: Not availableRelative vapour density at 20°C: Not available		
Explosive properties:Presents no particular fire or explosion hazard.Explosive limits:Not availableLower explosion limit:Not availableUpper explosion limit:Not availableFlash point:242 °C - ASTM D92 (COC)Auto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:381,6 mm²/s (40 °C) - ASTM D7279Solubility:Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,902 kg/l (15 °C) - ASTM D4052Relative density:Not availableRelative vapour density at 20°C:Not available		
Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 242 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 381,6 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,902 kg/l (15 °C) - ASTM D4052Relative density: Not availableRelative vapour density at 20°C: Not available	-	
Lower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 242 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 381,6 mm²/s (40 °C) - ASTM D7279Solubility: Vater: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,902 kg/l (15 °C) - ASTM D4052Relative density: Not availableRelative vapour density at 20°C: Not available		
Upper explosion limit:Not availableFlash point:242 °C - ASTM D92 (COC)Auto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:381,6 mm²/s (40 °C) - ASTM D7279Solubility:Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,902 kg/l (15 °C) - ASTM D4052Relative density at 20°C:Not available		
Flash point: 242 °C - ASTM D92 (COC)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 381,6 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,902 kg/l (15 °C) - ASTM D4052Relative density: Not availableRelative vapour density at 20°C: Not available	•	
Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 381,6 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,902 kg/l (15 °C) - ASTM D4052Relative density: Not availableRelative vapour density at 20°C: Not available		
Decomposition temperature:Not availablepH:Not availableViscosity, kinematic:381,6 mm²/s (40 °C) - ASTM D7279Solubility:Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,902 kg/l (15 °C) - ASTM D4052Relative density:Not availableRelative vapour density at 20°C:Not available	•	
pH:Not availableViscosity, kinematic:381,6 mm²/s (40 °C) - ASTM D7279Solubility:Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,902 kg/l (15 °C) - ASTM D4052Relative density:Not availableRelative vapour density at 20°C:Not available		
Viscosity, kinematic: 381,6 mm²/s (40 °C) - ASTM D7279Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,902 kg/l (15 °C) - ASTM D4052Relative density: Not availableRelative vapour density at 20°C: Not available		
Solubility: Water: Insoluble / Slightly misciblePartition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 0,902 kg/l (15 °C) - ASTM D4052Relative density: Not availableRelative vapour density at 20°C: Not available	•	
Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : 0,902 kg/l (15 °C) - ASTM D4052 Relative density : Not available Relative vapour density at 20°C : Not available		
Vapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:0,902 kg/l (15 °C) - ASTM D4052Relative density:Not availableRelative vapour density at 20°C:Not available	2	
Vapor pressure at 50°C: Not availableDensity: 0,902 kg/l (15 °C) - ASTM D4052Relative density: Not availableRelative vapour density at 20°C: Not available		
Density : 0,902 kg/l (15 °C) - ASTM D4052 Relative density : Not available Relative vapour density at 20°C : Not available		
Relative density : Not available Relative vapour density at 20°C : Not available		
Relative vapour density at 20°C : Not available		
	2	
Particle characteristics : Not applicable		
	Particle characteristics	: Not applicable

No additional information available

9.2.2. Other safety characteristics

VOC content

: 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defin	ned in Regulation (EC) No 1272/2008	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified 	
Distillates (petroleum), solvent-dewaxed he	avy paraffinic (64742-65-0)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)	
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Distillates (petroleum), solvent-dewaxed he LOAEL (oral, rat, 90 days) NOAEL (dermal, rat/rabbit, 90 days)	 Not classified 2 Not classified Not classified 2 Not classified	
, <u> </u>	Dermal Toxicity: 21/28-Day Study)	
Aspiration hazard MonoFleet SHPD 70	: Not classified	
Viscosity, kinematic	381,6 mm²/s (40 °C) - ASTM D7279	
Distillates (petroleum), solvent-dewaxed he	avy paraffinic (64742-65-0)	
Viscosity, kinematic	< 20,5 mm²/s @40°C	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	
11.2. Information on other hazards		

No additional information available

 SECTION 12: Ecological information

 12.1. Toxicity

 Ecology - general
 : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

 Hazardous to the aquatic environment, short-term (acute)
 : Not classified

 Hazardous to the aquatic environment, long-term (chronic)
 : Not classified

 Not rapidly degradable
 : Not classified

No additional information available

12.3. Bioaccumulative potential

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		

No additional information available

SECTION 13: Disposal considerations	s
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations European List of Waste (LoW) code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
4.1. UN number or ID	number	· · · · ·	· · · · · ·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
I4.2. UN proper shippir	ng name	· · · · ·	'	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)		L. L	
Not applicable Not applicable Not applicable Not applicable				
14.4. Packing group		· ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental ha	zards	·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

Overland transport Not applicable

..

Transport by sea Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content

: 0 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
3	Composition/information on ingredients	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Asp. Tox. 1	p. Tox. 1 Aspiration hazard, Category 1	
EUH210	Safety data sheet available on request.	
H304 May be fatal if swallowed and enters airways.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.