

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 03.07.2018 Revision date: 30.11.2023 Supersedes version of: 01.11.2023 Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: VatOil Brake Fluid Super LV DOT 4
UFI	: THJY-98AQ-G00Q-5PP6
Product code	: VW.10.02
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public	
Main use category	: Industrial use, Professional use, Consumer use
Use of the substance/mixture	: Brake fluid
Function or use category	: Hydraulic fluids and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

VatOil Dollegoorweg, 15 NL– 7602 EC Almelo Netherlands T 0031 (0)546 81 81 65 vib@vatoil.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/	2008 [CLP]
Reproductive toxicity, Category 2	H361
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS08 Signal word (CLP) : Warning Contains : Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate Hazard statements (CLP) : H361 - Suspected of damaging fertility or the unborn child. Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P201 - Obtain special instructions before use. P280 - Wear protective gloves, protective clothing, eye protection. P308+P313 - IF exposed or concerned: Get medical advice/attention. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH208 - Contains Dihydro-3-(tetrapropenyl)furan-2,5-dione. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate	CAS-No.: 30989-05-0 EC-No.: 250-418-4 REACH-no: 01-2119462824- 33	< 80	Repr. 2, H361d
2-[2-(2-butoxyethoxy)ethoxy]ethanol substance with a Community workplace exposure limit	CAS-No.: 143-22-6 EC-No.: 205-592-6 EC Index-No.: 603-183-00-0 REACH-no: 01-2119475107- 38	< 20	Eye Dam. 1, H318

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-(2-methoxyethoxy)ethanol substance with national workplace exposure limit(s) (GB, IE); substance with a Community workplace exposure limit	CAS-No.: 111-77-3 EC-No.: 203-906-6 EC Index-No.: 603-107-00-6 REACH-no: 01-2119475100- 52	< 5	Repr. 1B, H360D
Dihydro-3-(tetrapropenyl)furan-2,5-dione	CAS-No.: 26544-38-7 EC-No.: 247-781-6 REACH-no: 01-2119979080- 37	< 0,1	Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 4, H413

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
2-[2-(2-butoxyethoxy)ethoxy]ethanol	CAS-No.: 143-22-6 EC-No.: 205-592-6 EC Index-No.: 603-183-00-0 REACH-no: 01-2119475107- 38	(20 ≤ C < 30) Eye Irrit. 2, H319 (30 ≤ C < 100) Eye Dam. 1, H318
2-(2-methoxyethoxy)ethanol	CAS-No.: 111-77-3 EC-No.: 203-906-6 EC Index-No.: 603-107-00-6 REACH-no: 01-2119475100- 52	(3 ≤ C ≤ 100) Repr. 1B, H360D
Dihydro-3-(tetrapropenyl)furan-2,5-dione	CAS-No.: 26544-38-7 EC-No.: 247-781-6 REACH-no: 01-2119979080- 37	(0,1 ≤ C < 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

Symptoms/effects after eye contact

: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture	
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	pment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep container tightly closed. Store locked up. Store in a well-ventilated place. Keep cool.	
7.3. Specific end use(s)		

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological limit values		
2-(2-methoxyethoxy)ethanol (111-77-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-(2-Methoxyethoxy)ethanol	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-(2-methoxyethoxy)ethanol (111-77-3)		
IOEL TWA	50,1 mg/m ³	
IOEL TWA [ppm]	10 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits		
Local name	2-(2-Methoxyethoxy)ethanol	
OEL TWA [1]	50,1 mg/m ³	
OEL TWA [2]	10 ppm	
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits		
Local name	2-(2-Methoxyethoxy) ethanol	
WEL TWA (OEL TWA) [1]	50,1 mg/m ³	
WEL TWA (OEL TWA) [2]	10 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	50 mg/m³	
IOEL TWA [ppm]	9 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on	basic physical	and chemical	properties

Physical state	: Liquid
Colour	: dark orange.
Appearance	: clear.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: <-50 °C
Freezing point	: Not available
Boiling point	: >260 °C
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: 7 – 10,5
Viscosity, kinematic	: 15 mm²/s @20°C
Solubility	: Water: completely miscible
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: < 0,1 mPa
Vapour pressure at 50°C	: Not available
Density	: 1,02 – 1,09 kg/l @ 20°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Particle characteristics	: Not applicable
9.2. Other information	
9.2.1. Information with regard to phys No additional information available	cal hazard classes
9.2.2. Other safety characteristics	
Other properties	: Material is hygroscopic
SECTION 10: Stability and reactivity	
10.1. Reactivity	
The product is non-reactive under normal conditions of use, storage and transport.	

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal)	Not classified Not classified Not classified	
2-(2-methoxyethoxy)ethanol (111-77-3)		
LD50 dermal rabbit	9404 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 6696 - 13212	
2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6	;)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)	
LD50 oral	5170 mg/kg bodyweight	
LD50 dermal rabbit	3540 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other:, 95% CL: 1050 - 11800	
LD50 dermal	3540 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	> 2400 mg/l	
Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)		
LD50 oral rat	> 2000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg bodyweight	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation : Not classified pH: 7 - 10,5 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-5) pH 7 Temp: 20 °C Concentration: J70 vol%,80 vol%] Remarks on result: 'other:' Serious eye damage/irritation : Not classified pH: 7 - 10,5 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-5) pH 7 Temp: 20 °C Concentration: J70 vol%,80 vol%] Remarks on result: 'other:' Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-repeated exposure : Not classified 2-(2-methoxyethoxy)ethanol (111-77-3) E LOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: other (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: other NOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 2-[2-[2-butoxyethoxy]ethanol (143-22-5) LOAEL (oral, rat, 90 days) NOAEC (inhalation, rat, vapour, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)		
pH 7 Temp.: 20 °C Concentration:]70 vol%,80 vol%] Remarks on result: 'other.' Serious eye damage/irritation : Not classified pH: 7 - 10,5 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6) PH 7 Temp.: 20 °C Concentration:]70 vol%,80 vol%] Remarks on result: 'other.' Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified 2-(2-methoxyethoxy)ethanol (111-77-3) LOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEC (inhalation, rat, vapour, 90 days) > 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 408 (Repeated Dos Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dos Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dos Day Oral Toxicity Study in Rodents)		
Serious eye damage/irritation : Not classified pH: 7 - 10,5 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6) pH 7 Temp.: 20 °C Concentration:]70 vol%,80 vol%] Remarks on result: 'other.' Respiratory or skin sensitisation : Not classified Gern cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified 2-(2-methoxyethoxy)ethanol (111-77-3) LOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline - (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 90 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEC (inhalation, rat, vapour, 90 days) > 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated		
pH: 7 – 10,5 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-5) pH 7 Temp.: 20 °C Concentration:]70 vol%,80 vol%] Remarks on result: 'other.' Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified 2-(2-methoxyethoxy)ethanol (111-77-3) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: other NOAEL (inhalation, rat, vapour, 90 days) > 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-5) LOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodent		
pH 7 Temp.: 20 °C Concentration:]70 vol%,80 vol%] Remarks on result: 'other:' Respiratory or skin sensitisation : Not classified Gern cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-repeated exposure : Not classified 2-(2-methoxyethoxy)ethanol (111-77-3) I800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline - (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline - (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 2-[2-[2-butoxyethoxy]ethoxy]ethanol (143-22-6) I200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)		
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified 2-(2-methoxyethoxy)ethanol (111-77-3) LOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline - (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: other NOAEC (inhalation, rat, vapour, 90 days) > 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6) I200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 4000 m		
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified 2-(2-methoxyethoxy)ethanol (111-77-3) LOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents). NOAEL (oral, rat, vapour, 90 days) > 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: other: Tris[2-[2-(2-methoxyethoxy)eth		
Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified 2-(2-methoxyethoxy)ethanol (111-77-3) LOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: other NOAEC (inhalation, rat, vapour, 90 days) > 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6) I200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: other: Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0) NOAEL (oral, rat, 90 days) NOAEL (oral, rat, 90 days) <		
Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified 2-(2-methoxyethoxy)ethanol (111-77-3) LOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline - (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: other NOAEC (inhalation, rat, vapour, 90 days) > 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: other:		
STOT-single exposure : Not classified STOT-repeated exposure : Not classified 2-(2-methoxyethoxy)ethanol (111-77-3) LOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: other NOAEC (inhalation, rat, vapour, 90 days) > 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6) LOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: other: Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0) NOAEL (oral, rat, 90 days) NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight/day		
STOT-repeated exposure : Not classified 2-(2-methoxyethoxy)ethanol (111-77-3) LOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: other NOAEC (inhalation, rat, vapour, 90 days) > 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: other: Tris[2-[2-(2-methoxyethoxy)ethoxy]ethoxy]ethyl] orthoborate (30989-05-0) NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight/day		
2-(2-methoxyethoxy)ethanol (111-77-3) LOAEL (oral, rat, 90 days) 1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 4 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: other NOAEC (inhalation, rat, vapour, 90 days) > 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: other: Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0) 1000 mg/kg bodyweight/day		
LOAEL (oral, rat, 90 days)1800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline (Repeated Dose 28-Day Oral Toxicity Study in Rodents)NOAEL (oral, rat, 90 days)900 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 40000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 40000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6)LOAEL (oral, rat, 90 days)1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)NOAEL (oral, rat, 90 days)1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)NOAEL (oral, rat, 90 days)4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)NOAEL (dermal, rat/rabbit, 90 days)4000 mg/kg bodyweight Animal: rat, Guideline: other:Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)NOAEL (oral, rat, 90 days)1000 mg/kg bodyweight/day		
Image: Non-AEL (oral, rat, 90 days)(Repeated Dose 28-Day Oral Toxicity Study in Rodents)NOAEL (oral, rat, 90 days)900 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 44 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: otherNOAEC (inhalation, rat, vapour, 90 days)> 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6)LOAEL (oral, rat, 90 days)1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)NOAEL (oral, rat, 90 days)400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)NOAEL (dermal, rat/rabbit, 90 days)4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)NOAEL (oral, rat, 90 days)4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)NOAEL (dermal, rat/rabbit, 90 days)4000 mg/kg bodyweight Animal: rat, Guideline: other:Tris[2-[2-(2-methoxyethoxy)ethoxy]ethoxy]ethyl] orth-borate (30989-05-0)NOAEL (oral, rat, 90 days)NOAEL (oral, rat, 90 days)1000 mg/kg bodyweight/day		
(Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: otherNOAEC (inhalation, rat, vapour, 90 days)> 1,06 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6)LOAEL (oral, rat, 90 days)1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)NOAEL (oral, rat, 90 days)400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)NOAEL (dermal, rat/rabbit, 90 days)4000 mg/kg bodyweight Animal: rat, Guideline: other:Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)NOAEL (oral, rat, 90 days)NOAEL (oral, rat, 90 days)1000 mg/kg bodyweight/day		
Toxicity: 90-Day Study)2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6)LOAEL (oral, rat, 90 days)1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dos Day Oral Toxicity Study in Rodents)NOAEL (oral, rat, 90 days)400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dos Day Oral Toxicity Study in Rodents)NOAEL (dermal, rat/rabbit, 90 days)4000 mg/kg bodyweight Animal: rat, Guideline: other:Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthorate (30989-05-0)NOAEL (oral, rat, 90 days)1000 mg/kg bodyweight/day		
LOAEL (oral, rat, 90 days)1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dos Day Oral Toxicity Study in Rodents)NOAEL (oral, rat, 90 days)400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dos Day Oral Toxicity Study in Rodents)NOAEL (dermal, rat/rabbit, 90 days)4000 mg/kg bodyweight Animal: rat, Guideline: other:Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] ortboarte (30989-05-0)NOAEL (oral, rat, 90 days)1000 mg/kg bodyweight/day		
Day Oral Toxicity Study in Rodents)NOAEL (oral, rat, 90 days)400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity Study in Rodents)NOAEL (dermal, rat/rabbit, 90 days)4000 mg/kg bodyweight Animal: rat, Guideline: other:Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)NOAEL (oral, rat, 90 days)1000 mg/kg bodyweight/day		
Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 4000 mg/kg bodyweight Animal: rat, Guideline: other: Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0) NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight/day		
Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0) NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight/day		
NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight/day		
Aspiration hazard : Not classified		
VatOil Brake Fluid Super LV DOT 4		
Viscosity, kinematic 15 mm²/s @20°C		
2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6)		
Viscosity, kinematic 9,2 mm²/s Temp.: 'other:' Parameter: 'kinematic viscosity (in mm²/s)' Remarks on re- 'other:'		
Dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)		
Viscosity, kinematic 0,428 mm²/s		
Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)		
Viscosity, kinematic 16,2 mm²/s @20°C		
11.2. Information on other hazards		

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information			
12.1. Toxicity			
Hazardous to the aquatic environment, short-term :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified		
(acute) Hazardous to the aquatic environment, long-term : (chronic)	Not classified		
2-(2-methoxyethoxy)ethanol (111-77-3)			
LC50 - Fish [1]	5741 mg/l Test organisms (species): Pimephales promelas		
EC50 - Crustacea [1]	1192 mg/l Test organisms (species): Daphnia magna		
EC50 96h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-	6)		
LC50 - Fish [1]	2200 – 4600 mg/l Test organisms (species): Leuciscus idus		
LC50 - Fish [2]	2400 mg/l Test organisms (species): Pimephales promelas		
EC50 - Crustacea [1]	> 500 mg/l (Daphnia magna, 48h)		
EC50 - Other aquatic organisms [1]	> 5000 mg/l (Microorganisms, 16 h)		
EC50 - Other aquatic organisms [2]	> 500 mg/l		
EC50 72h - Algae [1]	1589 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
EC50 72h - Algae [2]	3211 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
ErC50 other aquatic plants	2490 mg/l (Selenastrum capricornutum, 72h)		
Dihydro-3-(tetrapropenyl)furan-2,5-dione (265	Dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)		
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 96h - Algae [1]	110 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)			
LC50 - Fish [1]	222,2 mg/l		
EC50 - Crustacea [1]	211,2 mg/l		
EC50 72h - Algae [1]	224,2 mg/l		
NOEC chronic algae	224,2 mg/l		
12.2. Persistence and degradability			
VatOil Brake Fluid Super LV DOT 4			
Biodegradation	> 70 % (OECD 308 method)		
2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-0	6)		
Biodegradation	85 % [28d, OECD 301 D]		
	1		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential			
2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6)			
Partition coefficient n-octanol/water (Log Pow)	0,51		
Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orth	oborate (30989-05-0)		
Partition coefficient n-octanol/water (Log Pow)	1 @20°C		
12.4. Mobility in soil			
2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6)			
Surface tension	0,0612 N/m		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	≈ 10		
12.5. Results of PBT and vPvB assessment			
Component			
2-[2-(2-butoxyethoxy)ethoxy]ethanol (143-22-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			
No additional information available			
SECTION 13: Disposal considerations			

SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste treatment methods European List of Waste (LoW, EC 2000/532) HP Code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. 16 01 13* - brake fluids HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID number				
No dangerous good in sense of transport regulations.(ADR, RID, IMDG, IATA)				
14.2. UN proper shipping name				
Not regulated Not regulated Not regulated Not regulated				Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR 14.5. Environmental hazard Not regulated No supplementary information a 14.6. Special precautions formations formations formations formations formations formations formations for a supplementary information and the supplementary informa	Not regulated	IATA Not regulated	ADN Not regulated	RID Not regulated
Not regulated No supplementary information a	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information a	available	Not regulated	Not regulated	Not regulated
14.6. Special precautions for	or user			
Overland transport Not regulated				
Transport by sea Not regulated				
Air transport Not regulated				
Inland waterway transport Not regulated				
Rail transport Not regulated				

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	VatOil Brake Fluid Super LV DOT 4 ; 2-(2- methoxyethoxy)ethanol ; 2-[2-(2- butoxyethoxy)ethoxy]etha nol ; Dihydro-3- (tetrapropenyl)furan-2,5- dione ; Tris[2-[2-(2- methoxyethoxy)ethoxy]eth yl] orthoborate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Dihydro-3- (tetrapropenyl)furan-2,5- dione	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
54.	2-(2- methoxyethoxy)ethanol	2-(2-methoxyethoxy)ethanol (DEGME)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Biocide Regulation (528/2012)

Child-resistant fastening Tactile warning : Not applicable : Applicable

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
8.2	Respiratory protection	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
EUH208	Contains Dihydro-3-(tetrapropenyl)furan-2,5-dione. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H360D	May damage the unborn child.	
H361	Suspected of damaging fertility or the unborn child.	
H361d	Suspected of damaging the unborn child.	
H413	May cause long lasting harmful effects to aquatic life.	
Repr. 1B	Reproductive toxicity, Category 1B	
Repr. 2	Reproductive toxicity, Category 2	
Skin Sens. 1A	Skin sensitisation, category 1A	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.