

Product Information PM.20.00

09-07-2025

ATV Farmer Oil 15W-40

Description

ATV Farm Oil 15W-40 is a modern lubricant. Premium quality base oil combined with carefully selected additives offering the following properties:

- Provides year-round protection, particularly in a salty environment with high humidity
- Outstanding binding properties
- Prevents the formation of sludge
- Highly effective anti-wear properties
- Good resistance to foaming
- Low ash content ATV Farm Oil 15W-40 is suitable for modern farm quad bikes with an integrated gearbox and automatic clutch. Extended oil change intervals are possible. See the manufacturer's specifications for details.

Application

Putoline Oil is a high-quality supplier of a wide range of lubricants and maintenance products. We only supply products for motorised two-wheelers and that makes us unique! Our years of experience, combined with continuous research results in the best price/quality ratio. Manufacturing our own products guarantees a consistently high quality. Putoline Oil, Driven by Technology!

Please refer to the advisory database for use of the correct product.

Specifications

ACEA E7

API CH-4/SJ

Typicals

| | |
|--------------------------------------|--------|
| Density at 15 °C, kg/l | 0,883 |
| Viscosity -20 °C, mPa.s | 5960 |
| Viscosity 40 °C, mm ² /s | 102,00 |
| Viscosity 100 °C, mm ² /s | 14,30 |
| Viscosity Index | 140 |
| Flash Point COC, °C | 220 |
| Pour Point, °C | -33 |
| Total Base Number, mgKOH/g | 11,1 |

Available packagings



70522
1 L bottle



70024
4 L can

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.