

Product Information PT.20.04

25-04-2024

TT Scooter

Description

TT Scooter is a synthetic, low smoke, clean-burning, high performance 2-stroke oil. The product has the following properties:

- Minimises smoke development
- Minimises carbon deposits
- Counteracts fouling on the spark plugs
- Extends the service life of the engine TT Scooter is recommended for regular and high performance road use. It is suitable for pre-mix and injection systems. Recommended mix ratio: 2-4%.

Application

Putoline Oil is a high-quality supplier of a wide range of lubricants and maintenance products. We only supply products for motorised two-wheelers and that makes us unique! Our years of experience, combined with continuous research results in the best price/quality ratio. Manufacturing our own products guarantees a consistently high quality. Putoline Oil, Driven by Technology!

Please refer to the advisory database for use of the correct product.

Specifications

API TC

JASO FD

ISO-L-EGD

TISI

Typicals

Density at 15 °C, kg/l	0,866
Viscosity 40 °C, mm ² /s	38,70
Viscosity 100 °C, mm ² /s	7,10
Viscosity Index	147
Flash Point COC, °C	122
Pour Point, °C	-45
Total Base Number, mgKOH/g	1,4

Available packagings



70471
1 L bottle



74424
20 L Bag in
Box



70476
60 L drum



70472
200 L drum

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.