

Product Information 02.30.30

04-12-2023

ATF - F (Ford)

Description

ATF-F (Ford) is a premium, automatic transmission oil based on solvent-refined base oils. It is supplemented with additives to achieve the following properties:

- A very high and stable viscosity index
- A very low pour point
- Excellent oxidation stability
- Effective resistance to wear, corrosion and foaming
- Special friction properties
- Does not affect seals and non-ferrous metals

Application

ATF-F (Ford) can be used for automatic gearboxes, power steering systems and torque converters for which a type ATF-F (Ford) oil is recommended.

Specifications

Ford M2C33-F/G

Ford M2C9007-AA

BorgWarner

Volvo 97330

Typicals

Density at 15 °C, kg/l	0,855
Viscosity 40 °C, mm ² /s	33,60
Viscosity 100 °C, mm ² /s	7,40
Viscosity Index	178
Flash Point COC, °C	195
Pour Point, °C	-42
Total Base Number, mgKOH/g	1,6

Available packagings



01201
1 L bottle



36086
20 L pail



11109
60 L drum



11209
208 L drum

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.