

Product Information VG.10.02

05-12-2021

VatOil Hypoid GL-5 80W-90

Description

Hypoid GL-5 80W-90 is a premium gear oil for mechanical manual transmissions. It is formulated with high quality solvent refined base oils and special additives. The product offers a smooth running gearbox operation under various temperature conditions and gives protection against rust and corrosion. The Hypoid GL-5 80W-90 properties:

- Excellent resistance against corrosion
- Smooth lubrication under hot and very cold temperature conditions
- Day-to-day driving in summer and winter
- Protection against wear

Application

Hypoid GL-5 80W-90 is suitable for hypoid and other gears in axles and transaxles of passenger cars, trucks and buses, where an API GL-5 is recommended. NOT suitable for Limited Slip axles. Always check the product recommendation database for the right application.

Specifications

API GL-5

MIL-L-2105D

ZF TE-ML 16B/17B/19B/21A

MAN 342 Typ M1

MB 235.0

Typicals

Colour	5
Density at 15 °C, kg/l	0,898
Viscosity 40 °C, mm ² /s	149,00
Viscosity 100 °C, mm ² /s	14,80
Viscosity Index	98
Flash Point COC, °C	232
Pour Point, °C	-30
Acid number, mgKOH/g	1,80
Sulphate Ash, %	0,05

Available packagings



50078
1 L bottle



50079
20 L can



50080
60 L drum



50081
210 L drum

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.