

Product Information 01.40.89

04-02-2023

Presteza LL-12 FE 0W-30

Description

Presteza LL-12 FE 0W-30 is a modern, fuel-saving, fully synthetic motor oil, developed in accordance with the latest Mid SAPS technologies for use in cars with particulate filters and/or catalytic converters. It is supplemented with specially selected, synthetic base oils and advanced additives to achieve the following properties:

- Fuel saving
- Reduced formation of combustion residues due to lower SAPS content
- Extended service life of particulate filters and catalytic converters
- A smooth cold start
- A protective lubricant film at high operating temperatures
- Extended oil change intervals
- Excellent dispersion and detergency
- Very high resistance to wear, corrosion and foaming

Application

Presteza LL-12 FE 0W-30 is a fully synthetic, fuel-saving Long Life motor oil specifically for BMW models requiring the BMW Longlife-12 FE specification. It is also suitable for BMW petrol engines (EU region) from model year 2002 onwards and BMW diesel engines with a maximum of 1 turbocompressor from model year 2013 onwards (6-cylinder) and model year 2014 (3 and 4-cylinder).

Specifications

BMW Longlife-12 FE

Typicals

Density at 15 °C, kg/l	0,841
Viscosity -35 °C, mPa.s	5590
Viscosity 40 °C, mm ² /s	54,6
Viscosity 100 °C, mm ² /s	10,00
Viscosity Index	172
Flash Point COC, °C	222
Pour Point, °C	-45
Total Base Number, mgKOH/g	8,3
Acid number, mgKOH/g	2,40
Sulphate Ash, %	0,76

Available packagings



32522
1 L bottle



32524
5 L can



36486
20 L Bag in
Box



32526
20 L pail



32527
60 L drum



32529
208 L drum

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.