

Product Information 02.35.41

04-07-2024

Kroon-Oil SP Matic 2094

Description

SP Matic 2094 is a premium, very low-viscosity Long Life ATF, specially formulated for the latest generation of automatic 7G-Tronic Plus transmissions from Mercedes-Benz. Specially selected, high-quality base oils, combined with the latest additives, provide the SP Matic 2094 with the following properties:

- Outstanding fuel-saving
- Extremely high resistance to oxidation
- Excellent and very stable friction characteristics for extended oil change intervals
- Outstanding lubrication properties
- Excellent protection against corrosion and foaming
- Excellent low-temperature properties
- Fully compatible with seal agents used by Mercedes

Application

SP Matic 2094 is a premium synthetic ATF, specially formulated for the latest generation of automatic 7G-Tronic Plus transmissions from Mercedes-Benz. Compared to the first generation 7G-Tronic transmissions, even greater emphasis is placed on fuel saving in 7G-Tronic Plus transmissions. SP Matic 2094 contributes considerably to the realisation of this fuel saving. The product can be used where the MB 236.15 specification is required.

Specifications

MB 236.15

Typicals

Density at 15 °C, kg/l	0,840
Viscosity 40 °C, mm ² /s	18,80
Viscosity 100 °C, mm ² /s	4,40
Viscosity Index	150
Flash Point COC, °C	188
Pour Point, °C	-57
Total Base Number, mgKOH/g	4,0

Available packagings



35470
1 L bottle



37619
15 L Bag in
Box



35486
15 L POWERFLUSH Bag in Box



32765
20 L Bag in
Box



35471
20 L pail



35472
60 L drum



35473
208 L drum

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.