

## Product Information 02.10.34

13-07-2025

### Kroon-Oil SP Gear 1081

#### Description

SP Gear 1081 is a premium, fuel-saving SAE 75W transmission oil. Perfect for manual transmissions fitted in the latest generation of cars, which, in addition to reliability and comfort, are increasingly being designed with fuel saving in mind. By using premium, low-viscosity base oils and special additives, the following properties are achieved:

- Outstanding fuel-saving properties thanks to low viscosity
- Easy and smooth gear-changing at very low and very high operating temperatures, thanks to the high viscosity index
- Outstanding oxidation stability, which enables the oil to be used for longer
- Outstanding protection against wear thanks to special EP additives
- High resistance to corrosion and foaming

#### Application

SP Gear 1081 is a versatile, fuel-saving SAE 75W transmission oil. The product has been specially developed for modern manual transmissions in the current generation of cars. These include the new generation of manual transmissions from VAG (Audi, VW, Seat and Skoda) among others.

#### Specifications

API GL-4

BMW MTF LT-3

Fiat 9.55550-MZ6 / MZ7

Ford WSS-M2C200-D2 / ESD-M2C186-A

GM GMW16612 / 1940004 / 19259104

PSA B71 2310 / 2316

Tranself NFX

VW G 009 317 / 052 171 / 052 178

VW G 052 512 / 052 527 / 052 549

VW G 052 726 / 055 512 / 060 726 / 070 726

#### Typicals

Density at 15 °C, kg/l 0,851

Viscosity 40 °C, mm<sup>2</sup>/s 31,80

Viscosity 100 °C, mm<sup>2</sup>/s 6,10

Viscosity Index 142

Flash Point COC, °C 232

Pour Point, °C -45

Total Base Number, mgKOH/g 8,7

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.



#### Available packagings



33950  
1 L bottle



37485  
15 L Bag-in-  
Box



37895  
20 L can



34001  
60 L drum



34135  
208 L drum

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.