



# Multifleet Gas Engine LA 40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 17-5-2018 Revision date: 27-9-2022 Supersedes version of: 17-5-2018 Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Multifleet Gas Engine LA 40  
Product code : 01.10.43  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Use of the substance/mixture : Engine oil  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Kroon Oil BV B.V.  
Dollegoorweg, 15  
NL- 7602 EC Almelo  
Netherlands  
T 0031 (0)546 81 81 65  
[vib@kroon-oil.nl](mailto:vib@kroon-oil.nl)

#### 1.4. Emergency telephone number

| Country        | Organisation/Company  | Address                                  | Emergency number   | Comment                              |
|----------------|---|--|--|--------------------------------------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital                                  | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |                                      |
| United Kingdom | National Poisons Information Service<br>(Cardiff Centre)<br>University Hospital Llandough | Penlan Road<br>CF64 2XX Llandough        | 0344 892 0111  | Only for healthcare<br>professionals |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

# Multifleet Gas Engine LA 40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

| Component  |   |
|--|---|
| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments : Highly refined mineral oils and additives.

| Name   | Product identifier   | %         | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|-----------|---|
| Distillates (petroleum), solvent-dewaxed light paraffinic substance with a Community workplace exposure limit (Note L) | CAS-No.: 64742-56-9<br>EC-No.: 265-159-2<br>EC Index-No.: 649-469-00-9<br>REACH-no: 01-2119480132-48 | 0,1 – 2,5 | Asp. Tox. 1, H304   |
| C14-16-18 Alkyl phenol   | EC-No.: 931-468-2<br>REACH-no: 01-2119498288-19  | 0,1 – 2,5 | Skin Sens. 1B, H317<br>STOT RE 2, H373                          |

### Specific concentration limits:

| Name                   | Product identifier                              | Specific concentration limits            |
|------------------------|---|--|
| C14-16-18 Alkyl phenol | EC-No.: 931-468-2<br>REACH-no: 01-2119498288-19 | ( 10 $\leq$ C < 100) Skin Sens. 1B, H317 |

Comments : The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

# Multifleet Gas Engine LA 40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.  
Hazardous decomposition products in case of fire : Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.  
Storage temperature : 0 – 40 °C

# Multifleet Gas Engine LA 40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| Multifleet Gas Engine LA 40   |   |
|---|---|
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b>   |   |
| Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended | 5 mg/m <sup>3</sup> - ACGIH TLV (inhalable fraction). |
| <b>Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)</b>   |   |
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b>   |   |
| IOEL TWA  | 5 mg/m <sup>3</sup>                                   |

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

| Eye protection |                      |                 |          |
|----------------|----------------------|-----------------|----------|
| Type           | Field of application | Characteristics | Standard |
| Safety glasses | Droplet              | clear           | EN 166   |

##### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

# Multifleet Gas Engine LA 40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Hand protection:

Protective gloves

| Hand protection |                      |                   |                |             |            |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Type            | Material             | Permeation        | Thickness (mm) | Penetration | Standard   |
| Reusable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | ≥0.35          |             | EN ISO 374 |

### Other skin protection

#### Materials for protective clothing:

Wear suitable protective clothing

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |  |
|---|--|
| Physical state                                  | : Liquid   |
| Colour  | : brown.   |
| Odour   | : characteristic.                                  |
| Odour threshold                                 | : Not available                                    |
| Melting point                                   | : Not applicable                                   |
| Freezing point                                  | : -21 °C - ASTM D5950 (pour point)                 |
| Boiling point                                   | : Not available                                    |
| Flammability                                    | : Not applicable                                   |
| Explosive properties                            | : Presents no particular fire or explosion hazard. |
| Explosive limits                                | : Not available                                    |
| Lower explosion limit                           | : Not available                                    |
| Upper explosion limit                           | : Not available                                    |
| Flash point                                     | : 254 °C - ASTM D92 (COC)                          |
| Auto-ignition temperature                       | : Not available                                    |
| Decomposition temperature                       | : Not available                                    |
| pH  | : Not available                                    |
| Viscosity, kinematic                            | : 143 mm <sup>2</sup> /s (40 °C) - ASTM D7279      |
| Solubility                                      | : Water: Insoluble / Slightly miscible             |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                                    |
| Vapour pressure                                 | : Not available                                    |
| Vapour pressure at 50 °C                        | : Not available                                    |
| Density   | : 0,892 kg/l (15 °C) - ASTM D4052                  |
| Relative density                                | : Not available                                    |
| Relative vapour density at 20 °C                | : Not available                                    |
| Particle characteristics                        | : Not applicable                                   |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 0 %

# Multifleet Gas Engine LA 40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No decomposition if stored normally.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) |              |
|--|--------------|
| LD50 oral rat  | > 5000 mg/kg |
| LD50 dermal rabbit   | > 5000 mg/kg |
| LC50 Inhalation - Rat (Dust/Mist)                                      | 5,53 mg/l/4h |

| C14-16-18 Alkyl phenol |   |
|------------------------|---|
| LD50 oral rat          | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity), Guideline: other: |
| LD50 dermal rat        | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:  |

Skin corrosion/irritation : Not classified

| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) |   |
|--|---|
| pH   | 7 |

Serious eye damage/irritation : Not classified

| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) |   |
|--|---|
| pH   | 7 |

Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified

# Multifleet Gas Engine LA 40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-repeated exposure : Not classified

| <b>Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)</b> |                          |
|---|--------------------------|
| LOAEL (oral, rat, 90 days)  | 125 mg/kg bodyweight/day |
| NOAEL (subchronic, oral, animal/male, 90 days)                                | ≥ 2000 mg/kg bodyweight  |
| NOAEL (subchronic, oral, animal/female, 90 days)                              | ≥ 2000 mg/kg bodyweight  |

| <b>C14-16-18 Alkyl phenol</b> |  |
|-------------------------------|--|
| STOT-repeated exposure        | May cause damage to organs (liver) through prolonged or repeated exposure. |

Aspiration hazard : Not classified

| <b>Multifleet Gas Engine LA 40</b> |   |
|------------------------------------|---|
| Viscosity, kinematic               | 143 mm <sup>2</sup> /s (40 °C) - ASTM D7279 |

| <b>Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)</b> |                           |
|---|---------------------------|
| Viscosity, kinematic  | < 20,5 mm <sup>2</sup> /s |
| Aliphatic, alicyclic or aromatic hydrocarbon                                  | Yes                       |

| <b>C14-16-18 Alkyl phenol</b> |   |
|-------------------------------|---|
| Viscosity, kinematic          | 52 mm <sup>2</sup> /s (40°C)   5,4 mm <sup>2</sup> /s (100°C) [ASTM D445] |

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Not rapidly degradable

| <b>C14-16-18 Alkyl phenol</b> |  |
|-------------------------------|--|
| EC50 - Crustacea [1]          | > 100 mg/l Test organisms (species): Daphnia magna |

### 12.2. Persistence and degradability

| <b>Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)</b> |                            |
|---|----------------------------|
| Persistence and degradability   | Potentially biodegradable. |

### 12.3. Bioaccumulative potential

| <b>Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)</b> |     |
|---|-----|
| Partition coefficient n-octanol/water (Log Pow)                               | > 3 |

| <b>C14-16-18 Alkyl phenol</b>                   |       |
|---|-------|
| Partition coefficient n-octanol/water (Log Pow) | > 7,2 |

# Multifleet Gas Engine LA 40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.4. Mobility in soil

#### Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

Ecology - soil

Insoluble in water.

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

European List of Waste (LoW) code : 13 02 05\* - mineral-based non-chlorinated engine, gear and lubricating oils

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                     | IMDG           | IATA           | ADN            | RID            |
|---|----------------|----------------|----------------|----------------|
| <b>14.1. UN number or ID number</b>     |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| <b>14.2. UN proper shipping name</b>    |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| <b>14.3. Transport hazard class(es)</b> |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| <b>14.4. Packing group</b>              |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| <b>14.5. Environmental hazards</b>      |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available  |                |                |                |                |

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable



# Multifleet Gas Engine LA 40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Inland waterway transport

Not applicable

### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) |                        |
|--|------------------------|
| Reference code                         | Applicable on          |
| 3.                                     | C14-16-18 Alkyl phenol |
| 3(b)                                   | C14-16-18 Alkyl phenol |

##### REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

##### REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

##### PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

##### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

##### VOC Directive (2004/42)

VOC content : 0 %

##### Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

**For the following substances of this mixture a chemical safety assessment has been carried out:**

Distillates (petroleum), solvent-dewaxed light paraffinic

# Multifleet Gas Engine LA 40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 16: Other information

| Indication of changes |                                    |          |          |
|-----------------------|------------------------------------|----------|----------|
| Section               | Changed item                       | Change   | Comments |
|                       | Supersedes                         | Added    |          |
|                       | Revision date                      | Modified |          |
|                       | Issue date                         | Modified |          |
| 1.2                   | Use of the substance/mixture       | Added    |          |
| 1.2                   | Function or use category           | Added    |          |
| 4.1                   | First-aid measures after ingestion | Modified |          |
| 4.2                   | Symptoms/effects                   | Modified |          |
| 9.1                   | Solubility in water                | Added    |          |
| 15.1                  | REACH Annex XVII                   | Modified |          |
| 16                    | Abbreviations and acronyms         | Modified |          |

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |
| BOD                         | Biochemical oxygen demand (BOD)   |
| COD                         | Chemical oxygen demand (COD)  |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC-No.                      | European Community number   |
| EC50                        | Median effective concentration  |
| EN                          | European Standard   |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| OECD                        | Organisation for Economic Co-operation and Development  |
| OEL                         | Occupational Exposure Limit   |
| PBT                         | Persistent Bioaccumulative Toxic  |

# Multifleet Gas Engine LA 40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |  |
|-----------------------------|--|
| PNEC                        | Predicted No-Effect Concentration  |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                         | Safety Data Sheet  |
| STP                         | Sewage treatment plant   |
| ThOD                        | Theoretical oxygen demand (ThOD)   |
| TLM                         | Median Tolerance Limit   |
| VOC                         | Volatile Organic Compounds   |
| CAS-No.                     | Chemical Abstract Service number   |
| N.O.S.                      | Not Otherwise Specified  |
| vPvB                        | Very Persistent and Very Bioaccumulative                                     |
| ED                          | Endocrine disrupting properties  |

| Full text of H- and EUH-statements: |  |
|-------------------------------------|--|
| Asp. Tox. 1                         | Aspiration hazard, Category 1                                      |
| EUH208                              | Contains C14-16-18 Alkyl phenol. May produce an allergic reaction. |
| EUH210                              | Safety data sheet available on request.                            |
| H304                                | May be fatal if swallowed and enters airways.                      |
| H317                                | May cause an allergic skin reaction.                               |
| H373                                | May cause damage to organs through prolonged or repeated exposure. |
| Skin Sens. 1B                       | Skin sensitisation, category 1B                                    |
| STOT RE 2                           | Specific target organ toxicity – Repeated exposure, Category 2     |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.