

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 22-5-2018 Revision date: 22-5-2018 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Enersynth FE 0W-20
Product code	: 01.40.90
Type of product	: Lubricants
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Use of the substance/mixture Industrial use,Professional use,Consumer useEngine oil

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Kroon Oil BV Dollegoorweg 15 7602 EC Almelo - Netherlands T 0031 (0)546 81 81 65 vib@kroon-oil.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH210 - Safety data sheet available on request.

EUH208 - Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

2.3. Other hazards

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: Highly refined mineral oils and additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	≥ 80	Asp. Tox. 1, H304
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (Note L)	(CAS-No.) 72623-87-1 (EC-No.) 276-738-4 (EC Index-No.) 649-483-00-5 (REACH-no) 01-2119474889-13	0,1 – 2,5	Asp. Tox. 1, H304
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (Note L)	(CAS-No.) 72623-86-0 (EC-No.) 276-737-9 (EC Index-No.) 649-482-00-X (REACH-no) 01-2119474878-16	0,1 – 2,5	Asp. Tox. 1, H304
C14-16-18 Alkyl phenol	(EC-No.) 931-468-2 (REACH-no) 01-2119498288-19	0,1 – 2,5	Skin Sens. 1B, H317 STOT RE 2, H373
Bis(nonylphenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	0,1 – 2,5	Aquatic Chronic 4, H413

Comments

: The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 If you feel unwell, seek medical advice (show the label where possible). Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell. Do not induce vomiting.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/effects Symptoms/effects after ingestion	 No additional information available. Not expected to present a significant hazard under anticipated conditions of normal use. May result in aspiration into the lungs, causing chemical pneumonia.
4.3. Indication of any immediate medical	attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Hazardous decomposition products in case of fire	 Combustible liquid. Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. 	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equ	lipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		

Avoid release to the environment.

6.3. Methods and material for contain	nment and cleaning up
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	 Provide good ventilation in process area to prevent formation of vapour. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 	
7.2. Conditions for safe storage, including a	ny incompatibilities	
Storage conditions	: Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.	
Storage temperature	: 0-40 °C	
7.3. Specific end use(s)		

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection 8.1. Control parameters Enersynth FE 0W-20 EU - Occupational Exposure Limits Exposure limits/standards for materials that can be formed when handling this product. When 5 mg/m³ - ACGIH TLV (inhalable fraction).

8.2. Exposure controls

recommended

Appropriate engineering controls:

Ensure good ventilation of the work station.

mists/aerosols can occur the following is

Materials for protective clothing:

Wear suitable protective clothing

Hand protection:					
Protective gloves					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥ 0.35		EN ISO 374

Eye protection: Safety glasses Type Use Characteristics Standard Safety glasses Droplet clear EN 166

Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suitable respiratory equipment	

Personal protective equipment symbol(s):



Environmental exposure controls: Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic phy	sical and chemical properties	
Physical state	: Liquid	
Colour	: brown.	
Odour	: characteristic.	
Odour threshold	: No data available	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative evaporation rate (butylacetate=1): No data availableMelting point: Not applicableFreezing point: -45 °C - ASTM D5950 (pour point)Boiling point: No data availableFlash point: 220 °C - ASTM D92 (COC)Auto-ignition temperature: No data availableDecomposition temperature: No data availableFlammability (solid, gas): Not applicableVapour pressure: No data availableRelative vapour density at 20 °C: No data availableRelative density: No data availableDensity: 0,843 kg/l (15 °C) - ASTM D4052Solubility: Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available	pH	: No data available
Melting point: Not applicableFreezing point: -45 °C - ASTM D5950 (pour point)Boiling point: No data availableFlash point: 220 °C - ASTM D92 (COC)Auto-ignition temperature: No data availableDecomposition temperature: No data availableFlammability (solid, gas): Not applicableVapour pressure: No data availableRelative vapour density at 20 °C: No data availableRelative density: No data availableDensity: 0,843 kg/l (15 °C) - ASTM D4052Solubility: Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available	•	
Freezing point: -45 °C - ASTM D5950 (pour point)Boiling point: No data availableFlash point: 220 °C - ASTM D92 (COC)Auto-ignition temperature: No data availableDecomposition temperature: No data availableFlammability (solid, gas): No data availableVapour pressure: No data availableRelative vapour density at 20 °C: No data availableRelative density: No data availableDensity: 0,843 kg/l (15 °C) - ASTM D4052Solubility: Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available		
Boiling point:No data availableFlash point:220 °C - ASTM D92 (COC)Auto-ignition temperature:No data availableDecomposition temperature:No data availableDecomposition temperature:No data availableFlammability (solid, gas):Not applicableVapour pressure:No data availableRelative vapour density at 20 °C:No data availableRelative density:No data availableDensity:0,843 kg/l (15 °C) - ASTM D4052Solubility:Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow):No data availableViscosity, kinematic:45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic:No data available		
Flash point: 220 °C - ASTM D92 (COC)Auto-ignition temperature: No data availableDecomposition temperature: No data availableFlammability (solid, gas): Not applicableVapour pressure: No data availableRelative vapour density at 20 °C: No data availableRelative density: No data availableDensity: 0,843 kg/l (15 °C) - ASTM D4052Solubility: Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available	Freezing point	: -45 °C - ASTM D5950 (pour point)
Auto-ignition temperature: No data availableDecomposition temperature: No data availableFlammability (solid, gas): Not applicableVapour pressure: No data availableRelative vapour density at 20 °C: No data availableRelative density: No data availableDensity: 0,843 kg/l (15 °C) - ASTM D4052Solubility: Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available	Boiling point	: No data available
Decomposition temperature:Not atta availableFlammability (solid, gas):Not applicableVapour pressure:No data availableRelative vapour density at 20 °C:No data availableRelative density:No data availableDensity:0,843 kg/l (15 °C) - ASTM D4052Solubility:Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow):No data availableViscosity, kinematic:45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic:No data available	Flash point	: 220 °C - ASTM D92 (COC)
Flammability (solid, gas): Not applicableVapour pressure: No data availableRelative vapour density at 20 °C: No data availableRelative density: No data availableDensity: 0,843 kg/l (15 °C) - ASTM D4052Solubility: Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available	Auto-ignition temperature	: No data available
Vapour pressure: No data availableRelative vapour density at 20 °C: No data availableRelative density: No data availableDensity: 0,843 kg/l (15 °C) - ASTM D4052Solubility: Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available	Decomposition temperature	: No data available
Relative vapour density at 20 °C: No data availableRelative density: No data availableDensity: 0,843 kg/l (15 °C) - ASTM D4052Solubility: Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available	Flammability (solid, gas)	: Not applicable
Relative density: No data availableDensity: 0,843 kg/l (15 °C) - ASTM D4052Solubility: Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available	Vapour pressure	: No data available
Density: 0,843 kg/l (15 °C) - ASTM D4052Solubility: Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available	Relative vapour density at 20 °C	: No data available
Solubility: Water : Practically not miscible.Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available	Relative density	: No data available
Partition coefficient n-octanol/water (Log Pow): No data availableViscosity, kinematic: 45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic: No data available	Density	: 0,843 kg/l (15 °C) - ASTM D4052
Viscosity, kinematic:45,9 mm²/s (40 °C) - ASTM D7279Viscosity, dynamic:No data available	Solubility	: Water : Practically not miscible.
Viscosity, dynamic : No data available	Partition coefficient n-octanol/water (Log Pow)	: No data available
	Viscosity, kinematic	: 45,9 mm²/s (40 °C) - ASTM D7279
Explosive properties Presents no particular fire or explosion hazard	Viscosity, dynamic	: No data available
	Explosive properties	: Presents no particular fire or explosion hazard.
Oxidising properties : No data available	Oxidising properties	: No data available
Explosive limits : No data available	Explosive limits	: No data available

9.2. Other information

VOC content

: 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	i	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified	

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5,53 mg/l/4h

C14-16-18 Alkyl phenol	
LD50 oral rat	> 2000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight
Bis(nonvlphenvl)amine (36878-20-3)	

LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)
LC50 inhalation rat (mg/l)	5,53 mg/l/4h (OECD 403 method)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	
LD50 oral rat	> 5000 mg/kg (OECD 401 method)
LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)
LC50 inhalation rat (mg/l)	> 5,53 mg/l (OECD 403 method)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Enersynth FE 0W-20	
Viscosity, kinematic	45,9 mm²/s (40 °C) - ASTM D7279

: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Aspiration hazard

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LC50 fish	> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)
EC50 Daphnia	> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)
EC50 Daphnia	> 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)
NOEC chronic fish	≥ 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)
NOEC chronic crustacea	10 mg/l (Daphnia magna, 21d) (OECD 211 method)

C14-16-18 Alkyl phenol	
LC50 fish	> 100 mg/l
EC50 Daphnia	> 100 mg/l
EC50 72h algae (1)	≥ 100 mg/l

Bis(nonylphenyl)amine (36878-20-3)	
LC50 fish	> 100 mg/l Brachydanio rerio (zebra-fish)
EC50 Daphnia	> 100 mg/l (OECD 202 method)
EC50 72h algae (1)	> 100 mg/l
NOEC chronic crustacea	> 10 mg/l
NOEC chronic algae	> 10 mg/l

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	
LC50 fish	> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)
LC50 other aquatic organisms 1	> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)		
> 100 mg/l		
> 1000 mg/l		
≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)		
10 mg/l (Daphnia magna, 21d) (OECD 211 method)		
≥ 100 mg/l		

12.2. Persistence and degradability

Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)
Biodegradation	31 % (28d) (OECD 301F method)

Bis(nonylphenyl)amine (36878-20-3)	
Biodegradation	1 % (test concentration 20,1 mg/l)

Lubricating oils (petroleum), C20-50, hydrotre	ated neutral oil-based (72623-87-1)
Biodegradation	31 % (28d) (OECD 301F method)

Lubricating oils (petroleum), C15-30, hydrotre	ated neutral oil-based (72623-86-0)
Persistence and degradability	Not readily biodegradable.
Biodegradation	31 % (28d) (OECD 301F method)
12.3. Bioaccumulative potential	
C14-16-18 Alkyl phenol	
Partition coefficient n-octanol/water (Log Pow)	> 7,2
Lubricating oils (petroleum), C15-30, hydrotre	ated neutral oil-based (72623-86-0)
Partition coefficient n-octanol/water (Log Kow)	> 6
Bioaccumulative potential	Bioaccumulative potential.
12.4. Mobility in soil	
Lubricating oils (petroleum), C20-50, hydrotre	eated neutral oil-based (72623-87-1)
Mobility in soil	Product adsorbs onto the soil
Lubricating oils (petroleum), C15-30, hydrotre	ated neutral oil-based (72623-86-0)
Ecology - soil	Insoluble in water.
12.5. Results of PBT and vPvB assessment	
Component	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations	;
13.1. Waste treatment methods	
Waste treatment methods	: Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations European List of Waste (LoW) code	 Dispose in a safe manner in accordance with local/national regulations. 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

n accordance with ADR / RID / IMDG / IATA / ADN				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number	14.1. UN number			
Not applicable	blicable Not applicable Not applicable Not applicable Not applicable			
14.2. UN proper shipping	14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport Not applicable Transport by sea Not applicable Air transport Not applicable Inland waterway transport Not applicable Rail transport Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable on	
3.	C14-16-18 Alkyl phenol ; Bis(nonylphenyl)amine	
3(b)	Distillates (petroleum), hydrotreated heavy paraffinic ; C14-16-18 Alkyl phenol ; Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based ; Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	
3(c)	Bis(nonylphenyl)amine	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content

: 0 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-statements:	
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs through prolonged or repeated exposure.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.