



# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 17-5-2018 Revision date: 27-9-2022 Supersedes version of: 21-5-2021 Version: 1.6

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Kroon-Oil Coolant SP 12  
UFI : 3NE0-205P-Y00K-V3Y7  
Product code : 09.10.03  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Industrial use, Professional use, Consumer use  
Use of the substance/mixture : Antifreeze and coolant  
Function or use category : Anti-freezing agents

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Kroon Oil BV B.V.  
Dollegoorweg, 15  
NL- 7602 EC Almelo  
Netherlands  
T 0031 (0)546 81 81 65  
[vib@kroon-oil.nl](mailto:vib@kroon-oil.nl)

#### 1.4. Emergency telephone number

| Country        | Organisation/Company  | Address                                  | Emergency number   | Comment                              |
|----------------|---|--|--|--------------------------------------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital                                  | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |                                      |
| United Kingdom | National Poisons Information Service<br>(Cardiff Centre)<br>University Hospital Llandough | Penlan Road<br>CF64 2XX Llandough        | 0344 892 0111  | Only for healthcare<br>professionals |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302  
Specific target organ toxicity – Repeated exposure, Category 2 H373  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May cause damage to organs through prolonged or repeated exposure. Harmful if swallowed.

# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS08

Signal word (CLP) :

Warning

Contains :

1,2-ethanediol

Hazard statements (CLP) :

H302 - Harmful if swallowed.

H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure (if swallowed).

Precautionary statements (CLP) :

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P260 - Do not breathe vapours, mist.

P270 - Do not eat, drink or smoke when using this product.

P314 - Get medical advice/attention if you feel unwell.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Product identifier   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|---------|---|
| 1,2-ethanediol<br>substance with national workplace exposure limit(s) (GB, IE); substance with a Community workplace exposure limit | CAS-No.: 107-21-1<br>EC-No.: 203-473-3<br>EC Index-No.: 603-027-00-1<br>REACH-no: 01-2119456816-28 | 25 – 80 | Acute Tox. 4 (Oral), H302<br>STOT RE 2, H373                    |
| sodium 2-ethylhexanoate   | CAS-No.: 19766-89-3<br>EC-No.: 243-283-8<br>REACH-no: 01-2119972937-17, 01-2119979083-31           | 1 – 5   | Repr. 2, H361   |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general :

Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation :

Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact :

Wash skin with plenty of water.

First-aid measures after eye contact :

Rinse eyes with water as a precaution.

# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available.  
Symptoms/effects after inhalation : Inhalation may affect the nervous system causing headache, possibly dizziness, nausea, weakness, loss of coordination and unconsciousness.  
Symptoms/effects after ingestion : Ingestion may cause nausea, vomiting and diarrhea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.

# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Storage temperature : 0 – 40 °C

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| 1,2-ethanediol (107-21-1)                                 |  |
|---|--|
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |  |
| Local name  | Ethylene glycol  |
| IOEL TWA  | 52 mg/m <sup>3</sup>   |
| IOEL TWA [ppm]  | 20 ppm   |
| IOEL STEL   | 104 mg/m <sup>3</sup>  |
| IOEL STEL [ppm]   | 40 ppm   |
| Remark  | Skin   |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2000/39/EC  |
| <b>Ireland - Occupational Exposure Limits</b>             |  |
| Local name  | Ethane-1,2-diol [Ethylene glycol]  |
| OEL TWA [1]   | 10 mg/m <sup>3</sup> particulate<br>52 mg/m <sup>3</sup> vapour  |
| OEL TWA [2]   | 20 ppm vapour  |
| OEL STEL  | 104 mg/m <sup>3</sup> vapour   |
| OEL STEL [ppm]  | 40 ppm vapour  |
| Remark  | Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) |
| Regulatory reference                                      | Chemical Agents Code of Practice 2021  |
| <b>United Kingdom - Occupational Exposure Limits</b>      |  |
| Local name  | Ethane-1,2-diol  |
| WEL TWA (OEL TWA) [1]                                     | 10 mg/m <sup>3</sup> particulate<br>52 mg/m <sup>3</sup> vapour  |
| WEL TWA (OEL TWA) [2]                                     | 20 ppm vapour  |
| WEL STEL (OEL STEL)                                       | 104 mg/m <sup>3</sup> vapour   |
| WEL STEL (OEL STEL) [ppm]                                 | 40 ppm vapour  |
| Remark  | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)                              |
| Regulatory reference                                      | EH40/2005 (Fourth edition, 2020). HSE  |

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

| Eye protection |                      |                 |          |
|----------------|----------------------|-----------------|----------|
| Type           | Field of application | Characteristics | Standard |
| Safety glasses | Droplet              | clear           | EN 166   |

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

| Hand protection |                      |                   |                |             |            |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Type            | Material             | Permeation        | Thickness (mm) | Penetration | Standard   |
| Reusable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | ≥0.35          |             | EN ISO 374 |

#### Other skin protection

##### Materials for protective clothing:

Wear suitable protective clothing

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|   |  |
|---|--|
| Physical state                                  | : Liquid   |
| Colour  | : pink.  |
| Odour   | : characteristic.                                  |
| Odour threshold                                 | : Not available                                    |
| Melting point                                   | : Not applicable                                   |
| Freezing point                                  | : -38 °C   |
| Boiling point                                   | : Not available                                    |
| Flammability                                    | : Not applicable                                   |
| Explosive properties                            | : Presents no particular fire or explosion hazard. |
| Explosive limits                                | : Not available                                    |
| Lower explosion limit                           | : Not available                                    |
| Upper explosion limit                           | : Not available                                    |
| Flash point                                     | : Not available                                    |
| Auto-ignition temperature                       | : Not available                                    |
| Decomposition temperature                       | : Not available                                    |
| pH  | : 8,5  |
| Viscosity, kinematic                            | : Not available                                    |
| Solubility                                      | : Water: completely miscible                       |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                                    |
| Vapour pressure                                 | : Not available                                    |
| Vapour pressure at 50 °C                        | : Not available                                    |
| Density   | : 1,074 kg/l (15 °C) - ASTM D4052                  |
| Relative density                                | : Not available                                    |
| Relative vapour density at 20 °C                | : Not available                                    |
| Particle characteristics                        | : Not applicable                                   |

#### 9.2. Other information

##### 9.2.1. Information with regard to physical hazard classes

No additional information available

##### 9.2.2. Other safety characteristics

VOC content : 0 %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No decomposition if stored normally.

# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

| Kroon-Oil Coolant SP 12 |                          |
|-------------------------|--------------------------|
| ATE CLP (oral)          | 960,836 mg/kg bodyweight |

| 1,2-ethanediol (107-21-1) |   |
|---------------------------|---|
| LD50 oral rat             | 7712 mg/kg bodyweight   |
| LD50 oral                 | There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 30-100 milliliters. This material has also been shown to be toxic and potentially lethal by ingestion to cats and dogs. |
| LD50 dermal               | 3500 mg/kg bodyweight mouse   |
| LC50 Inhalation - Rat     | > 2,5 mg/l  |

| sodium 2-ethylhexanoate (19766-89-3) |   |
|--------------------------------------|---|
| LD50 oral rat                        | 2043 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1445 - 2890 |
| LD50 dermal rat                      | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)                                      |

Skin corrosion/irritation : Not classified  
pH: 8,5  
Serious eye damage/irritation : Not classified  
pH: 8,5  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

| 1,2-ethanediol (107-21-1)                   |  |
|---|--|
| NOAEL (chronic, oral, animal/male, 2 years) | 1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information) |

Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : May cause damage to organs (kidneys) through prolonged or repeated exposure (if swallowed).

| 1,2-ethanediol (107-21-1) |   |
|---------------------------|---|
| STOT-repeated exposure    | May cause damage to organs (kidneys) through prolonged or repeated exposure (if swallowed). |

| sodium 2-ethylhexanoate (19766-89-3) |   |
|--------------------------------------|---|
| NOAEL (oral, rat, 90 days)           | ≈ 300 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) |

Aspiration hazard : Not classified

| 1,2-ethanediol (107-21-1) |                           |
|---------------------------|---------------------------|
| Viscosity, kinematic      | 14,505 mm <sup>2</sup> /s |

#### 11.2. Information on other hazards

No additional information available

# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

|   |   |
|---|---|
| Ecology - general   | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified  |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified  |

| 1,2-ethanediol (107-21-1) |   |
|---------------------------|---|
| LC50 - Fish [1]           | 72860 mg/l Test organisms (species): Pimephales promelas  |
| EC50 - Crustacea [1]      | > 100 mg/l Test organisms (species): Daphnia magna  |
| EC50 96h - Algae [1]      | 3536 mg/l Test organisms (species): other:greenn algae  |
| EC50 96h - Algae [2]      | 6500 – 13000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| NOEC (chronic)            | ≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'                                       |

| sodium 2-ethylhexanoate (19766-89-3) |  |
|--------------------------------------|--|
| LC50 - Fish [1]                      | > 100 mg/l Test organisms (species): Oryzias latipes   |
| EC50 - Crustacea [1]                 | 910 mg/l Test organisms (species): Daphnia magna   |
| EC50 72h - Algae [1]                 | 49,3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| LOEC (chronic)                       | 63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'                                     |
| NOEC (chronic)                       | 25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'                                     |

#### 12.2. Persistence and degradability

| Kroon-Oil Coolant SP 12       |                |
|-------------------------------|----------------|
| Persistence and degradability | Biodegradable. |

| 1,2-ethanediol (107-21-1) |                               |
|---------------------------|-------------------------------|
| Biodegradation            | 90 % > 10d (OECD 301A method) |

#### 12.3. Bioaccumulative potential

| 1,2-ethanediol (107-21-1)                       |       |
|---|-------|
| Partition coefficient n-octanol/water (Log Kow) | -1,36 |

#### 12.4. Mobility in soil

| 1,2-ethanediol (107-21-1)                                  |   |
|--|---|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1 |

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available



# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

European List of Waste (LoW) code : 16 01 14\* - antifreeze fluids containing dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                     | IMDG          | IATA          | ADN           | RID           |
|---|---------------|---------------|---------------|---------------|
| <b>14.1. UN number or ID number</b>     |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.2. UN proper shipping name</b>    |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>      |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available  |               |               |               |               |

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) |  |
|--|--|
| Reference code                         | Applicable on  |
| 3.                                     | 1,2-ethanediol ; sodium 2-ethylhexanoate                           |
| 3(b)                                   | Kroon-Oil Coolant SP 12 ; 1,2-ethanediol ; sodium 2-ethylhexanoate |

###### REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

###### REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

###### PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

###### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

###### VOC Directive (2004/42)

VOC content : 0 %

###### Biocide Regulation (528/2012)

Child-resistant fastening : Not applicable  
Tactile warning : Applicable

###### Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

###### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

| Indication of changes |                          |          |          |
|-----------------------|--------------------------|----------|----------|
| Section               | Changed item             | Change   | Comments |
|                       | Revision date            | Modified |          |
|                       | Supersedes               | Modified |          |
| 1.2                   | Function or use category | Added    |          |

# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Indication of changes |  |          |          |
|-----------------------|--|----------|----------|
| Section               | Changed item                                     | Change   | Comments |
| 1.2                   | Use of the substance/mixture                     | Added    |          |
| 5.2                   | Hazardous decomposition products in case of fire | Modified |          |
| 9.1                   | Solubility in water                              | Added    |          |
| 10.3                  | Possibility of hazardous reactions               | Modified |          |
| 11.1                  | ATE CLP (oral)                                   | Modified |          |

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |
| BOD                         | Biochemical oxygen demand (BOD)   |
| COD                         | Chemical oxygen demand (COD)  |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC-No.                      | European Community number   |
| EC50                        | Median effective concentration  |
| EN                          | European Standard   |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| OECD                        | Organisation for Economic Co-operation and Development  |
| OEL                         | Occupational Exposure Limit   |
| PBT                         | Persistent Bioaccumulative Toxic  |
| PNEC                        | Predicted No-Effect Concentration   |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS                         | Safety Data Sheet   |
| STP                         | Sewage treatment plant  |
| ThOD                        | Theoretical oxygen demand (ThOD)  |
| TLM                         | Median Tolerance Limit  |

# Kroon-Oil Coolant SP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

|         |  |
|---------|--|
| VOC     | Volatile Organic Compounds               |
| CAS-No. | Chemical Abstract Service number         |
| N.O.S.  | Not Otherwise Specified                  |
| vPvB    | Very Persistent and Very Bioaccumulative |
| ED      | Endocrine disrupting properties          |

### Full text of H- and EUH-statements:

|                     |  |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4                                  |
| H302                | Harmful if swallowed.  |
| H361                | Suspected of damaging fertility or the unborn child.               |
| H373                | May cause damage to organs through prolonged or repeated exposure. |
| Repr. 2             | Reproductive toxicity, Category 2                                  |
| STOT RE 2           | Specific target organ toxicity – Repeated exposure, Category 2     |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.