

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 20-9-2018 Revision date: 25-1-2019 Supersedes: 20-9-2018 Version: 1.1

1.1. Product ider		ance/mixture and of the	company/undertaking		
Product form	iunei	: Mixture			
Trade name		: Tefspray			
Product code		: 09.20.11			
Vaporizer		: Aerosol			
Product group		: Trade product			
1.2. Relevant ide	ntified uses of the substar	ice or mixture and uses adv	vised against		
1.2.1. Relevant ide	ntified uses				
Intended for genera	l public				
Main use category		: Industrial use, Professional us	se,Consumer use		
Use of the substance	e/mixture	: Lubricant			
1.2.2. Uses advise	d against				
No additional inform	•				
1.3. Details of the	e supplier of the safety dat	a sheet			
Kroon Oil BV					
Dollegoorweg 15					
7602 EC Almelo - N					
T 0031 (0)546 81 8 <sup>-</sup> vib@kroon_oil.nl	1 65				
	telephone number				
			-		
Country	Organisation/Company	Address	Emergency number	Comment	
United Kingdom	National Poisons Information	Penarth	0344 892 0111		
	Service (Cardiff Centre)	CF64 2XX Cardiff			
	Gwenwyn Ward, Llandough Hospital				
	lioopital				
SECTION 2: Ha	zards identification				
	n of the substance or mixt	ure			
Classification acco	ording to Regulation (EC) No.	1272/2008 [CLP]			
Aerosol, Category 1		H222;H229			
Skin corrosion/irritat	ion Category 2	H315			
	e/eye irritation, Category 1	H318			
Aspiration hazard, Category 1		H304			
Full text of H statements : see section 16					
Adverse physicochemical, human health and environmental effects					
Pressurised container: May burst if heated. Extremely flammable aerosol. Causes skin irritation. Causes serious eye damage. May be fatal if					
swallowed and enters airways.					
2.2. Label elements					
Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) :					
nazaru piciograms					
			•		

Signal word (CLP) Hazardous ingredients Hazard statements (CLP) : Danger

GHS02

- : ((Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine); Dialkylamine derivatives
- : H222 Extremely flammable aerosol.
- H229 Pressurised container: May burst if heated.

GHS05

- H315 Causes skin irritation.
- H318 Causes serious eye damage.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/ Do NOT induce vomiting.
	P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
2.3. Other hazards	

2.3 No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances Not applicable

2.0 Mister

3.2. Mixtures	-			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(EC-No.) 926-141-6 (REACH-no) 01-2119456620-43	25 - 80	Asp. Tox. 1, H304	
butane (containing < 0,1% butadiene (203-450-8)) substance with national workplace exposure limit(s) (GB)	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0 (REACH-no) 01-2119474691-32	25 - 50	Flam. Gas 1, H220 Press. Gas (Comp.), H280	
White mineral oil (petroleum)	(CAS-No.) 8042-47-5 (EC-No.) 232-455-8 (REACH-no) 01-2119487078-27	10 - 25	Asp. Tox. 1, H304	
((Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine)	(CAS-No.) 110-25-8 (EC-No.) 203-749-3 (REACH-no) 01-2119488991-20	5 - 10	Eye Dam. 1, H318 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Aquatic Acute 1, H400	
Propane substance with a Community workplace exposure limit	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (REACH-no) 01-2119486944-21	2,5 - 10	Flam. Gas 1, H220 Press. Gas (Comp.), H280	
Dialkylamine derivatives	(CAS-No.) 61790-85-0 (EC-No.) 500-149-6	1 - 2,5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400	

### Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately. Do not induce vomiting.
4.2. Most important symptoms and effects, I	both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Risk of lung oedema. May result in aspiration into the lungs, causing chemical pneumonia.
<b>4.3. Indication of any immediate medical atte</b> Treat symptomatically.	ention and special treatment needed

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ince or mixture
Fire hazard	: Extremely flammable aerosol. Combustible liquid.
Explosion hazard	: Pressurised container: May burst if heated.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measure	20
6.1. Personal precautions, protective equipm	
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment a	nd cleaning up
Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including any	y incompatibilities
	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep cool.
Storage temperature	: < 40 °C
7.3. Specific end use(s)	
No additional information available	

SECTION 8: Exposure controls/personal protection 8.1. Control parameters Tefspray ΕU Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended: 5 mg/m3 - ACGIH TLV (inhalable fraction). butane (containing < 0,1% butadiene (203-450-8)) (106-97-8) Germany TRGS 910 Acceptable concentration notes United Kingdom Local name Butane United Kingdom WEL TWA (mg/m<sup>3</sup>) 1450 mg/m<sup>3</sup> 600 ppm United Kingdom WEL TWA (ppm) United Kingdom WEL STEL (mg/m<sup>3</sup>) 1810 mg/m<sup>3</sup> United Kingdom WEL STEL (ppm) 750 ppm United Kingdom Remark (WEL) Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

butane (containing < 0,1% butadiene (203-450-8)) (106-97-8)			
United Kingdom Regulatory reference EH40/2005 (Third edition, 2018). HSE			
Propane (74-98-6)			
EU	IOELV TWA (ppm)	1000 ppm	
Germany TRGS 910 Acceptable concentration notes			
8.2. Exposure controls			

## Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:					
Protective gloves					
Туре	Material	Permeation	Thickness (mm)	Penetratio	on Standar
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	5 (> 240 minutes), 6 (> 480 minutes)	>=0,35		EN ISO :
Eye protection:					
Safety glasses					
Туре	Use Characteristics Standard				
Safety glasses Droplet			clear EN 166		EN 166
Skin and body prote	ction:				
Wear suitable protectiv	ve clothing				
Respiratory protection	on:				
	ventilation, wear suitable	respiratory equipment			

### Personal protective equipment symbol(s):



## Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Aerosol.	
Colour	: colourless to slightly yellow.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: -44 °C	
Flash point	: -97 °C	
Auto-ignition temperature	: > 200 °C	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Vapour pressure	: 2100 hPa	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 0,72 g/cm³ at 20 °C	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: < 20,5 mm²/s
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Lower explosive limit (LEL)	: 0,5 vol %
Upper explosive limit (UEL)	: 10,9 vol %
9.2. Other information	
VOC content	: 544,5 g/l

## **SECTION 10: Stability and reactivity**

IU.I. Reactivity
Extremely flammable aerosol. Pressurised container: May burst if heated.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.
10.4. Conditions to avoid
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity (oral) :	Not classified		
Acute toxicity (dermal) :	Not classified		
Acute toxicity (inhalation) :	Not classified		
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics			
LD50 oral rat	> 5000 mg/kg (OECD 401 method)		
LD50 dermal rabbit	> 5000 mg/kg (OECD 402 method)		
LC50 inhalation rat (mg/l)	> 5000 mg/l		

White mineral oil (petroleum) (8042-47-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 3000 mg/kg

((Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine) (110-25-8)			
LD50 oral rat > 5000 mg/l (OECD 420 method)			
LC50 inhalation rat (mg/l) 1,01 - 1,85 mg/l/4h (OECD 403 method)			

Dialkylamine derivatives (61790-85-0)	
LD50 oral rat	200 - 2000 mg/kg OCDE 423
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tefspray		
Vaporizer Aerosol		
Viscosity, kinematic	< 20,5 mm²/s	

SECTION 12: Ecological information			
	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.		
Acute aquatic toxicity	Not classified		
Chronic aquatic toxicity	: Not classified		
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics			
LC50 fish 1	> 1000 mg/l (Oncorhynchus mykiss, 96h) [OCDE 203]		
EC50 Daphnia 1	> 1000 mg/l (Daphnia magna, 48h) [OCDE 202]		
ErC50 (algae)	> 1000 mg/l (Pseudokirchnerella subcapitata, 72h) [OCDE 201]		
NOEC chronic crustacea	1,22 mg/l (Daphnia magna, 21d)		

((Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine) (110-25-8)				
LC50 fish 1 9,3 mg/l (96h, Leuciscus idus) [EU Method C.1]				
EC50 Daphnia 1	0,43 mg/l (48h, Daphnia magna) (OECD 202 method)			
EC50 72h algae (1)	6,3 mg/l (72h, Desmodesmus subspicatus) [Directive 67/548/EEC Annex V C.3.]			
NOEC (acute)	> 0,43 mg/l (Danio rerio, 96h) (OECD 203 method)			

Dialkylamine derivatives (61790-85-0)		
EC50 Daphnia 1 0,1 - 1 mg/l 48h [OCDE 202]		
12.2. Persistence and degradability		
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
Persistence and degradability Readily biodegradable, according to appropriate OECD test.		

((Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine) (110-25-8)			
Chemical oxygen demand (COD) 2,4 g O <sub>2</sub> /g substance			
Biodegradation	85,2 % (28d) (OECD 301B method)		

Dialkylamine derivatives (61790-85-0)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	> 60 % 28d	
12.3. Bioaccumulative potential		
((Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine) (110-25-8)		
Log Pow	3,5 - 4,2 (20°C) [EU Method A.8]	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
No additional information available		

## SECTION 13: Disposal considerations

13.1. Waste treatment methods Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

Tefspray Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping				
AEROSOLS	AEROSOLS	Acrosola flammable		
		Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2 (-97°C c.c.)	1 UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard c	class(es)		1	1
2.1	2.1	2.1	2.1	2.1
2	2	2		
14.4. Packing group			1	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards		1	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary informatio	n available		1	1
14.6. Special precautions	s for user			
Overland transport				
Classification code (ADR)		5F		
Special provisions (ADR)		190, 327, 344, 625		
Limited quantities (ADR)		11		
Excepted quantities (ADR)		E0		
Packing instructions (ADR)		P207		
Special packing provisions (A Mixed packing provisions (AD		PP87, RR6, L2 MP9		
Fransport category (ADR)	אי) . :			
Special provisions for carriage		2 V14		
Special provisions for carriage unloading and handling (ADR	e - Loading, :	CV9, CV12		
Special provisions for carriage		S2		
Funnel restriction code (ADR)	) :	D		
Fransport by sea				
Special provisions (IMDG)	:	63, 190, 277, 327, 344, 381, 959	)	
Packing instructions (IMDG)		P207, LP200		
Special packing provisions (IN	,	PP87, L2		
EmS-No. (Fire)		F-D		
EmS-No. (Spillage)		S-U		
Stowage category (IMDG)				
Stowage and handling (IMDG Segregation (IMDG)		SW1, SW22		
Flash point (IMDG)		: SG69 : -97°C c.c.		
Air transport		0.00.0		
PCA Excepted quantities (IAT	-A) ·	E0		
PCA Limited quantities (IATA)	•	Y203		
PCA limited quantity max net		30kgG		
PCA packing instructions (IAT		203		
PCA max net quantity (IATA)	,	75kg		
CAO packing instructions (IAT	ГА) :	203		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP200
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23
14.7. Transport in bulk according to Annex	II of Marpol and the IBC Code
Not applicable	

Not applicable

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

VOC content	
Directive 2012/18/EU (SEVESO III	I)

: 544,5 g/l

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P3a FLAMMABLE AEROSOLS 'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids Category 1	150	500

### 15.1.2. National regulations

### No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Indication of changes:			
Section	Changed item	Change	Comments
	Flash point (IMDG)	Added	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
vPvB	Very Persistent and Very Bioaccumulative	
Full text of H- and EUH-statemen		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Gas 1	Flammable gases, Category 1	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H332	Harmful if inhaled.	
25-1-2019 (Version: 1 1)	EN (English) 9/10	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H400 Very toxic to aquatic life.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product