



# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 20-5-2020 Revision date: 29-3-2024 Supersedes version of: 30-9-2022 Version: 1.3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Helar MSP+ 5W-40  
Product code : 01.41.08  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Use of the substance/mixture : Engine oil  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Kroon-Oil B.V.  
Dollegoorweg 15  
NL 7602 EC Almelo  
Netherlands  
T 0031 (0)546 81 81 65  
[vib@kroon-oil.nl](mailto:vib@kroon-oil.nl)

#### 1.4. Emergency telephone number

| Country/Area   | Organisation/Company  | Address                           | Emergency number   | Comment                              |
|----------------|---|-----------------------------------|--|--------------------------------------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital                                  | PO Box 1297<br>Beaumont Road<br>9 | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |                                      |
| United Kingdom | National Poisons Information Service<br>(Cardiff Centre)<br>University Hospital Llandough | Penlan Road<br>CF64 2XX           | 0344 892 0111  | Only for healthcare<br>professionals |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Component   |  |
|---|--|
| Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII  | Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9), Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0), Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) |
| Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII | Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9), Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0), Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : Highly refined mineral oils and additives.

| Name   | Product identifier   | %         | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|-----------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic (Note L)  | CAS-No.: 64742-54-7<br>EC-No.: 265-157-1<br>EC Index-No.: 649-467-00-8<br>REACH-no: 01-2119484627-25 | 25 – 50   | Asp. Tox. 1, H304   |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (Note L)  | CAS-No.: 72623-86-0<br>EC-No.: 276-737-9<br>EC Index-No.: 649-482-00-X<br>REACH-no: 01-2119474878-16 | 5 – 10    | Asp. Tox. 1, H304   |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (Note L)  | CAS-No.: 72623-87-1<br>EC-No.: 276-738-4<br>EC Index-No.: 649-483-00-5<br>REACH-no: 01-2119474889-13 | 5 – 10    | Asp. Tox. 1, H304   |
| Distillates (petroleum), solvent-dewaxed light paraffinic substance with a Community workplace exposure limit (Note L) | CAS-No.: 64742-56-9<br>EC-No.: 265-159-2<br>EC Index-No.: 649-469-00-9<br>REACH-no: 01-2119480132-48 | 0,1 – 2,5 | Asp. Tox. 1, H304   |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (Note L)   | CAS-No.: 64742-65-0<br>EC-No.: 265-169-7<br>EC Index-No.: 649-474-00-6<br>REACH-no: 01-2119471299-27 | 0,1 – 2,5 | Asp. Tox. 1, H304   |
| Paraffin oils (petroleum), catalytic dewaxed heavy (Note L)  | CAS-No.: 64742-70-7<br>EC-No.: 265-174-4<br>REACH-no: 01-2119487080-42                               | 0,1 – 2,5 | Asp. Tox. 1, H304   |

# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Comments : The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.               |
| First-aid measures after skin contact | : Wash skin with plenty of water.  |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution.                                       |
| First-aid measures after ingestion    | : Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell. |

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

#### 5.2. Special hazards arising from the substance or mixture

|  |  |
|--|--|
| Fire hazard                                      | : Combustible liquid.  |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. |

#### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

|                      |                            |
|----------------------|----------------------------|
| Emergency procedures | : Ventilate spillage area. |
|----------------------|----------------------------|

##### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| Methods for cleaning up | : Take up liquid spill into absorbent material.                 |
| Other information       | : Dispose of materials or solid residues at an authorized site. |

# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Ensure good ventilation of the work station. Wear personal protective equipment.                  |
| Hygiene measures              | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

### 7.2. Conditions for safe storage, including any incompatibilities

|                     |  |
|---------------------|--|
| Storage conditions  | : Store in a well-ventilated place. Keep cool. |
| Storage temperature | : < 40 °C                                      |

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| Helar MSP+ 5W-40  |   |
|---|---|
| EU - Indicative Occupational Exposure Limit (IOEL)  |   |
| Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended | 5 mg/m <sup>3</sup> - ACGIH TLV (inhalable fraction). |
| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)  |   |
| EU - Indicative Occupational Exposure Limit (IOEL)  |   |
| IOEL TWA  | 5 mg/m <sup>3</sup>                                   |

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:**

Safety glasses

#### Eye protection

| Type           | Field of application | Characteristics | Standard |
|----------------|----------------------|-----------------|----------|
| Safety glasses | Droplet              | clear           | EN 166   |

#### 8.2.2.2. Skin protection

**Skin and body protection:**

Wear suitable protective clothing

**Hand protection:**

Protective gloves

#### Hand protection

| Type            | Material             | Permeation        | Thickness (mm) | Penetration | Standard   |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Reusable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | ≥0.35          |             | EN ISO 374 |

#### 8.2.2.3. Respiratory protection

**Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

**Environmental exposure controls:**

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                           |                                    |
|---------------------------|------------------------------------|
| Physical state            | : Liquid                           |
| Colour                    | : Brown.                           |
| Odour                     | : characteristic.                  |
| Odour threshold           | : Not available                    |
| Melting point             | : Not applicable                   |
| Freezing point            | : -42 °C - ASTM D5950 (pour point) |
| Boiling point             | : Not available                    |
| Flammability              | : Non flammable.                   |
| Lower explosion limit     | : Not available                    |
| Upper explosion limit     | : Not available                    |
| Flash point               | : 228 °C - ASTM D92 (COC)          |
| Auto-ignition temperature | : Not available                    |
| Decomposition temperature | : Not available                    |
| pH                        | : Not available                    |
| Viscosity, kinematic      | : 68,9 mm²/s (40 °C) - ASTM D7042  |

# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |  |
|---|--|
| Solubility                                      | : Water: Insoluble / Slightly miscible |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                        |
| Vapour pressure                                 | : Not available                        |
| Vapour pressure at 50°C                         | : Not available                        |
| Density   | : 0,848 kg/l (15 °C) - ASTM D4052      |
| Relative density                                | : Not available                        |
| Relative vapour density at 20°C                 | : Not available                        |
| Particle characteristics                        | : Not applicable                       |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                       |                |
|-----------------------|----------------|
| LD50 oral rat         | > 5000 mg/kg   |
| LD50 dermal rabbit    | > 2000 mg/kg   |
| LC50 Inhalation - Rat | > 5,53 mg/l/4h |

#### Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

|                                   |              |
|-----------------------------------|--------------|
| LD50 oral rat                     | > 5000 mg/kg |
| LD50 dermal rabbit                | > 5000 mg/kg |
| LC50 Inhalation - Rat (Dust/Mist) | 5,53 mg/l/4h |

# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|  |   |
|--|---|
| <b>Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)</b>            |   |
| LD50 oral rat  | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) |
| <b>Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)</b> |   |
| LD50 oral rat  | > 5000 mg/kg (OECD 401 method)  |
| LD50 dermal rabbit   | > 2000 mg/kg (OECD 402 method)  |
| LC50 Inhalation - Rat  | > 5,53 mg/l (OECD 403 method)   |
| <b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)</b> |   |
| LD50 oral rat  | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) |
| LD50 dermal rabbit   | > 2000 mg/kg (OECD 402 method)  |
| LC50 Inhalation - Rat  | 5,53 mg/l/4h (OECD 403 method)  |
| Skin corrosion/irritation  | : Not classified  |
| Serious eye damage/irritation  | : Not classified  |
| Respiratory or skin sensitisation  | : Not classified  |
| Germ cell mutagenicity   | : Not classified  |
| Carcinogenicity  | : Not classified  |
| Reproductive toxicity  | : Not classified  |
| STOT-single exposure   | : Not classified  |
| STOT-repeated exposure   | : Not classified  |
| <b>Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)</b>            |   |
| LOAEL (oral, rat, 90 days)   | 125 mg/kg bodyweight/day  |
| NOAEL (subchronic, oral, animal/male, 90 days)   | ≥ 2000 mg/kg bodyweight   |
| NOAEL (subchronic, oral, animal/female, 90 days)   | ≥ 2000 mg/kg bodyweight   |
| <b>Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)</b>            |   |
| LOAEL (oral, rat, 90 days)   | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)                           |
| NOAEL (dermal, rat/rabbit, 90 days)  | ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)  |
| <b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)</b> |   |
| LOAEL (oral, rat, 90 days)   | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)                                 |
| Aspiration hazard  | : Not classified  |
| <b>Helar MSP+ 5W-40</b>  |   |
| Viscosity, kinematic   | 68,9 mm²/s (40 °C) - ASTM D7042   |
| <b>Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)</b>               |   |
| Viscosity, kinematic   | < 20,5 mm²/s  |
| Aliphatic, alicyclic or aromatic hydrocarbon   | Yes   |
| <b>Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)</b>            |   |
| Viscosity, kinematic   | < 20,5 mm²/s  |
| Aliphatic, alicyclic or aromatic hydrocarbon   | Yes   |

# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)            |                                   |
|---|-----------------------------------|
| Viscosity, kinematic  | < 20,5 mm²/s @40°C                |
| Aliphatic, alicyclic or aromatic hydrocarbon                                      | Yes                               |
| Paraffin oils (petroleum), catalytic dewaxed heavy (64742-70-7)                   |                                   |
| Viscosity, kinematic  | < 20,5 mm²/s                      |
| Hydrocarbon   | Yes                               |
| Aliphatic, alicyclic or aromatic hydrocarbon                                      | Yes                               |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) |                                   |
| Viscosity, kinematic  | < 20,5 mm²/s (40 °C) - ASTM D7042 |
| Aliphatic, alicyclic or aromatic hydrocarbon                                      | Yes                               |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) |                                   |
| Viscosity, kinematic  | < 20,5 mm²/s (40 °C) - ASTM D7042 |
| Aliphatic, alicyclic or aromatic hydrocarbon                                      | Yes                               |

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |   |
|---|---|
| Ecology - general   | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified  |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified  |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)               |  |
|---|--|
| LC50 - Fish [1]   | > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)            |
| EC50 - Crustacea [1]  | > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)               |
| EC50 72h - Algae [1]  | > 100 mg/l   |
| NOEC (acute)  | ≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method) |
| NOEC chronic crustacea  | 10 mg/l (Daphnia magna, 21d) (OECD 211 method)                     |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) |  |
| LC50 - Fish [1]   | > 100 mg/l   |
| EC50 - Crustacea [1]  | > 10000 mg/l   |
| NOEC (acute)  | ≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) |
| NOEC chronic fish   | > 1000 mg/l  |
| NOEC chronic crustacea  | > 10 mg/l (Daphnia magna, 21d) (OECD 211 method)                   |
| NOEC chronic algae  | ≥ 100 mg/l   |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) |  |
| LC50 - Fish [1]   | > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)            |
| LC50 - Other aquatic organisms [1]  | > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)               |



# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

|              |  |
|--------------|--|
| NOEC (acute) | ≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method) |
|--------------|--|

### 12.2. Persistence and degradability

#### Helar MSP+ 5W-40

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |
|-------------------------------|------------------------|

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |
|-------------------------------|------------------------|

|                |                               |
|----------------|-------------------------------|
| Biodegradation | 31 % (28d) (OECD 301F method) |
|----------------|-------------------------------|

#### Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

|                               |                            |
|-------------------------------|----------------------------|
| Persistence and degradability | Potentially biodegradable. |
|-------------------------------|----------------------------|

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |
|-------------------------------|------------------------|

#### Paraffin oils (petroleum), catalytic dewaxed heavy (64742-70-7)

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |
|-------------------------------|------------------------|

#### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

|                               |                            |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |
|-------------------------------|----------------------------|

|                |                               |
|----------------|-------------------------------|
| Biodegradation | 31 % (28d) (OECD 301F method) |
|----------------|-------------------------------|

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |
|-------------------------------|------------------------|

|                |                               |
|----------------|-------------------------------|
| Biodegradation | 31 % (28d) (OECD 301F method) |
|----------------|-------------------------------|

### 12.3. Bioaccumulative potential

#### Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

|   |     |
|---|-----|
| Partition coefficient n-octanol/water (Log Pow) | > 3 |
|---|-----|

#### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

|   |     |
|---|-----|
| Partition coefficient n-octanol/water (Log Kow) | > 6 |
|---|-----|

|                           |                            |
|---------------------------|----------------------------|
| Bioaccumulative potential | Bioaccumulative potential. |
|---------------------------|----------------------------|

### 12.4. Mobility in soil

#### Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

|                |                     |
|----------------|---------------------|
| Ecology - soil | Insoluble in water. |
|----------------|---------------------|

#### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

|                |                     |
|----------------|---------------------|
| Ecology - soil | Insoluble in water. |
|----------------|---------------------|

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

|                  |                               |
|------------------|-------------------------------|
| Mobility in soil | Product adsorbs onto the soil |
|------------------|-------------------------------|

# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB assessment

| Component   |  |
|---|--|
| Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII  | Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9), Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0), Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) |
| Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII | Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9), Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0), Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) |

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
European List of Waste (LoW, EC 2000/532) : 13 02 05\* - mineral-based non-chlorinated engine, gear and lubricating oils

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                     | IMDG          | IATA          | ADN           | RID           |
|---|---------------|---------------|---------------|---------------|
| <b>14.1. UN number or ID number</b>     |               |               |               |               |
| Not regulated for transport             |               |               |               |               |
| <b>14.2. UN proper shipping name</b>    |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>      |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available  |               |               |               |               |

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Inland waterway transport

Not regulated

### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

**For the following substances of this mixture a chemical safety assessment has been carried out:**

Distillates (petroleum), solvent-dewaxed light paraffinic

## SECTION 16: Other information

### Indication of changes

| Section | Changed item  | Change   | Comments |
|---------|---|----------|----------|
| 1.2     | Main use category   | Modified |          |
| 2.1     | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Added    |          |

# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |
| BOD                         | Biochemical oxygen demand (BOD)   |
| COD                         | Chemical oxygen demand (COD)  |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC-No.                      | European Community number   |
| EC50                        | Median effective concentration  |
| EN                          | European Standard   |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| OECD                        | Organisation for Economic Co-operation and Development  |
| OEL                         | Occupational Exposure Limit   |
| PBT                         | Persistent Bioaccumulative Toxic  |
| PNEC                        | Predicted No-Effect Concentration   |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS                         | Safety Data Sheet   |
| STP                         | Sewage treatment plant  |
| ThOD                        | Theoretical oxygen demand (ThOD)  |
| TLM                         | Median Tolerance Limit  |
| VOC                         | Volatile Organic Compounds  |
| CAS-No.                     | Chemical Abstract Service number  |
| N.O.S.                      | Not Otherwise Specified   |
| vPvB                        | Very Persistent and Very Bioaccumulative  |
| ED                          | Endocrine disrupting properties   |

| Full text of H- and EUH-statements: |                               |
|-------------------------------------|-------------------------------|
| Asp. Tox. 1                         | Aspiration hazard, Category 1 |

# Helar MSP+ 5W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| EUH210                              | Safety data sheet available on request.       |
| H304                                | May be fatal if swallowed and enters airways. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.