

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 3-3-2022 Revision date: 6-1-2023 Supersedes version of: 8-12-2022 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

: Mixture
: Kroon-Oil Bio Hedge Trimmer Spray
: C9YX-080J-J00T-XA4H
: 98.70.14
: Detergent
: Aerosol
: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category Use of the substance/mixture Function or use category

- : Industrial use, Professional use, Consumer use
- : Degreaser
- : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Kroon Oil BV B.V. Dollegoorweg, 15 NL– 7602 EC Almelo Netherlands T 0031 (0)546 81 81 65 vib@kroon-oil.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Cardiff	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1

Full text of H- and EUH-statements: see section 16

H222;H229

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS02 Signal word (CLP) : Danger Hazard statements (CLP) : H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P280 - Wear protective gloves, eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Butane substance with national workplace exposure limit(s) (GB, IE) (Note K)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691- 32	10 – 20	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Propane substance with a Community workplace exposure limit (Note U)	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	10 – 20	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
isobutane substance with national workplace exposure limit(s) (IE) (Note K)	CAS-No.: 75-28-5 EC-No.: 200-857-2 REACH-no: 01-2119485395- 27	1 – 2,5	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Note K : The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w 1,3- butadiene (Einecs No 203-450-8), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 shall apply.

Note U (Table 3): When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.), Press. Gas (Liq.), Press. Gas (Ref. Liq.), Press. Gas (Diss.). Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2) Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation First-aid measures after skin contact	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Combustible liquid. Pressurised container: May burst if heated. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. 		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protect	ve equipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		

6.2. Environmental precautions

Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up			
Methods for cleaning up Other information	Mechanically recover the product.Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

For further information refer to section 13.

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	 Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. 			
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, incl	uding any incompatibilities			
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.			
Storage temperature	: < 40 °C			
7.3. Specific end use(s)				

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Kroon-Oil Bio Hedge Trimmer Spray			
EU - Indicative Occupational Exposure Limit (IOEL)			
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended	5 mg/m³ - ACGIH TLV (inhalable fraction).		
Butane (106-97-8)			
Ireland - Occupational Exposure Limits			
Local name	Butane, all isomers: Butane		
OEL STEL [ppm]	1000 ppm		
Regulatory reference	Chemical Agents Code of Practice 2021		
United Kingdom - Occupational Exposure Limits			
Local name	Butane		
WEL TWA (OEL TWA) [1]	1450 mg/m ³		
WEL TWA (OEL TWA) [2]	600 ppm		
WEL STEL (OEL STEL)	1810 mg/m ³		
WEL STEL (OEL STEL) [ppm]	750 ppm		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Butane (106-97-8)			
Remark	Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
isobutane (75-28-5)			
Ireland - Occupational Exposure Limits			
Local name	Butane, all isomers: Isobutane		
OEL STEL [ppm]	1000 ppm		
Regulatory reference	Chemical Agents Code of Practice 2021		
Propane (74-98-6)			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA [ppm]	1000 ppm		
Ireland - Occupational Exposure Limits			
Local name	Aliphatic hydrocarbon gases Alkanes (C1-C3): Propane		
Remark	Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)		
Regulatory reference	Chemical Agents Code of Practice 2021		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection				
Type Field of application Characteristics Standard				
Safety glasses	Droplet	clear	EN 166	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

0.4. Information on basis abusisal and abamical anonation					
9.1. Information on basic physical and chemical properties					
Physical state	: Liquid				
Colour : Yellow.					
Appearance	: Aerosols.				
Odour	: characteristic.				
Odour threshold	: Not available				
Melting point	: Not applicable				
Freezing point	: 6,3 °C				
Boiling point	: -44,5 °C				
Flammability	: Extremely flammable aerosol.				
Explosive properties	: Pressurised container: May burst if heated.				
Explosive limits : Not available					
Lower explosion limit	: 1,5 vol %				
Upper explosion limit	: 10,9 vol %				
Flash point	: -97 °C				
Auto-ignition temperature	: Not available				
Decomposition temperature	: Not available				
рН	: substance/mixture is non-polar/aprotic				
Viscosity, kinematic	: 8,069 mm²/s				
Viscosity, dynamic	: 6,1 mPa.s @20°C				
Solubility	: Water: completely miscible				
Partition coefficient n-octanol/water (Log Kow)	: Not available				
Vapour pressure	: 8300 hPa at 20 °C				
Vapour pressure at 50°C	: Not available				
Density	: 0,756 g/cm³ at 20 °C				
Relative density	: Not available				
Relative vapour density at 20°C	: Not available				
Particle characteristics	: Not applicable				

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients	: 100
Critical temperature	: > 200 °C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

VOC content

: 226,8 g/l

SECTION 10: Stability and reactivity					
10.1. Reactivity					
Extremely flammable aerosol. Pressurised container: May burst if heated.					
10.2. Chemical stability					
Stable under normal conditions.					
10.3. Possibility of hazardous reactions					
No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.					
10.4. Conditions to avoid					

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity (oral)	• Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
	pH: substance/mixture is non-polar/aprotic
Serious eye damage/irritation	: Not classified
	pH: substance/mixture is non-polar/aprotic
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Kroon-Oil Bio Hedge Trimmer Spra	у
Vaporizer	Aerosol
Viscosity, kinematic	8,069 mm²/s

11.2. Information on other hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general Hazardous to the aquatic environment, short–term (acute) Hazardous to the aquatic environment, long–term (chronic)	 The product is not considered harmful to aquatic organisms nor to cause long-term ac effects in the environment. Not classified Not classified 		
12.2. Persistence and degradability			
Kroon-Oil Bio Hedge Trimmer Spray			
Persistence and degradability	Not readily biodegradable.		
12.3. Bioaccumulative potential			
No additional information available			
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment	t in the second s		
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Product/Packaging disposal recommendations European List of Waste (LoW) code HP Code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Do not remove as household garbage. Do not discharge waste into drains. 14 06 03* - other solvents and solvent mixtures HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; other flammable aerosols, flammable self-heating waste, flammable
	organic peroxides and flammable self-reactive waste.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG		ΙΑΤΑ	ADN	RID
14.1. UN number or ID nu	umber				1
UN 1950	UN 1950		UN 1950	UN 1950	UN 1950
14.2. UN proper shipping	j name				1
AEROSOLS	AEROSOLS		Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descri	ption				1
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS,	2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.
14.3. Transport hazard cl	lass(es)				1
2.1	2.1		2.1	2.1	2.1
2	2			2	2
14.4. Packing group					1
Not applicable	Not applicable		Not applicable	Not applicable	Not applicable
14.5. Environmental haza	ards			-	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No)	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available				1
14.6. Special precautions	for user				
14.6. Special precautions	for user				
Overland transport		5E			
Dverland transport Classification code (ADR)		5F	327 344 625		
Dverland transport Classification code (ADR) Special provisions (ADR)		190,	, 327, 344, 625		
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR)		190, 1I	, 327, 344, 625		
Dverland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR)	:	190, 1I E0			
Dverland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR)	:	190, 1I E0 P20	7		
Dverland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (AE	: : : : : : : : : : : : : : : : : : :	190, 1I E0 P20 PP8	7 7, RR6, L2		
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR)	: : : : : : : : : : : : : : : : : : :	190, 1I E0 P20 PP8 MP9	7 7, RR6, L2		
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR Mixed packing provisions (ADR) Transport category (ADR)	: : : : : : : : : : : : : : : : : : :	190, 1I E0 P20 PP8	7 7, RR6, L2		
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADF Transport category (ADR) Special provisions for carriage	: : : : : R) : : : - Packages (ADR) :	190, 1I E0 P20 PP8 MP9	7 7, RR6, L2)		
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADF Transport category (ADR) Special provisions for carriage Special provisions for carriage	: : : : : R) : : : - Packages (ADR) :	190, 11 E0 P20 PP8 MP9 2 V14	7 7, RR6, L2)		
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADF Transport category (ADR) Special provisions for carriage	DR) : PR) : R) : - Packages (ADR) : - Loading, unloading :	190, 11 E0 P20 PP8 MP9 2 V14	7 7, RR6, L2)		
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADF) Transport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage	DR) : PR) : Packages (ADR) : - Packages (ADR) : - Loading, unloading : - Operation (ADR) :	190, 11 E0 P20 PP8 MP9 2 V14 CV9	7 7, RR6, L2)		
Dverland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADF) fransport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage funnel restriction code (ADR)	DR) : PR) : Packages (ADR) : - Packages (ADR) : - Loading, unloading : - Operation (ADR) :	190, 11 E0 P20 PP8 MP9 2 V14 CV9 S2	7 7, RR6, L2)		
Dverland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Fransport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage funnel restriction code (ADR)	PR) : PR) : R) : - Packages (ADR) : - Loading, unloading : - Operation (ADR) :	190, 11 E0 P20 PP8 MP9 2 V14 CV9 S2 D	7 7, RR6, L2)	9	
Dverland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADF) Fransport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage Funnel restriction code (ADR) Fransport by sea Special provisions (IMDG)	PR) : PR) : Packages (ADR) : - Packages (ADR) : - Loading, unloading : - Operation (ADR) : :	190, 11 E0 P20 PP8 MP9 2 V14 CV9 S2 D	7 ,7, RR6, L2) , CV12 190, 277, 327, 344, 381, 95	9	
Dverland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADF) Fransport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage Funnel restriction code (ADR) Transport by sea Special provisions (IMDG) Limited quantities (IMDG)	DR) : Packages (ADR) : - Packages (ADR) : - Loading, unloading : - Operation (ADR) : :	190, 11 E0 P20 PP8 MP9 2 V14 CV9 S2 D	7 ,7, RR6, L2) , CV12 190, 277, 327, 344, 381, 95	9	
Dverland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADF Transport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage funnel restriction code (ADR) Fransport by sea Special provisions (IMDG) Limited quantities (IMDG)	DR) : Packages (ADR) : - Packages (ADR) : - Loading, unloading : - Operation (ADR) : :	190, 11 E0 P20 PP8 MP9 2 V14 CV9 S2 D 63, - SP2 E0	7 ,7, RR6, L2) , CV12 190, 277, 327, 344, 381, 95 77	9	
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADF) Transport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage Tunnel restriction code (ADR) Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	DR) : Packages (ADR) : - Packages (ADR) : - Loading, unloading : - Operation (ADR) : :	190, 11 E0 P20 PP8 MP9 2 V14 CV9 S2 D 63, - SP2 E0 P20	7 ,7, RR6, L2) , CV12 190, 277, 327, 344, 381, 95 ,77 7, LP200	9	
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (AD Mixed packing provisions (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage Tunnel restriction code (ADR) Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Special packing provisions (IMDG)	DR) : PR) : Packages (ADR) : - Dackages (ADR) : - Loading, unloading : - Operation (ADR) : : DG) :	190, 11 E0 PP8 MP9 2 V14 CV9 S2 D S2 D 63, - SP2 E0 P20 PP8	7 ,7, RR6, L2) , CV12 190, 277, 327, 344, 381, 95 ,77 7, LP200	9	
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Special packing provisions (ADF) Transport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage Tunnel restriction code (ADR) Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Special packing provisions (IMDG) Special packing provisions (IMDG) Special packing provisions (IMDG)	DR) : PR) : Packages (ADR) : Loading, unloading : Operation (ADR) : DG) :	190, 11 E0 PP8 MP9 2 V14 CV9 S2 D S2 D 63, - SP2 E0 P20 PP8 F-D	7 ,7, RR6, L2) , CV12 190, 277, 327, 344, 381, 95 ,77 7, LP200	9	
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage Innnel restriction code (ADR) Fransport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IM Special p	DR) : PR) : Packages (ADR) : Loading, unloading : Operation (ADR) : DG) :	190, 11 E0 P20 PP8 MP9 2 V14 CV9 S2 D S2 D 63, SP2 E0 P20 PP8 F-D S-U	7 ,7, RR6, L2) , CV12 190, 277, 327, 344, 381, 95 .77 7, LP200 7, L2	9	
Overland transport Classification code (ADR) Special provisions (ADR) imited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Special packing provisions (ADR) Special packing provisions (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage Tunnel restriction code (ADR) Fransport by sea Special provisions (IMDG) imited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IM EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	DR) : - Packages (ADR) : - Loading, unloading : - Operation (ADR) : DG) :	190, 11 E0 P20 PP8 MP9 2 V14 CV9 S2 D S2 D 63, SP2 E0 P20 PP8 F-D S-U Non	7 ,7, RR6, L2) , CV12 190, 277, 327, 344, 381, 95 .77 7, LP200 7, L2 e	9	
Dverland transport Classification code (ADR) Special provisions (ADR) imited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Special packing provisions (ADR) Special packing provisions (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Special provisions for carriage Funnel restriction code (ADR) Special provisions for carriage Funnel restriction code (ADR) Fransport by sea Special provisions (IMDG) imited quantities (IMDG) Excepted quantities (IMDG) Special packing provisions (IMDG) Special packing provisions (IMDG) Excepted quantities (IMDG) Special packing provisions (IMDG) Special packing	DR) : - Packages (ADR) : - Loading, unloading : - Operation (ADR) : DG) :	190, 11 E0 P20 PP8 MP9 2 V14 CV9 S2 D S2 D 63, SP2 E0 P20 PP8 F-D S-U Non	7 ,7, RR6, L2) , CV12 190, 277, 327, 344, 381, 95 77 7, LP200 7, L2 e 1, SW22	9	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP200
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading	: CW9, CW12

 Special provisions for carriage - Loading, unloading
 : CW9, CW12

 and handling (RID)
 : Cels

 Colis express (express parcels) (RID)
 : CE2

 Hazard identification number (RID)
 : 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

VOC Directive (2004/42)	
VOC content	: 226,8 g/l
Biocide Regulation (528/2012)	
Child-resistant fastening Tactile warning	: Not applicable : Not applicable
Detergent Regulation (648/2004)	

Labelling of contents		
Component	%	
aliphatic hydrocarbons	15-30%	

Seveso Directive (Disaster Risk Reduction)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)		
	Lower-tier	Upper-tier	
P3a FLAMMABLE AEROSOLS 'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids Category 1	150	500	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes					
Section	Changed item	Change	Comments		
	Issue date	Added			
	Revision date	Added			
	Excepted quantities (IMDG)	Added			
	Limited quantities (IMDG)	Added			
1.1	Product code	Added			
1.2	Function or use category	Added			
2.1	Adverse physicochemical, human health and environmental effects	Modified			
2.1	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Removed			
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified			
2.2	Hazard statements (CLP)	Modified			
3	Composition/information on ingredients	Modified			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes				
Section	Changed item	Change	Comments	
4.1	First-aid measures after ingestion	Modified		
5.2	Fire hazard	Modified		
7.2	Storage temperature	Modified		
7.2	Storage conditions	Modified		
8.1	Generic OEL data	Added		
9.1	Viscosity, dynamic	Added		
9.1	рН	Added		
9.1	Freezing point	Added		
9.1	Solubility in water	Added		
9.1	Solubility	Added		
9.1	Density	Modified		
9.1	Lower explosive limit (LEL)	Modified		
9.1	Colour	Modified		
9.2	VOC content	Modified		
10.3	Possibility of hazardous reactions	Modified		
12.1	Ecology - general	Modified		
12.2	Persistence and degradability	Added		
13.1	European List of Waste (LoW) code	Modified		
13.1	H code	Modified		
13.1	Waste disposal recommendations	Added		
15.1	Other information, restriction and prohibition regulations	Added		
15.1	REACH Annex XVII	Modified		
15.1	VOC content	Modified		
16	Abbreviations and acronyms	Modified		

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
TLM	Median Tolerance Limit	
vPvB	Very Persistent and Very Bioaccumulative	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
EC-No.	European Community number	
EN	European Standard	
OEL	Occupational Exposure Limit	
ThOD	Theoretical oxygen demand (ThOD)	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Flam. Gas 1A	Flammable gases, Category 1A	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.