

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 22-5-2018 Revision date: 20-2-2025 Supersedes version of: 19-6-2024 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Kroon-Oil SP Matic 4026
Product code	: 02.50.13
Type of product	: Lubricants
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category Use of the substance/mixture : Industrial use,Professional use,Consumer use : Transmission oil

1.3. Details of the supplier of the safety data sheet

Kroon-Oil B.V. Dollegoorweg 15 NL 7602 EC Almelo Netherlands T 0031 (0)546 81 81 65 vib@kroon-oil.nl

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

. ...

1272/2008 [CLP]
:-
: H412 - Harmful to aquatic life with long lasting effects.
: P273 - Avoid release to the environment.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
: EUH208 - Contains 2-tetradecyloxirane, reaction products with boric acid, 1,2-Propanediol,
3-amino-, N,N-dicoco alkyl derivs May produce an allergic reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated light naphthenic (64742-53-6), Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated light naphthenic (64742-53-6), Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Comments

: Highly refined mineral oils and additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	50 – 80	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light naphthenic (Note L)	CAS-No.: 64742-53-6 EC-No.: 265-156-6 EC Index-No.: 649-466-00-2 REACH-no: 01-2119480375- 34	5 – 10	Asp. Tox. 1, H304
Blend of mineral oils * (*)(Note L)	-	2,5 – 10	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic (Note L)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077- 29	1 – 5	Asp. Tox. 1, H304
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11- isoalkyloxy) derivatives, C10-rich	CAS-No.: 398141-87-2 EC-No.: 800-172-4 REACH-no: 01-2119969520- 35	0,3 – 2,5	Aquatic Chronic 2, H411
1-(tert-dodecylthio)propan-2-ol	CAS-No.: 67124-09-8 EC-No.: 266-582-5 REACH-no: 01-2119953277- 30	0,3 – 1	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs.	CAS-No.: 897393-64-5 EC-No.: 482-000-4 REACH-no: 01-0000020142- 86	0,1 – 1	Skin Sens. 1B, H317 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methyl-1H-benzotriazole	CAS-No.: 29385-43-1 EC-No.: 249-596-6 REACH-no: 01-2119979081- 35	< 0,3	Acute Tox. 4 (Oral), H302 Repr. 2, H361d Aquatic Chronic 2, H411
2-tetradecyloxirane, reaction products with boric acid	EC-No.: 701-392-2 REACH-no: 01-2119976364- 28	< 0,3	Skin Sens. 1B, H317
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	CAS-No.: 1218787-32-6 EC-No.: 620-540-6 REACH-no: 01-2119510877- 33	< 0,1	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	CAS-No.: 95-38-5 EC-No.: 202-414-9 REACH-no: 01-2119777867- 13	< 0,1	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
1-(tert-dodecylthio)propan-2-ol	CAS-No.: 67124-09-8 EC-No.: 266-582-5 REACH-no: 01-2119953277- 30	(14,2 ≤ C < 100) Skin Sens. 1B; H317

Comments

: The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

*.	Contains one or more of the following CAS-numbers (REACH registration numbers):
	64741-88-4 (01-2119488706-23), 64741-89-5 (01-2119487067-30), 64741-95-3 (01-2119487081-40), 64741-96-4 (01-
	2119483621-38), 64741-97-5 (01-2119480374-36), 64742-01-4 (01-2119488707-21), 64742-52-5 (01-2119467170-45), 64742-
	53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-
	48), 64742-57-0 (01-2119489287-22), 64742-62-7 (01-2119480472-38), 64742-65-0 (01-2119471299-27), 64742-71-8 (01-
	2119485040-48), 72623-85-9 (01-2119555262-43), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 74869-
	22-0 (01-2119495601-36)
Note L:	The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of
	dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and

asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 If you feel unwell, seek medical advice. Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell. 		
4.2. Most important symptoms and en	fects, both acute and delayed . No additional information available.		

20-2-2025 (Revision date) 20-2-2025 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Combustible liquid. No direct explosion hazard. Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. 		
5.3. Advice for firefighters			
Firefighting instructions Protection during firefighting	 Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protect	tive equipment and emergency procedures	
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.	
For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Ventilate spillage area.	
For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.	
6.2 Environmental precautions		

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up			
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.		
Methods for cleaning up	: Take up liquid spill into absorbent material.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

For further information refer to section 13.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed Precautions for safe handling Hygiene measures	 Not expected to present a significant hazard under anticipated conditions of normal use. Provide good ventilation in process area to prevent formation of vapour. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures Storage conditions	 Keep in a cool, well-ventilated place away from heat. Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat. 		
Storage temperature Packaging materials	 : 0 – 40 °C : Store always product in container of same material as original container. 		
7.3. Specific end use(s)			

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Kroon-Oil SP Matic 4026		
EU - Indicative Occupational Exposure Limit (IOEL)		
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended	5 mg/m³ - ACGIH TLV (inhalable fraction).	
Methyl-1H-benzotriazole (29385-43-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended	5 mg/m³ - ACGIH TLV (inhalable fraction).	

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment. **Personal protective equipment symbol(s):**



Eye and face protection

Eye protection: Safety glasses

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374

Other skin protection

Materials for protective clothing:

Wear suitable protective clothing

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Colour	: red.		
Odour	: characteristic.		
Odour threshold	: Not available		
Melting point	: Not applicable		
Freezing point	: -57 °C - ASTM D5950 (pour point)		
Boiling point	: Not available		
Flammability	: Not applicable		
Explosive properties	: Presents no particular fire or explosion hazard.		
Lower explosion limit	: Not available		
Upper explosion limit	: Not available		
Flash point	: 190 °C - ASTM D92 (COC)		
Auto-ignition temperature	: Not available		
Decomposition temperature	: Not available		
рН	: Not available		
Viscosity, kinematic	: 35,8 mm²/s (40 °C) - ASTM D7042		
Solubility	: Water: Insoluble / Slightly miscible		
Partition coefficient n-octanol/water (Log Kow)	: Not available		
Vapour pressure	: Not available		
Vapour pressure at 50°C	: Not available		
Density	: 0,861 kg/l (15 °C) - ASTM D4052		
Relative density	: Not available		
Relative vapour density at 20°C	: Not available		
Particle characteristics	: Not applicable		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information		
Other safety characteristics		
VOC content	: 0 %	
SECTION 10: Stability a	and reactivity	

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined	in Regulation (EC) No 1272/2008	
Acute toxicity (dermal)	Not classified Not classified Not classified	
Distillates (petroleum), hydrotreated light nap	hthenic (64742-53-6)	
LD50 oral rat	> 5000 mg/kg bodyweight	
LD50 dermal rabbit	> 2000 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	> 5,53 mg/l/4h	
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-	isoalkyloxy) derivatives, C10-rich (398141-87-2)	
LD50 oral rat	10 ml/kg	
LD50 dermal rabbit	> 4000 mg/kg bodyweight	
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat	> 5,53 mg/l/4h	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	5,53 mg/l/4h	

Safety Data Sheet

Methyl-1H-benzotriazole (29385-43-1)	
LD50 oral rat	> 720 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1730 mg/m³ (1h)
Blend of mineral oils *	
LD50 oral rat	> 5000 mg/kg Data from similar product
LD50 dermal rabbit	> 5000 mg/kg Data from similar product
LC50 Inhalation - Rat (Dust/Mist)	> 5 mg/l/4h Data from similar product
1-(tert-dodecylthio)propan-2-ol (67124-09-8)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: other:
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 434 (Acute Dermal Toxicity - Fixed Dose Procedure)
1,2-Propanediol, 3-amino-, N,N-dicoco alkyl d	erivs. (897393-64-5)
LD50 oral rat	 > 2500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethano	l (95-38-5)
LD50 oral rat	1265 mg/kg
Skin corrosion/irritation :	Not classified
Methyl-1H-benzotriazole (29385-43-1)	
рН	5-6
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethano	l (95-38-5)
рН	11,1 Remarks on result: 'other:'
Serious eye damage/irritation :	Not classified
Methyl-1H-benzotriazole (29385-43-1)	
рН	5-6
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethano	l (95-38-5)
рН	11,1 Remarks on result: 'other:'
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Distillates (petroleum), hydrotreated light para	affinic (64742-55-8)
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Methyl-1H-benzotriazole (29385-43-1)	
NOAEL (oral, rat, 90 days)	≈ 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-(tert-dodecylthio)propan-2-ol (67124-09-8)				
NOAEL (oral, rat, 90 days)	167 mg/kg bodyweight Animal: rat, Guideline: other:			
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethano	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)			
NOAEL (oral, rat, 90 days)	20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:			
STOT-repeated exposure	May cause damage to organs (digestive tract, thymus) through prolonged or repeated exposure (oral).			
Aspiration hazard :	Not classified			
Kroon-Oil SP Matic 4026				
Viscosity, kinematic	35,8 mm²/s (40 °C) - ASTM D7042			
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)				
Viscosity, kinematic	9 mm²/s			
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)				
Viscosity, kinematic	< 20,5 mm²/s			
Aliphatic, alicyclic or aromatic hydrocarbon	Yes			
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)				
Viscosity, kinematic	< 20,5 mm²/s			
Aliphatic, alicyclic or aromatic hydrocarbon	Yes			
Methyl-1H-benzotriazole (29385-43-1)				
Viscosity, kinematic	Not applicable			
Blend of mineral oils *				
Viscosity, kinematic	< 20,5 mm²/s			
Aliphatic, alicyclic or aromatic hydrocarbon	Yes			
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethano	l (95-38-5)			
Viscosity, kinematic	35,85 mm²/s Temp.: '40°C' Parameter: 'm²/sm2/s'			
44.0 Information on other because				

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

1	2.	1.	Т	ох	ici	ty	

0, 0	Harmful to aquatic life with long lasting effects. Not classified
	Harmful to aquatic life with long lasting effects.
Kroon-Oil SP Matic 4026	
LC50 - Fish [1]	> 100 mg/l The data are derived from the evaluations or test results achieved with similar products
EC50 - Crustacea [1]	> 100 mg/l The data are derived from the evaluations or test results achieved with similar products

Safety Data Sheet

EC50 72h - Algae [1]> 100 mg/l The data are derived from the evaluations or test results achieved with similar productsDistillates (petroleum), hydrotreated light naptenei (64742-53-6)LC50 - Fish [1]> 100 mg/l (96 h)EC50 72h - Algae [1]> 100 mg/lNOEC (acute)> 100 mg/lThiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11->>alkyloxy) derivatives, C10-rich (398141-87-2)LC50 - Fish [1]2,4 mg/lEC50 72h - Algae [1]4,6 mg/lEC50 72h - Algae [1]63 mg/lDistillates (petroleum), hydrotreated heavy perfinic (64742-54-7)LC50 - Fish [1]> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)EC50 - Crustacea [1]> 100 mg/l (Gammarus pulex, 48h) (OECD 202 method)EC50 - Crustacea [1]> 100 mg/l (Pimephales promelas, 96h) (OECD 201 method)EC50 - Crustacea [1]> 100 mg/l (Pimephales promelas, 96h) (OECD 201 method)EC50 - Crustacea [1]> 100 mg/l (Pimephales promelas, 96h) (OECD 201 method)EC50 - Crustacea [1]> 100 mg/l (Pimephales promelas, 96h) (OECD 201 method)
LC50 - Fish [1] > 100 mg/l (96 h) EC50 - Crustacea [1] > 10 g/l EC50 72h - Algae [1] > 100 mg/l NOEC (acute) > 100 (72h) Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-i>alkyloxy) derivatives, C10-rich (398141-87-2) LC50 - Fish [1] 2,4 mg/l EC50 - Crustacea [1] 4,6 mg/l EC50 - Crustacea [1] 63 mg/l NOEC chronic algae 0,313 mg/l Distillates (petroleum), hydrotreated heavy partice (64742-54-7) LC50 - Fish [1] LC50 - Fish [1] > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) EC50 - Crustacea [1] > 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method)
EC50 - Crustacea [1] > 10 g/l EC50 72h - Algae [1] > 100 mg/l NOEC (acute) > 100 (72h) Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2) LC50 - Fish [1] 2,4 mg/l EC50 - Crustacea [1] 4,6 mg/l EC50 - Crustacea [1] 63 mg/l NOEC chronic algae 0,313 mg/l Distillates (petroleum), hydrotreated heavy partifinic (64742-54-7) 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) EC50 - Crustacea [1] > 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method) EC50 - Crustacea [1] > 100 mg/l
EC50 72h - Algae [1] > 100 mg/l NOEC (acute) ≥ 100 (72h) Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-Joan Joan Joan Joan Joan Joan Joan Joan
NOEC (acute)≥ 100 (72h)Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-:salkyloxy) derivatives, C10-rich (398141-87-2)LC50 - Fish [1]2,4 mg/lEC50 - Crustacea [1]4,6 mg/lEC50 - Crustacea [1]63 mg/lNOEC chronic algae0,313 mg/lDistillates (petroleum), hydrotreated heavy p=tfinic (64742-54-7)LC50 - Fish [1]> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)EC50 - Crustacea [1]> 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method)EC50 72h - Algae [1]> 100 mg/l
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2) LC50 - Fish [1] 2,4 mg/l EC50 - Crustacea [1] 4,6 mg/l EC50 72h - Algae [1] 63 mg/l NOEC chronic algae 0,313 mg/l Distillates (petroleum), hydrotreated heavy partifinic (64742-54-7) 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) EC50 - Crustacea [1] > 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method) EC50 72h - Algae [1] > 100 mg/l
LC50 - Fish [1] 2,4 mg/l EC50 - Crustacea [1] 4,6 mg/l EC50 72h - Algae [1] 63 mg/l NOEC chronic algae 0,313 mg/l Distillates (petroleum), hydrotreated heavy petrifinic (64742-54-7) LC50 - Fish [1] > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) EC50 72h - Algae [1] > 100 mg/l (Oammarus pulex, 48h) (OECD 202 method)
EC50 - Crustacea [1]4,6 mg/lEC50 72h - Algae [1]63 mg/lNOEC chronic algae0,313 mg/lDistillates (petroleum), hydrotreated heavy partifinic (64742-54-7)LC50 - Fish [1]> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)EC50 - Crustacea [1]> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)EC50 72h - Algae [1]> 100 mg/l
EC50 72h - Algae [1]63 mg/lNOEC chronic algae0,313 mg/lDistillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)LC50 - Fish [1]> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)EC50 - Crustacea [1]> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)EC50 72h - Algae [1]> 100 mg/l
NOEC chronic algae0,313 mg/lDistillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)LC50 - Fish [1]> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)EC50 - Crustacea [1]> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)EC50 72h - Algae [1]> 100 mg/l
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LC50 - Fish [1] > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) EC50 - Crustacea [1] > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) EC50 72h - Algae [1] > 100 mg/l
LC50 - Fish [1]> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)EC50 - Crustacea [1]> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)EC50 72h - Algae [1]> 100 mg/l
EC50 - Crustacea [1] > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) EC50 72h - Algae [1] > 100 mg/l
EC50 72h - Algae [1] > 100 mg/l
NOEC (acute) ≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)
NOEC chronic crustacea 10 mg/l (Daphnia magna, 21d) (OECD 211 method)
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)
LC50 - Fish [1] > 100 mg/l 96h
EC50 - Crustacea [1] > 10000 mg/l
EC50 72h - Algae [1] ≥ 100 mg/l
NOEC chronic crustacea 10 mg/l 21d
Methyl-1H-benzotriazole (29385-43-1)
LC50 - Fish [1] 55 mg/l Test organisms (species): Cyprinodon variegatus
EC50 - Other aquatic organisms [1] 15,8 mg/l Test organisms (species): other aquatic crustacea:
EC50 - Other aquatic organisms [2] 8,58 mg/l Test organisms (species): other aquatic crustacea:
EC50 72h - Algae [1] 53 mg/l Test organisms (species): Skeletonema costatum
LOEC (chronic) 37,6 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic) 18,4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic crustacea 0,4 mg/l (21d)
NOEC chronic algae 1,18 mg/l 72 hours
Blend of mineral oils *
LC50 - Fish [1] > 100 mg/l Data from similar product
EC50 - Crustacea [1] > 10000 mg/l Data from similar product
EC50 72h - Algae [1] > 100 mg/l Data from similar product
NOEC chronic crustacea > 10 mg/l
NOEC chronic algae > 10 mg/l (Water flea (Daphnia magna), 21 d)

Safety Data Sheet

LG80 - Fish [1] 0.75 mgl (Oncontynchus mykliss, 98th) (OECD 203 method) EG80 - Christicea [1] 0.58 mgl (Diaphnia magna, 48th) (OECD 202 method) EG30 98h - Algae [1] > 100 mgl (06 h. Scenedesmus quaditauda) NDEC christic vestilecae 0.75 mgl (21.0 baphnia magna) 24tradecyloxirane, reaction products with boot cddd EG30 78h - Algae [1] > 100 mgl EG30 78h - Algae [1] 0.1 mgl EG30 78h - Algae [1] 0.638 mgl EG30 78h - Algae [1] 0.638 mgl NDEC chronic crustacea 0.0107 mgl NDEC	1-(tert-dodecylthio)propan-2-ol (67124-09-8)		
EC50 96h - Algae [1] > 100 mg1 (96 h, Soenedesmus quadricouda) NOEC chronic crustacea 0,75 mg1 (214, Daphnia magna) 24etradecytoxtrane, reaction products with botc acid LC50 - Fish [1] > 100 mg1 EC50 72h - Algae [1] > 100 mg1 C50 72h - Algae [1] 0.1 mg1 EC50 72h - Algae [1] 0.0538 mg1 EC50 72h - Algae [1] 0.0538 mg1 EC50 72h - Algae [1] 0.0538 mg1 NOEC chronic crustacea 0.0107 mg1 NOEC chronic crustacea 0.0107 mg1 NOEC chronic atlacea 0.0107 mg1 Scoredesmus subspicatus particlent) EC50 72h - Algae [1] > 100 mg1 Test crganisms (species): Daphnia magna EC50 72h - Algae [2] 10 mg1 Test crganisms (species): Daphnia magna EC50 72h - Algae [2] 0.163 mg1 Test crganisms (species): Daphnia magna EC50 72h - Algae [2] 0.33 mg1 EC50 72h - Algae [2] 0.163 mg1	LC50 - Fish [1]	0,75 mg/l (Oncorhynchus mykiss, 96h) (OECD 203 method)	
NOEC chronic crustacea 0,75 mg/l (214, Daphnia magna) 2-tetradecyloxirane, reaction products with boric acid LC50 - Fish [1] > 100 mg/l EC50 - Crustacea [1] > 100 mg/l DSC chronic crustacea 10 mg/l (214) 2.2*(C16-18 (evennumbered, C18 unsaturated) alkyl inino) diethanol (1218787-32-6) LC50 - Fish [1] 0,1 mg/l EC50 - Crustacea [1] 0,43 mg/l EC50 - Crustacea [1] 0,043 mg/l EC50 - Crustacea [1] 0,043 mg/l EC50 - Crustacea [1] 0,043 mg/l EC50 - Grustacea [1] 0,058 mg/l NOEC chronic crustacea 0,0107 mg/l NOEC chronic crustacea [1] > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) gairdneri) Scenedesmus subspicatus (previous name: Scenedesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 - Crustacea [1] 10 mg/l Test organisms (species): Daphnia magna EC50 - Tsh - Algae [2] 16 mg/l Test organisms (species): Dasmodesmus subspicatus (previous name: Scenedesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 - Ts	EC50 - Crustacea [1]	0,58 mg/l (Daphnia magna, 48h) (OECD 202 method)	
2-betradecyloxirane, reaction products with boric acid LC50 - Fish [1] > 100 mg1 ECS0 - Crustacea [1] > 100 mg1 ECS0 - Crustacea [1] > 100 mg1 ECS0 - Crustacea [1] > 100 mg1 NDEC chronic crustacea 10 mg1 (21d) 2.2 + CG16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol (1218787-32-6) LC50 - Fish [1] 0.1 mg1 ECS0 - Crustacea [1] 0.043 mg1 ECS0 - Crustacea [1] 0.0538 mg1 ECS0 - Teish [1] 0.0538 mg1 ECS0 - Crustacea 0.0107 mg1 NOEC chronic custacea 0.0107 mg1 NOEC chronic digae 0.0168 mg1 1.2-Propanadiol, 3-amino-, N.N-dicoco alkyl derive. (897393-64-5) LC50 - Fish [1] 20 mg1 Test organisms (species): Oncorhynchus mykiss (previous name: Saimo gaidmani) EC50 - Crustacea [1] 20 mg1 Test organisms (species): Daphnia magna EC50 - Trustacea [1] 10 mg1 Test organisms (species): Daphnia magna EC50 72h - Algae [2] 16 mg1 Test organisms (species): Daphnia magna EC50 72h - Algae [2] 16 mg1 Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0163 mg1 Test organisms (species): Daphnia magna EC50 72h - Algae [2]	EC50 96h - Algae [1]	> 100 mg/l (96 h, Scenedesmus quadricauda)	
LC50 - Fish [1] > 100 mgl EC50 - Crustacea [1] > 100 mgl EC50 72h - Algae [1] > 100 mgl NDEC chronic crustacea 10 mgl (21d) 2.2'-(C16-18 (evennumbared, C18 unsaturated) alkyl imino) diethanol (1218787-32-6) LC50 - Fish [1] 0,1 mgl EC50 T2h - Algae [1] 0,043 mgl EC50 - Crustacea [1] 0,043 mgl EC50 T2h - Algae [1] 0,0538 mgl NOEC chronic crustacea 0,0107 mgl NOEC chronic algae 0,0157 mgl NOEC chronic algae 0,0165 mgl 1.2-PropanedIol, 3-amino-, N.N-dicoco alkyl derive, (89793-64-5) LC50 - Fish [1] 230 mgl Test organisms (species): Dopthia magna EC50 T2h - Algae [1] 20 mgl Test organisms (species): Desmodesmus subspicatus (previous name: Saimo garidneri) EC50 T2h - Algae [2] 16 mgl Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 T2h - Algae [2] 0.163 mgl Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 T2h - Algae [2] 0.163 mgl Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 T2h - Algae [2] 0.163 mgl Test organisms (species): Desmodesmus subspicatus (prev	NOEC chronic crustacea	0,75 mg/l (21d, Daphnia magna)	
EC50 - Crustacea [1] > 100 mgl. EC50 - Crustacea [1] > 100 mgl. EC50 - Crustacea [1] > 100 mgl. 2,2*(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol (1218787-32-6) LC50 - Crustacea [1] 0.043 mgl. EC50 - Crustacea [1] 0.043 mgl. EC50 - Crustacea [1] 0.043 mgl. EC50 - Grustacea [1] 0.043 mgl. EC50 - Grustacea [1] 0.0638 mgl. NOEC chronic crustacea 0.0107 mgl. NOEC chronic crustacea 10 mgl. Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 - Crustacea [1] 10 mgl. Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) <	2-tetradecyloxirane, reaction products with bo	pric acid	
EC50 72h - Agae [1] > 100 mgl NOEC chronic crustacea 10 mgl (21d) 2,2-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol (1218787-32-6) LC50 - Fish [1] 0.1 mgl EC50 72h - Algae [1] 0.043 mgl EC50 72h - Algae [1] 0.058 mgl NOEC chronic crustacea 0.0107 mgl NOEC chronic crustacea 11 1 200 mgl Test organisms (species): Dencorhynchus mykiss (previous name: Scenedesmus subspicatus (previous name: Scenedesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 - Crustacea [1] 0.33 mgl EC50 - Fish [1] 0.33 mgl EC50 - Fish [1] 0.168 mgl Test organ	LC50 - Fish [1]	> 100 mg/l	
NOEC chronic crustacea 10 mg/l (21d) 2.2-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol (1218787-32-6) LC50 - Fish [1] 0,1 mg/l EC50 - Crustacea [1] 0,043 mg/l EC50 algae 0,0538 mg/l FC50 algae 0,0107 mg/l NOEC chronic crustacea 0,0107 mg/l NOEC chronic algae 0,0166 mg/l 1.2-Propanediol, 3-amino-, N,N-dicoco alkyl derive. (897393-64-5) LC50 - Fish [1] > 100 mg/l Test organisms (species): Donorhynchus mykiss (previous name: Salmo galrdneri) EC50 - Crustacea [1] 230 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 - Fish [1] 0,33 mg/l EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 - Fish [1] 0,33 mg/l EC50 - Fish [1] 0,33 mg/l EC50 - Fish [1] 0,33 mg/l <	EC50 - Crustacea [1]	> 100 mg/l	
2.2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol (1218787-32-6) LC50 - Fish [1] 0,1 mg/l EC50 - Crustacea [1] 0,043 mg/l EC50 72h - Algae [1] 0,0538 mg/l EC50 agae 0,0538 mg/l NOEC chronic crustacea 0,0107 mg/l NOEC chronic algae 0,0156 mg/l 1.2-Propanediol, 3-amino-, N.N-dicoco alkyl derivas. (89793-64-5) LC60 - Fish [1] > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gai/dmerl) EC50 - Crustacea [1] 230 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 0,0168 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 0,0168 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 0,0168 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	EC50 72h - Algae [1]	> 100 mg/l	
LCS0 - Fish [1] 0,1 mg/l ECS0 - Crustacea [1] 0,043 mg/l ECS0 - Crustacea [1] 0,0538 mg/l ErCS0 algae 0,0538 mg/l NOEC chronic crustacea 0,0107 mg/l NOEC chronic algae 0,0156 mg/l 1,2-Propanediol, 3-amino-, N,N-diccoo alkyl detres (897393-64-5) Image: 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) ECS0 - Crustacea [1] > 100 mg/l Test organisms (species): Dophnia magna ECS0 - Crustacea [1] 10 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ECS0 72h - Algae [2] 10 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) Z-2-heptadec-8-enyl-2-imidazolin-1-yi)ethanol (95-38-5) EC50 - Crustacea [1] LCS0 - Fish [1] 0,33 mg/l EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) <t< td=""><td>NOEC chronic crustacea</td><td>10 mg/l (21d)</td></t<>	NOEC chronic crustacea	10 mg/l (21d)	
ECS0 - Crustacea [1] 0,043 mg/l ECS0 - Crustacea [1] 0,0538 mg/l ErCS0 algae 0,0107 mg/l NOEC chronic crustacea 0,0107 mg/l NOEC chronic algae 0,0156 mg/l 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl durivs. (897393-64-5) LC50 - Fish [1] > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdnen) ECS0 - Crustacea [1] 230 mg/l Test organisms (species): Daphnia magna ECS0 72h - Algae [1] 10 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ECS0 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 2-Q-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5) 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 2-C50 - Crustacea [1] 0,33 mg/l ECS0 - Crustacea [1] 0,33 mg/l ECS0 - Crustacea [1] 0,163 mg/l Test organisms (species): Daphnia magna EC50 algae 0,016 mg/l Test organisms (species): Daphnia magna EC50 algae 0,0160 mg/l Test organisms (species): Daphnia magna EC50 algae 0,014 mg/l NOEC chronic algae 0,014 mg/l 12.2. Persistence and degradability	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol (1218787-32-6)	
EC50 72h - Algae [1] 0.0538 mg/l ErC50 algae 0.0538 mg/l NOEC chronic crustacea 0.0107 mg/l NOEC chronic algae 0.0166 mg/l 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs. (897393-64-5) LC50 - Fish [1] > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) EC50 72h - Algae [1] 230 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 2-2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5) Ec50 72h - Algae [2] LC50 - Fish [1] 0.33 mg/l EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.163 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna	LC50 - Fish [1]	0,1 mg/l	
ErC50 algae 0.0538 mg/l NOEC chronic crustacea 0.0107 mg/l NOEC chronic digae 0.0156 mg/l 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs. (897393-64-5) Image: Constant of the state of t	EC50 - Crustacea [1]	0,043 mg/l	
NOEC chronic crustacea 0.0107 mg/l NOEC chronic algae 0.0166 mg/l 1.2-Propanediol, 3-amino-, N,N-dicoco alkyl erivs. (897393-64-5) LC50 - Fish [1] > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneit) EC50 - Crustacea [1] 230 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] 10 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) Z-2-heptadec-8-enyl-2-imidazolin-1-yl)ethanot (95-38-5) LC50 - Fish [1] 0.33 mg/l EC50 72h - Algae [2] 0.166 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) Z-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanot (95-38-5) LC50 - Fish [1] 0.33 mg/l EC50 - Crustacea [1] 0.163 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae 0.0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae 0.0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae 0.03 mg/l NOEC chronic algae 0.	EC50 72h - Algae [1]	0,0538 mg/l	
NOEC chronic algae 0.0156 mg/l 1.2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs. (897393-64-5) LC50 - Fish [1] > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) EC50 - Crustacea [1] 230 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] 10 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 2-(2-hoptadec-8-enyl-2-imidazolin-1-yl)ethanot (95-38-5) LC50 - Crustacea [1] 0.33 mg/l EC50 72h - Algae [2] 0.163 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.163 mg/l EC50 - Crustacea [1] 0.33 mg/l EC50 - Crustacea [1] 0.163 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0.0169 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] <td>ErC50 algae</td> <td>0,0538 mg/l</td>	ErC50 algae	0,0538 mg/l	
1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs. (897393-64-5) LC50 - Fish [1] > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneni) EC50 - Crustacea [1] 230 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] 10 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanot (95-38-5) LC50 - Fish [1] 0.33 mg/l EC50 72h - Algae [2] 0.168 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 0.163 mg/l EC50 - Crustacea [1] 0.168 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 0.168 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 0.168 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 0.168 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae 0.0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae 0.03 mg/l NOEC chronic algae 0.03 mg/l NOEC chronic algae 0.014 mg/l	NOEC chronic crustacea	0,0107 mg/l	
LC50 - Fish [1] > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) EC50 - Crustacea [1] 230 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] 10 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5) EC50 - Fish [1] 0,33 mg/l EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) Scenedesmus subspicatus) ErC50 algae 0,0169 mg/l Test organisms (species): Daphnia magna Moter Coson and	NOEC chronic algae	0,0156 mg/l	
gairdneri) EC50 - Crustacea [1] 230 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] 10 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5) LC50 - Fish [1] 0,33 mg/l EC50 72h - Algae [2] 0,163 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae 0,03 mg/l NOEC chronic algae 0,014 mg/l 12.2. Persistence and degradability Not rapidly degradable Persistence and degradability Not rapidly degradable Distillates (petroleum), hydrotreated light naphthenic (64742-53-6) Persistence and degradability Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	1,2-Propanediol, 3-amino-, N,N-dicoco alkyl de	erivs. (897393-64-5)	
EC50 72h - Algae [1] 10 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5) LC50 - Fish [1] 0,33 mg/l EC50 72h - Algae [2] 0,163 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae 0,03 mg/l NOEC chronic algae 0,014 mg/l 12.2. Persistence and degradability Not rapidly degradable Persistence and degradability Not rapidly degradable Distillates (petroleum), hydrotreated light nap-thenic (64742-53-6) Persistence and degradability Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	LC50 - Fish [1]		
Scenedesmus subspicatus) EC50 72h - Algae [2] 16 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5) LC50 - Fish [1] 0,33 mg/l EC50 72h - Algae [2] 0,163 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [2] 0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) EC50 algae 0,03 mg/l NOEC chronic algae 0,014 mg/l 12.2. Persistence and degradability Not rapidly degradable Persistence and degradability Not rapidly degradable Distillates (petroleum), hydrotreated light nap+thenic (64742-53-6) Persistence and degradability Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	EC50 - Crustacea [1]	230 mg/l Test organisms (species): Daphnia magna	
Scenedesmus subspicatus) 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5) LC50 - Fish [1] 0,33 mg/l EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae 0,03 mg/l NOEC chronic algae 0,014 mg/l 12.2. Persistence and degradability Not rapidly degradable Persistence and degradability Not rapidly degradable Distillates (petroleum), hydrotreated light nap+thenic (64742-53-6) Persistence and degradability Persistence and degradability Not rapidly biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	EC50 72h - Algae [1]		
LC50 - Fish [1] 0,33 mg/l EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae 0,03 mg/l NOEC chronic algae 0,014 mg/l 12.2. Persistence and degradability Vot rapidly degradable Persistence and degradability Not rapidly degradable Distillates (petroleum), hydrotreated light nap+thenic (64742-53-6) Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	EC50 72h - Algae [2]		
EC50 - Crustacea [1] 0,163 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae 0,03 mg/l NOEC chronic algae 0,014 mg/l 12.2. Persistence and degradability Kroon-Oil SP Matic 4026 Persistence and degradability Not rapidly degradable Distillates (petroleum), hydrotreated light nap+thenic (64742-53-6) Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethano	l (95-38-5)	
EC50 72h - Algae [2] 0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae 0,03 mg/l NOEC chronic algae 0,014 mg/l 12.2. Persistence and degradability Voltamg/l Kroon-Oil SP Matic 4026 Persistence and degradability Distillates (petroleum), hydrotreated light naphthenic (64742-53-6) Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	LC50 - Fish [1]	0,33 mg/l	
Scenedesmus subspicatus) ErC50 algae 0,03 mg/l NOEC chronic algae 0,014 mg/l 12.2. Persistence and degradability Kroon-Oil SP Matic 4026 Persistence and degradability Not rapidly degradable Distillates (petroleum), hydrotreated light naphthenic (64742-53-6) Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	EC50 - Crustacea [1]	0,163 mg/l Test organisms (species): Daphnia magna	
NOEC chronic algae 0,014 mg/l 12.2. Persistence and degradability 12.2. Persistence and degradability Kroon-Oil SP Matic 4026 Persistence and degradability Persistence and degradability Not rapidly degradable Distillates (petroleum), hydrotreated light nap+thenic (64742-53-6) Persistence and degradability Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	EC50 72h - Algae [2]		
12.2. Persistence and degradability Kroon-Oil SP Matic 4026 Persistence and degradability Not rapidly degradable Distillates (petroleum), hydrotreated light naphthenic (64742-53-6) Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	ErC50 algae	0,03 mg/l	
Kroon-Oil SP Matic 4026 Persistence and degradability Not rapidly degradable Distillates (petroleum), hydrotreated light nap+thenic (64742-53-6) Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	NOEC chronic algae	0,014 mg/l	
Persistence and degradability Not rapidly degradable Distillates (petroleum), hydrotreated light naphthenic (64742-53-6) Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	12.2. Persistence and degradability		
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6) Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	Kroon-Oil SP Matic 4026		
Persistence and degradability Not readily biodegradable, Inherently biodegradable. Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	Persistence and degradability	Not rapidly degradable	
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivatives, C10-rich (398141-87-2)	Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)		
	Persistence and degradability	Not readily biodegradable, Inherently biodegradable.	
Persistence and degradability Not rapidly degradable	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-	isoalkyloxy) derivatives, C10-rich (398141-87-2)	
	Persistence and degradability	Not rapidly degradable	

Safety Data Sheet

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-	isoalkyloxy) derivatives, C10-rich (398141-87-2)	
Biodegradation	9,6 % MITI 1 (28d)	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Persistence and degradability	Not rapidly degradable	
Biodegradation	31 % (28d) (OECD 301F method)	
Distillates (petroleum), hydrotreated light para	affinic (64742-55-8)	
Persistence and degradability	Not rapidly degradable	
Biodegradation	31 % (OECD 301F method)	
Methyl-1H-benzotriazole (29385-43-1)		
Persistence and degradability	Not rapidly degradable	
Blend of mineral oils *		
Persistence and degradability	Not rapidly degradable	
1-(tert-dodecylthio)propan-2-ol (67124-09-8)		
Persistence and degradability	Not rapidly degradable	
Biodegradation	5,9 % (Manometric respirometrics, 28d.)	
2-tetradecyloxirane, reaction products with bo	pric acid	
Persistence and degradability	Not rapidly degradable	
Biodegradation	17,3 %	
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol (1218787-32-6)	
Persistence and degradability	Rapidly degradable	
Biodegradation	63 % (28d)	
1,2-Propanediol, 3-amino-, N,N-dicoco alkyl de	erivs. (897393-64-5)	
Persistence and degradability	Not rapidly degradable	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethano	l (95-38-5)	
Persistence and degradability	Not rapidly degradable	
12.3. Bioaccumulative potential		
Distillates (petroleum), hydrotreated light nap	hthenic (64742-53-6)	
Bioaccumulative potential	Bioaccumulative potential.	
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-	isoalkyloxy) derivatives, C10-rich (398141-87-2)	
Bioconcentration factor (BCF REACH)	1,4 (28 d)	
Partition coefficient n-octanol/water (Log Kow)	4,1 octanol/water coefficient (0,1 d)	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
Partition coefficient n-octanol/water (Log Pow)	> 6	
Bioaccumulative potential	Not established.	
Methyl-1H-benzotriazole (29385-43-1)		
Partition coefficient n-octanol/water (Log Pow)	1,081 (25°C) [OECD 117]	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-(tert-dodecylthio)propan-2-ol (67124-09-8)		
Partition coefficient n-octanol/water (Log Kow) 5,7 (octanol/water, 0.1d.)		
2-tetradecyloxirane, reaction products with bo	pric acid	
Partition coefficient n-octanol/water (Log Pow)	9,4 at 40 °C	
12.4. Mobility in soil		
Distillates (petroleum), hydrotreated light nap	hthenic (64742-53-6)	
Ecology - soil	Insoluble in water.	
12.5. Results of PBT and vPvB assessment		
Component		
	Distillates (petroleum), hydrotreated light naphthenic (64742-53-6), Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	
Component Substance(s) not meeting the PBT criteria of REACH		
Component Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH	hydrotreated light paraffinic (64742-55-8) Distillates (petroleum), hydrotreated light naphthenic (64742-53-6), Distillates (petroleum),	
Component Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	hydrotreated light paraffinic (64742-55-8) Distillates (petroleum), hydrotreated light naphthenic (64742-53-6), Distillates (petroleum),	
Component Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII 12.6. Endocrine disrupting properties	hydrotreated light paraffinic (64742-55-8) Distillates (petroleum), hydrotreated light naphthenic (64742-53-6), Distillates (petroleum),	

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Do not re-use empty containers.
European List of Waste (LoW, EC 2000/532)	13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils
HP Code	: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID				
ADR	ADR IMDG IATA ADN RID			
14.1. UN number or ID n	14.1. UN number or ID number			
Not regulated for transport				
14.2. UN proper shipping name				
Not regulated Not regulated Not regulated Not regulated				
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Distillates (petroleum), hydrotreated light naphthenic ; Distillates (petroleum), hydrotreated heavy paraffinic ; Distillates (petroleum), hydrotreated light paraffinic ; Blend of mineral oils * ; 1-(tert- dodecylthio)propan-2-ol ; 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol ; 1,2- Propanediol, 3-amino-, N,N-dicoco alkyl derivs. ; 2-(2-heptadec-8-enyl-2- imidazolin-1-yl)ethanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	Kroon-Oil SP Matic 4026 ; Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11- isoalkyloxy) derivatives, C10-rich ; 1-(tert- dodecylthio)propan-2-ol ; 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol ; 1,2- Propanediol, 3-amino-, N,N-dicoco alkyl derivs. ; 2-(2-heptadec-8-enyl-2- imidazolin-1-yl)ethanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 0 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out:

Distillates (petroleum), hydrotreated light naphthenic Methyl-1H-benzotriazole

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Revision date	Modified
	Supersedes	Modified

Safety Data Sheet

Indication of changes		
Section	Changed item	Comments
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified
2.1	Adverse physicochemical, human health and environmental effects	Modified
2.2	EUH-statements	Modified
2.2	Hazard statements (CLP)	Added
2.2	Precautionary statements (CLP)	Added
4.1	First-aid measures for first aider	Added
4.3	Other medical advice or treatment	Modified
9	Density	Modified
9	Viscosity, kinematic	Modified
9	Flash point	Modified
9	Freezing point	Modified
12.1	Ecology - general	Modified

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

Safety Data Sheet

Abbreviations and acronyms:		
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Entl	toxt	of H	and	EUL eta	tements:	
гип	ιθχι		anu	EUN-510	lements.	

Full text of H- and EUH-statements:				
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3			
Asp. Tox. 1	Aspiration hazard, Category 1			
EUH208	Contains 2-tetradecyloxirane, reaction products with boric acid, 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs May produce an allergic reaction.			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H314	Causes severe skin burns and eye damage.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H361d	Suspected of damaging the unborn child.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Repr. 2	Reproductive toxicity, Category 2			
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C			
Skin Sens. 1B	Skin sensitisation, category 1B			
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.