

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6-11-2018 Revision date: 6-1-2023 Supersedes version of: 11-11-2022 Version: 1.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Kroon-Oil TefTec AS
UFI	: EV30-C0GF-2005-F6HV
Product code	: 06.20.73
Vaporizer	: Aerosol
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture Function or use category

: Industrial use, Professional use, Consumer use

: Chain lubricant : Lubricant

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Kroon Oil BV B.V. Dollegoorweg, 15 NL– 7602 EC Almelo Netherlands T 0031 (0)546 81 81 65 vib@kroon-oil.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Cardiff	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 12	272/2008 [CLP]
Hazard pictograms (CLP)	GHS02 GHS07 GHS09
Signal word (CLP)	: Danger
Contains	: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane, Pentane
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
× ,	H229 - Pressurised container: May burst if heated.
	H315 - Causes skin irritation.
	H336 - May cause drowsiness or dizziness.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P271 - Use only outdoors or in a well-ventilated area.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH208 - Contains Benzenesulfonic acid, di-C10-14-alkyl derivs, calcium salts . May produce an allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances $\ge 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	CAS-No.: 92128-66-0 EC-No.: 921-024-6 REACH-no: 01-2119475514- 35	25 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Butane substance with national workplace exposure limit(s) (GB, IE) (Note K)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691- 32	10 – 25	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Pentane substance with national workplace exposure limit(s) (GB, IE); substance with a Community workplace exposure limit	CAS-No.: 109-66-0 EC-No.: 203-692-4 EC Index-No.: 601-006-00-1 REACH-no: 01-2119459286- 30	10 – 25	Flam. Liq. 1, H224 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 EUH066
Propane substance with a Community workplace exposure limit (Note U)	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	10 – 25	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
isobutane substance with national workplace exposure limit(s) (IE) (Note K)	CAS-No.: 75-28-5 EC-No.: 200-857-2 REACH-no: 01-2119485395- 27	2,5 – 10	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	EC-No.: 939-603-7 REACH-no: 01-2119978241- 36	0,1 – 1	Skin Sens. 1B, H317

Note K : The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w 1,3- butadiene (Einecs No 203-450-8), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 shall apply.

Note U (Table 3): When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.), Press. Gas (Liq.), Press. Gas (Ref. Liq.), Press. Gas (Diss.). Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2) Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and ef	ffects, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after ingestion	 May cause drowsiness or dizziness. Irritation. Repeated exposure may cause skin dryness or cracking. Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the subst	ance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Combustible liquid. Pressurised container: May burst if heated. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measure	s
6.1. Personal precautions, protective equipm	ent and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures :	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment an	nd cleaning up
For containment:Methods for cleaning up:Other information:	Collect spillage. Mechanically recover the product. Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	ny incompatibilities
C C	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. < 40 °C
7.3. Specific end use(s)	

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological	limit values	
Kroon-Oil TefTec AS		
EU - Indicative Occupational Exposure Limit (IOEL)		
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended	5 mg/m³ - ACGIH TLV (inhalable fraction).	
Butane (106-97-8)		
Ireland - Occupational Exposure Limits		
Local name	Butane, all isomers: Butane	
OEL STEL [ppm]	1000 ppm	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits	·	
Local name	Butane	
WEL TWA (OEL TWA) [1]	1450 mg/m³	
WEL TWA (OEL TWA) [2]	600 ppm	
WEL STEL (OEL STEL)	1810 mg/m³	
WEL STEL (OEL STEL) [ppm]	750 ppm	
Remark	Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Pentane (109-66-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Pentane	
Local name IOEL TWA	Pentane 3000 mg/m ³ 3000 mg/m ³	
	3000 mg/m ³	
IOEL TWA	3000 mg/m ³ 3000 mg/m ³	
IOEL TWA IOEL TWA [ppm]	3000 mg/m ³ 3000 mg/m ³ 1000 ppm COMMISSION DIRECTIVE 2006/15/EC	
IOEL TWA IOEL TWA [ppm] Regulatory reference	3000 mg/m ³ 3000 mg/m ³ 1000 ppm COMMISSION DIRECTIVE 2006/15/EC	
IOEL TWA IOEL TWA [ppm] Regulatory reference Ireland - Occupational Exposure Limits	3000 mg/m ³ 3000 mg/m ³ 1000 ppm COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC	
IOEL TWA IOEL TWA [ppm] Regulatory reference Ireland - Occupational Exposure Limits Local name	3000 mg/m ³ 3000 mg/m ³ 1000 ppm COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC	
IOEL TWA IOEL TWA [ppm] Regulatory reference Ireland - Occupational Exposure Limits Local name OEL TWA [1]	3000 mg/m ³ 3000 mg/m ³ 1000 ppm COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC Pentane 3000 mg/m ³	
IOEL TWA IOEL TWA [ppm] Regulatory reference Ireland - Occupational Exposure Limits Local name OEL TWA [1] OEL TWA [2]	3000 mg/m ³ 3000 mg/m ³ 1000 ppm COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC Pentane 3000 mg/m ³ 1000 ppm	
IOEL TWA IOEL TWA [ppm] Regulatory reference Ireland - Occupational Exposure Limits Local name OEL TWA [1] OEL TWA [2] Remark	3000 mg/m ³ 3000 mg/m ³ 1000 ppm COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC Pentane 3000 mg/m ³ 1000 ppm IOELV (Indicative Occupational Exposure Limit Values)	
IOEL TWA IOEL TWA [ppm] Regulatory reference Ireland - Occupational Exposure Limits Local name OEL TWA [1] OEL TWA [2] Remark Regulatory reference	3000 mg/m ³ 3000 mg/m ³ 1000 ppm COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC Pentane 3000 mg/m ³ 1000 ppm IOELV (Indicative Occupational Exposure Limit Values)	
IOEL TWA IOEL TWA [ppm] Regulatory reference Ireland - Occupational Exposure Limits Local name OEL TWA [1] OEL TWA [2] Remark Regulatory reference United Kingdom - Occupational Exposure Limits	3000 mg/m³ 1000 ppm COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC Pentane 3000 mg/m³ 1000 ppm IOELV (Indicative Occupational Exposure Limit Values) Chemical Agents Code of Practice 2021	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Pentane (109-66-0)				
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			
Propane (74-98-6)				
EU - Indicative Occupational Exposure Limit (IOEL)				
IOEL TWA [ppm]	1000 ppm			
Ireland - Occupational Exposure Limits				
Local name	Aliphatic hydrocarbon gases Alkanes (C1-C3): Propane			
Remark	Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)			
Regulatory reference	Chemical Agents Code of Practice 2021			
isobutane (75-28-5)				
Ireland - Occupational Exposure Limits				
Local name	Butane, all isomers: Isobutane			
OEL STEL [ppm]	1000 ppm			
Regulatory reference	Chemical Agents Code of Practice 2021			

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection				
Туре	Field of application	Characteristics	Standard	
Safety glasses	Droplet	clear	EN 166	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection						
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard	
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374	

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

9.1. Information on basic physical and c	hemical properties
Physical state Colour Appearance Odour Odour threshold Melting point Freezing point Boiling point Flammability Explosive properties Explosive properties Explosive limits Lower explosion limit Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH Viscosity, kinematic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50°C Density Relative density Relative vapour density at 20°C	 Liquid Liquid light brown. Aerosol. characteristic. Not available Not available Atremely flammable aerosol. Pressurised container: May burst if heated. Not available 0,8 vol % 10,9 vol % -97 °C Not available Not available Not available Vot available Not available Soft available Not available 0,8 vol % 0,9 vol % 297 °C Not available

9.2.1. Information with regard to physical hazard classes			
% of flammable ingredients	: 134,9999999999995		
Critical temperature	: > 200 °C		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

VOC content

: 545,4 g/l

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Extremely flammable aerosol. Pressurised container: May burst if heated.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information				
11.1. Information on hazard classes as define	ed in Regulation (EC) No 1272/2008			
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified Not classified Not classified			
Pentane (109-66-0)				
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral))			
LC50 Inhalation - Rat	> 25,3 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes	, cyclics, <5% n-hexane (92128-66-0)			
LD50 oral rat	> 5840 mg/kg			
LD50 dermal rat	2800 – 3100 mg/kg bodyweight Animal: rat, Remarks on results: other:			
LD50 dermal rabbit	> 2920 mg/kg			
Benzenesulfonic acid, di-C10-14-alkyl derivs	., calcium salts			
LD50 oral rat	10000 – 20000 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:			
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:			
Skin corrosion/irritation :	Causes skin irritation.			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes	, cyclics, <5% n-hexane (92128-66-0)			
рН	2,3 <= medium score <= 4.0			
Serious eye damage/irritation :	Not classified			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified StTOT-single exposure : May cause drowsiness or dizziness. Pentane (109-66-0) : May cause drowsiness or dizziness. StTOT-single exposure May cause drowsiness or dizziness. StTOT-single exposure : Not classified Pentane (109-66-0) : Not classified StTOT-single exposure : Not classified Pentane (109-66-0) : : Not classified NOAEC (inhalation, rat, vapour, 90 days) : : : StOT-single exposure : : : NOAEC (inhalation, rat, vapour, 90 days) : : : Stotact, exposure : : : : NOAEL (oral, rat, 90 days) : : : : NOAEL (dermal, rat/rabbit, 90 days) : : : : : : Yaporizer : Aerosol : : : : : :				
Respiratory or skin sensitisation Not classified Gern cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified StrOT-single exposure May cause drowsiness or dizziness. Pentane (109-66-0) May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. Pytrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0)	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0)			
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified StTOT-single exposure : May cause drowsiness or dizziness. Pentane (109-66-0) : May cause drowsiness or dizziness. StTOT-single exposure May cause drowsiness or dizziness. StTOT-single exposure : Not classified Pentane (109-66-0) : Not classified StTOT-single exposure : Not classified Pentane (109-66-0) : : Not classified NOAEC (inhalation, rat, vapour, 90 days) : : : StOT-single exposure : : : NOAEC (inhalation, rat, vapour, 90 days) : : : Stotact, exposure : : : : NOAEL (oral, rat, 90 days) : : : : NOAEL (dermal, rat/rabbit, 90 days) : : : : : : Yaporizer : Aerosol : : : : : :	рН	2,3 <= medium score <= 4.0		
STOT-single exposure May cause drowsiness or dizziness. Hydrocarbons, C6-C7, n-aikanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure Not classified Pentane (109-66-0) Image: Stor (Inhalation, rat, vapour, 90 days) 30 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Guideline: other:. Guideline: ether: Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts Image: Stor (Stor (Germ cell mutagenicity:Carcinogenicity:Reproductive toxicity:	Not classified Not classified Not classified		
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0)	Pentane (109-66-0)			
STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure Not classified Pentane (109-66-0) NOAEC (inhalation, rat, vapour, 90 days) 30 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Guideline: other:, Guideline: EPA OTS 798.2450 (90-Day Inhalation Toxicity), Guideline: other: Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts NOAEL (oral, rat, 90 days) > 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Aspiration hazard > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Aspiration hazard : Way be fatal if swallowed and enters airways. Kroon-Oil Teffec AS < 20,5 mm²/s (40°C)	STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure Not classified Pentane (109-66-0) 30 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Guideline: other:, Guideline: EPA OTS 798.2450 (90-Day Inhalation Toxicity), Guideline: other: Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts NOAEL (oral, rat, 90 days) > 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Aspiration hazard > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Aspiration hazard : May be fatal if swallowed and enters airways. Kroon-Oil Teffec AS Vaporizer Vaporizer Aerosol Viscosity, kinematic 0.356 mm²/s (40°C) Pentane (109-66-0) 0.356 mm²/s Viscosity, kinematic 0.356 mm²/s Hydrocarbons, C6-C7, n-alkanes, isoalkanes, culture saits 0.7 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' Benzenesulfonic acid, di-C10-14-alkyl derivs., culture salts Viscosity, kinematic 0.7 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'	Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cyclics, <5% n-hexane (92128-66-0)		
Pentane (109-66-0) NOAEC (inhalation, rat, vapour, 90 days) 30 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Guideline: other:, Guideline: EPA OTS 798.2450 (90-Day Inhalation Toxicity), Guideline: other: Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts NOAEL (oral, rat, 90 days) > 500 mg/kg bodyweight Animal: rat, Guideline: other: NOAEL (dermal, rat/rabbit, 90 days) > 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Aspiration hazard : May be fatal if swallowed and enters airways. Kroon-Oil Teffec AS Vaporizer Vaporizer Aerosol Viscosity, kinematic 0,356 mm²/s (40°C) Pentane (109-66-0) Viscosity, kinematic Viscosity, kinematic 0,7 mm²/s Temp:: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts Viscosity, kinematic viscosity (in mm²/s)' Remarks on result: 'other:'	STOT-single exposure	May cause drowsiness or dizziness.		
NOAEC (inhalation, rat, vapour, 90 days) 30 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Guideline: other:, Guideline: DEA OTS 798.2450 (90-Day Inhalation Toxicity), Guideline: other: Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts > 500 mg/kg bodyweight Animal: rat, Guideline: other: NOAEL (oral, rat, 90 days) > 500 mg/kg bodyweight Animal: rat, Guideline: other: NOAEL (dermal, rat/rabbit, 90 days) > 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Aspiration hazard May be fatal if swallowed and enters airways. Kroon-Oil Teffec AS Vaporizer Aerosol Viscosity, kinematic 0.356 mm²/s (40°C) Pentane (109-66-0) 0.356 mm²/s Viscosity, kinematic 0.356 mm²/s Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0)	STOT-repeated exposure :	Not classified		
90-Day Study), Guideline: other:, Guideline: EPA OTS 798.2450 (90-Day Inhalation Toxicity), Guideline: other:,Benzenesulfonic acid, di-C10-14-alkyl derivs.calcium saltsNOAEL (oral, rat, 90 days)> 500 mg/kg bodyweight Animal: rat, Guideline: other:NOAEL (dermal, rat/rabbit, 90 days)> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)Aspiration hazard: May be fatal if swallowed and enters airways.Kroon-Oil TefTec ASAerosolVaporizerAerosolViscosity, kinematic< 20,5 mm²/s (40°C)	Pentane (109-66-0)			
NOAEL (oral, rat, 90 days) > 500 mg/kg bodyweight Animal: rat, Guideline: other: NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Aspiration hazard : May be fatal if swallowed and enters airways. Kroon-Oil TefTec AS Kroon-Oil TefTec AS Vaporizer Aerosol Viscosity, kinematic < 20,5 mm²/s (40°C)	NOAEC (inhalation, rat, vapour, 90 days)	90-Day Study), Guideline: other:, Guideline: EPA OTS 798.2450 (90-Day Inhalation		
NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Aspiration hazard : May be fatal if swallowed and enters airways. Kroon-Oil TefTec AS Vaporizer Vaporizer Aerosol Viscosity, kinematic < 20,5 mm²/s (40°C)	Benzenesulfonic acid, di-C10-14-alkyl derivs.	calcium salts		
Dermal Toxicity: 21/28-Day Study) Aspiration hazard May be fatal if swallowed and enters airways. Kroon-Oil TefTec AS Vaporizer Aerosol Viscosity, kinematic < 20,5 mm²/s (40°C)	NOAEL (oral, rat, 90 days)	> 500 mg/kg bodyweight Animal: rat, Guideline: other:		
Kroon-Oil TefTec AS Vaporizer Aerosol Viscosity, kinematic < 20,5 mm²/s (40°C)	NOAEL (dermal, rat/rabbit, 90 days)			
VaporizerAerosolViscosity, kinematic< 20,5 mm²/s (40°C)	Aspiration hazard :	May be fatal if swallowed and enters airways.		
Viscosity, kinematic < 20,5 mm²/s (40°C)	Kroon-Oil TefTec AS			
Pentane (109-66-0) Viscosity, kinematic 0,356 mm²/s Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0)	Vaporizer	Aerosol		
Viscosity, kinematic 0,356 mm²/s Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0)	Viscosity, kinematic	< 20,5 mm²/s (40°C)		
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0)	Pentane (109-66-0)			
Viscosity, kinematic 0,7 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts Viscosity, kinematic 447 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' Remarks on result: 'other:'	Viscosity, kinematic	0,356 mm²/s		
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts Viscosity, kinematic 447 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' Remarks on result: 'other:'	Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0)		
Viscosity, kinematic 447 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' Remarks on result: 'other:'	Viscosity, kinematic	0,7 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'		
'other:'	Benzenesulfonic acid, di-C10-14-alkyl derivs.	calcium salts		
	Viscosity, kinematic	· · · · · · · · · · · · · · · · · · ·		
11.2. Information on other hazards	11.2. Information on other hazards			

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Hazardous to the aquatic environment, short–term		Toxic to aquatic life with long lasting effects. Not classified
(acute) Hazardous to the aquatic environment, long–term (chronic)	:	Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Pentane (109-66-0)				
LC50 - Fish [1]	4,26 mg/l 96h			
EC50 - Crustacea [1]	2,7 mg/l 48h			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cyclics, <5% n-hexane (92128-66-0)			
LC50 - Fish [1]	11,4 mg/l (Oncorhynchus mykiss, 96h) [OCDE 203]			
LC50 - Fish [2]	2,04 mg/l (Oncorhynchus mykiss, 96h)			
EC50 - Crustacea [1]	3 mg/l (Daphnia magna, 48h) [OCDE 202]			
EC50 - Crustacea [2]	1 mg/l (Daphnia magna, 48h) [OCDE 211]			
ErC50 algae	10 mg/l (Pseudokirchnerella subcapitata, 72h) [OCDE 201]			
ErC50 other aquatic plants	3 mg/l (Algae, Pseudokirchnerella subcapitata, 72h)			
LOEC (chronic)	0,32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'			
NOEC (chronic)	0,17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'			
12.2. Persistence and degradability				
Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cyclics, <5% n-hexane (92128-66-0)			
Persistence and degradability	Readily biodegradable, according to appropriate OECD test.			
12.3. Bioaccumulative potential				
Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cyclics, <5% n-hexane (92128-66-0)			
Bioconcentration factor (BCF REACH)	≥ 500			
Partition coefficient n-octanol/water (Log Kow)	≥ 4 Octanol/water coefficient			
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessment				
No additional information available				
12.6. Endocrine disrupting properties				
No additional information available				
12.7. Other adverse effects				
No additional information available				

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Do not remove as household garbage. Do not discharge waste into drains.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

```
: HP3 - "Flammable:"
```

− flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and \leq 75 °C;

 flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

 flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

 – other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	1		
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name	·		
AEROSOLS (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane ; Pentane)	AEROSOLS (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane ; Pentane)	Aerosols, flammable (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane ; Pentane)	AEROSOLS (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane ; Pentane)	AEROSOLS (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane ; Pentane)
Transport document descr	iption	I		
UN 1950 AEROSOLS (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane ; Pentane), 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane ; Pentane), 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1950 Aerosols, flammable (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n- hexane ; Pentane), 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane ; Pentane), 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS (Hydrocarbons, C6-C7, n alkanes, isoalkanes, cyclics, <5% n-hexane; Pentane), 2.1, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o	class(es)			
2.1	2.1	2.1	2.1	2.1
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental hazards	5			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment: Yes	environment: Yes	environment: Yes	environment: Yes	environment: Yes
	Marine pollutant: Yes			
No supplementary information ava	ailable			I
14.6. Special precautions for	' user			
Overland transport				
Classification code (ADR)	:	5F		
Special provisions (ADR)	:	190, 327, 344, 625		
Limited quantities (ADR)	:	11		
Excepted quantities (ADR)	:	E0		
Packing instructions (ADR)	:	P207		
Special packing provisions (ADR)		PP87, RR6, L2		
Mixed packing provisions (ADR)		MP9		
Transport category (ADR)		2		
Special provisions for carriage - Pa		V14		
Special provisions for carriage - Lo				
and handling (ADR)		,		
Special provisions for carriage - Op	peration (ADR)	S2		
Tunnel restriction code (ADR)		D		
	•			
Transport by sea				
Special provisions (IMDG)	:	63, 190, 277, 327, 344, 381, 959		
Limited quantities (IMDG)		SP277		
Excepted quantities (IMDG)		E0		
Packing instructions (IMDG)	:	P207, LP200		
Special packing provisions (IMDG)		PP87, L2		
EmS-No. (Fire)	•	F-D		
EmS-No. (Spillage)	•	S-U		
Stowage category (IMDG)		None		
Stowage and handling (IMDG)		SW1, SW22		
Segregation (IMDG)	:	SG69		
Air transport				
Air transport PCA Excepted quantities (IATA)		E0		
PCA Excepted quantities (IATA)		Y203		
PCA limited quantities (IATA) PCA limited quantity max net quan				
		30kgG		
PCA packing instructions (IATA)		203 75kg		
PCA max net quantity (IATA)	:	75kg		
CAO packing instructions (IATA)	:	203 450km		
CAO max net quantity (IATA)	:	150kg		
Special provisions (IATA)		A145, A167, A802		
ERG code (IATA)	:	10L		
Inland waterway transport				
Classification code (ADN)	:	5F		
Special provisions (ADN)				
		190, 327, 344, 625		
Limited quantities (ADN)	:	1 L		
Excepted quantities (ADN)	:	E0		
Equipment required (ADN)		PP, EX, A		
Ventilation (ADN)		VE01, VE04		
Number of blue cones/lights (ADN)) :	1		
Rail transport				
Classification code (RID)	:	5F		
Special provisions (RID)	:	190, 327, 344, 625		
,		. , , -		
6-1-2023 (Revision date)		EN (English)		1:

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (RID) Excepted quantities (RID)	-	1L E0
Packing instructions (RID)	:	P207, LP200
Special packing provisions (RID)	:	PP87, RR6, L2
Mixed packing provisions (RID)	:	MP9
Transport category (RID)	:	2
Special provisions for carriage – Packages (RID)	:	W14
Special provisions for carriage - Loading, unloading and handling (RID)	:	CW9, CW12
Colis express (express parcels) (RID)	:	CE2
Hazard identification number (RID)	:	23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)		
VOC content	:	545,4 g/l
Biocide Regulation (528/2012)		
Child-resistant fastening	:	Not applicable
Tactile warning	:	Not applicable

Seveso Directive (Disaster Risk Reduction)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)		
	Lower-tier	Upper-tier	
P3a FLAMMABLE AEROSOLS 'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids Category 1	150	500	
E2 Hazardous to the Aquatic Environment in Category Chronic 2	200	500	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Limited quantities (IMDG)	Added	
	Excepted quantities (IMDG)	Added	
1.2	Function or use category	Added	
1.2	Use of the substance/mixture	Added	
3	Composition/information on ingredients	Modified	
5.2	Fire hazard	Modified	
7.2	Storage temperature	Modified	
8.1	Generic OEL data	Added	
10.3	Possibility of hazardous reactions	Modified	
13.1	Waste disposal recommendations	Added	
16	Abbreviations and acronyms	Modified	

Abbreviations and acronyms:		
BCF	Bioconcentration factor	
IARC	International Agency for Research on Cancer	
OECD	Organisation for Economic Co-operation and Development	
STP	Sewage treatment plant	
TLM	Median Tolerance Limit	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
ThOD	Theoretical oxygen demand (ThOD)	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
EUH208	Contains Benzenesulfonic acid, di-C10-14-alkyl derivs, calcium salts . May produce an allergic reaction.	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 1	Flammable liquids, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H224	Extremely flammable liquid and vapour.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.