

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 22-5-2018 Revision date: 3-9-2024 Supersedes version of: 20-6-2024 Version: 2.8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

: Kroon-Oil Viscor NF Trade name UFI : G2F0-R9W4-T00K-G8QW

Product code 06.30.30 Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Use of the substance/mixture : Calibration fluid Function or use category : Process regulators

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Dollegoorweg 15 NL 7602 EC Almelo Netherlands T 0031 (0)546 81 81 65 vib@kroon-oil.nl

#### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

H304 Aspiration hazard, Category 1 Hazardous to the aquatic environment – Chronic Hazard, H412

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

3-9-2024 (Revision date) EN (English) 1/14

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS08

Signal word (CLP) : Danger

Contains : White mineral oil (petroleum); Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2%

aromatics; Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics;

Distillates (petroleum), hydrotreated light naphthenic: H304 - May be fatal if swallowed and enters airways.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P301+P310+P331 - IF SWALLOWED: Immediately call a doctor. Do NOT induce vomiting. P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH066 - Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

**EUH-statements** 

Hazard statements (CLP)

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics	EC-No.: 927-632-8 REACH-no: 01-2119457736- 27	50 – 80	Asp. Tox. 1, H304 EUH066
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	CAS-No.: 64742-47-8 EC-No.: 926-141-6 EC Index-No.: 649-422-00-2 REACH-no: 01-2119456620- 43	20 – 25	Asp. Tox. 1, H304 EUH066

3-9-2024 (Revision date) EN (English) 2/14

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated light naphthenic (Note L)	CAS-No.: 64742-53-6 EC-No.: 265-156-6 EC Index-No.: 649-466-00-2 REACH-no: 01-2119480375- 34	10 – 20	Asp. Tox. 1, H304
White mineral oil (petroleum)	CAS-No.: 8042-47-5 EC-No.: 232-455-8 REACH-no: 01-2119487078- 27	2,5 – 5	Asp. Tox. 1, H304
2,6-di-tert-butyl-p-cresol substance with national workplace exposure limit(s) (GB)	CAS-No.: 128-37-0 EC-No.: 204-881-4 REACH-no: 01-2119565113-	0,1 – 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics	EC-No.: 927-632-8 REACH-no: 01-2119457736- 27	(25 ≤ C < 100) EUH066	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	CAS-No.: 64742-47-8 EC-No.: 926-141-6 EC Index-No.: 649-422-00-2 REACH-no: 01-2119456620-	(25 ≤ C < 100) EUH066	

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.
Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other

toxic gases.

#### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment

### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

3-9-2024 (Revision date) EN (English) 4/14
3-9-2024 (Printing date)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from

heat

Storage temperature : 0 - 40 °C

: Store always product in container of same material as original container. Packaging materials

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Kroon-Oil Viscor NF

#### 8.1.1 National occupational exposure and biological limit values

EU - Indicative Occupational Exposure Limit (IOEL)	EU - Indicative Occupational Exposure Limit (IOEL)	
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended	5 mg/m³ - ACGIH TLV (inhalable fraction).	
2,6-di-tert-butyl-p-cresol (128-37-0)		
United Kingdom - Occupational Exposure Limits		
WEL STEL (OEL STEL) 30 mg/m³		

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

### Personal protective equipment:

Wear recommended personal protective equipment.

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

3-9-2024 (Revision date) EN (English) 5/14

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374

#### Other skin protection

#### Materials for protective clothing:

Wear suitable protective clothing

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: Yellow.Odour: characteristic.Odour threshold: Not availableMelting point: Not applicable

Freezing point : -48 °C - ASTM D5950 (pour point)

Boiling point : Not available Flammability : Not applicable

Explosive properties : Presents no particular fire or explosion hazard.

Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : 102 °C - ASTM D93 (PM)

Auto-ignition temperature : Not available Decomposition temperature : Not available pH : Not available

Viscosity, kinematic : 2,64 mm²/s (40 °C) - ASTM D7042 Solubility : Water: Insoluble / Slightly miscible

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available

Density : 0,825 kg/l (15 °C) - ASTM D4052

Relative density : Not available Relative vapour density at 20°C : Not available

3-9-2024 (Revision date) EN (English) 6/14 3-9-2024 (Printing date)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 0 %

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Reacts violently with (strong) oxidizers.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No decomposition if stored normally.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

White mineral oil (petroleum) (8042-47-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	> 5 mg/l/4h	
2,6-di-tert-butyl-p-cresol (128-37-0)		
LD50 oral rat	6000 mg/kg (OECD 401 method)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics		
LD50 oral rat	5000 mg/kg (OECD 401 method)	
LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)	
LC50 Inhalation - Rat (Dust/Mist) > 5,266 mg/l/4h		

3-9-2024 (Revision date) EN (English) 7/14

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified  2,6-di-tert-butyl-p-cresol (128-37-0)  NOAEL (chronic, oral, animal/male, 2 years)   25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:  Reproductive toxicity : Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (animal/female, F1)   ≥ 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]  STOT-single exposure : Not classified STOT-repeated exposure : Not classified Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (oral, rat, 90 days)   > 5000 mg/kg bodyweight/day  NOAEL (dermal, rat/rabbit, 90 days)   > 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	Hydrocarbons, C11-C14, n-alkanes, isoalka	nes, cyclics, < 2% aromatics (64742-47-8)		
Toxicity	LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401 method)		
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)  LD50 oral rat   > 5000 mg/kg bodyweight    LD50 dernal rabbit   > 2000 mg/kg bodyweight    LD50 Inhalation - Rat (Dust/Mist)   > 5.53 mg/l/4h    Skin corrosion/irritation   Not classified    Respiratory or skin sensitisation   Not classified    Ze-di-tert-butyl-p-cresol (128-37-0)    NOAEL (chronic, oral, animal/male, 2 years)   25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:    Reproductive toxicity   Not classified    Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics    NOAEL (animal/female, F1)   2 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline    415 (One-Ceneration Reproduction Toxicity Study (before 9 October 2017))    STOT-single exposure   Not classified    STOT-repeated exposure   Not classified    Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics    NOAEL (dernal, rat/rabbit, 90 days)   > 50000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dernal    Toxicity: 90-Day Study)    Aspiration hazard   May be fatal if swallowed and enters airways.    Kroon-Oil Viscor NF    Viscosity, kinematic   2,64 mm²/s (40 °C) - ASTM D7042    Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics    Hydrocarbons, C14-C14, n-alk	LD50 dermal rat			
LD50 oral rat	LC50 Inhalation - Rat (Vapours)	> 5,28 mg/l/4h		
LD50 dermal rabbit	Distillates (petroleum), hydrotreated light na	aphthenic (64742-53-6)		
LC50 Inhalation - Rat (Dust/Mist) > 5,53 mg/l/4h  Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Gener cell mutagenicity : Not classified Carcinogenicity : Not classified  2,6-di-tert-butyl-p-cresol (128-37-0)  NOAEL (chronic, oral, animal/male, 2 years) 25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: Reproductive toxicity : Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (animal/female, F1) 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]  STOT-single exposure : Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (oral, rat, 90 days) > 5000 mg/kg bodyweight/Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  Aspiration hazard : May be fatal if swallowed and enters airways.  Kroon-Oil Viscor NF  Viscosity, kinematic	LD50 oral rat	> 5000 mg/kg bodyweight		
Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified  2,6-di-tert-butyl-p-cresol (128-37-0)  NOAEL (chronic, oral, animal/male, 2 years)   25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: Reproductive toxicity : Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (animal/female, F1)   2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 (One-Generation Reproduction Toxicity Study (before 9 October 2017))  STOT-single exposure : Not classified STOT-repeated exposure : Not classified Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (oral, rat, 90 days)   > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  NOAEL (dermal, rat/rabbit, 90 days)   > 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  NASpiration hazard : May be fatal if swallowed and enters airways.  Kroon-Oil Viscor NF  Viscosity, kinematic   2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic   3,5 mm²/s (40 °C)  Hydrocarbons, C14-C14, n-alkanes, isoalkanes, cyclics; <2% aromatics (64742-47-8)  Viscosity, kinematic   2,4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	LD50 dermal rabbit	> 2000 mg/kg bodyweight		
Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not class	LC50 Inhalation - Rat (Dust/Mist)	> 5,53 mg/l/4h		
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity Carcin	Skin corrosion/irritation			
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified  2,6-di-tert-butyl-p-cresol (128-37-0)  NOAEL (chronic, oral, animal/male, 2 years)   25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: Reproductive toxicity : Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (animal/female, F1)   2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (oral, rat, 90 days)   > 5000 mg/kg bodyweight/day  NOAEL (dermal, rat/rabbit, 90 days)   > 495 mg/kg bodyweight/day  NOAEL (dermal, rat/rabbit, 90 days)   > 495 mg/kg bodyweight/day  NOAEL (dermal, rat/rabbit, 90 days)   > 495 mg/kg bodyweight/animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  Aspiration hazard : May be fatal if swallowed and enters ainways.  Kroon-Oil Viscor NF  Viscosity, kinematic   2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic   3,5 mm²/s (40 °C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-47-8)  Viscosity, kinematic   2,4 mm²/s Temp.: '20 °C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)				
Carcinogenicity : Not classified  2,6-di-tert-butyl-p-cresol (128-37-0)  NOAEL (chronic, oral, animal/male, 2 years) 25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:  Reproductive toxicity : Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (animal/female, F1) 22000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (oral, rat, 90 days) > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  Aspiration hazard : May be fatal if swallowed and enters airways.  Kroon-Oll Viscor NF  Viscosity, kinematic 2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic 3,5 mm²/s (40 °C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics; <2% aromatics (64742-47-8)  Viscosity, kinematic 2.4 mm²/s Temp.: '20 °C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)				
2.6-di-tert-butyl-p-cresol (128-37-0)  NOAEL (chronic, oral, animal/male, 2 years)  2.5 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:  Reproductive toxicity:  NoAEL (animal/female, F1)  2.2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 (One-Generation Reproduction Toxicity Study (before 9 October 2017))  STOT-single exposure:  Not classified:  Not classified:  Not classified:  Not classified:  Not classified:  NoAEL (oral, rat, 90 days):  NoAEL (dermal, rat/rabbit, 90 days):  NoAEL (dermal, ra				
NOAEL (chronic, oral, animal/male, 2 years)  25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:  Reproductive toxicity  10 Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (animal/female, F1)  20 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]  STOT-single exposure  11 Not classified  12 Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (oral, rat, 90 days)  NOAEL (dermal, rat/rabbit, 90 days)  2 495 mg/kg bodyweight/day  NOAEL (dermal, rat/rabbit, 90 days)  Aspiration hazard  3 May be fatal if swallowed and enters airways.  Kroon-Oil Viscor NF  Viscosity, kinematic  2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  3,5 mm²/s (40°C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-47-8)  Viscosity, kinematic  2,4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)		: Not classified		
Reproductive toxicity : Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (animal/female, F1)	2,6-di-tert-butyl-p-cresol (128-37-0)			
Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (animal/female, F1)  ≥ 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]  STOT-single exposure : Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (oral, rat, 90 days)  NOAEL (dermal, rat/rabbit, 90 days)  > 495 mg/kg bodyweight/day  NOAEL (dermal, rat/rabbit, 90 days)  > 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  Aspiration hazard : May be fatal if swallowed and enters airways.  Kroon-Oil Viscor NF  Viscosity, kinematic  2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic  3,5 mm²/s (40 °C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic  2,4 mm²/s Temp.: '20 °C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	NOAEL (chronic, oral, animal/male, 2 years)	25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:		
NOAEL (animal/female, F1)    2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]  STOT-single exposure   Not classified	Reproductive toxicity	: Not classified		
415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]  STOT-single exposure : Not classified  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (oral, rat, 90 days) > 5000 mg/kg bodyweight/day  NOAEL (dermal, rat/rabbit, 90 days) > 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  Aspiration hazard : May be fatal if swallowed and enters airways.  Kroon-Oil Viscor NF  Viscosity, kinematic 2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic 3,5 mm²/s (40 °C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic 2,4 mm²/s Temp.: '20 °C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics			
Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (oral, rat, 90 days)  NOAEL (dermal, rat/rabbit, 90 days)  Aspiration hazard  Kroon-Oil Viscor NF  Viscosity, kinematic  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic  3,5 mm²/s (40 °C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic  2,4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	NOAEL (animal/female, F1)			
Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  NOAEL (oral, rat, 90 days) > 5000 mg/kg bodyweight/day  NOAEL (dermal, rat/rabbit, 90 days) > 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  Aspiration hazard : May be fatal if swallowed and enters airways.  Kroon-Oil Viscor NF  Viscosity, kinematic 2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic 3,5 mm²/s (40°C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic 2,4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	STOT-single exposure			
NOAEL (oral, rat, 90 days)  > 5000 mg/kg bodyweight/day  > 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  Aspiration hazard : May be fatal if swallowed and enters airways.  Kroon-Oil Viscor NF  Viscosity, kinematic 2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic 3,5 mm²/s (40°C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic 2,4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)				
NOAEL (dermal, rat/rabbit, 90 days)  > 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  Aspiration hazard: May be fatal if swallowed and enters airways.  Kroon-Oil Viscor NF  Viscosity, kinematic: 2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic: 3,5 mm²/s (40 °C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic: 2,4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	Hydrocarbons, C14-C18, n-alkanes isoalkan	nes, cyclics; <2% aromatics		
Toxicity: 90-Day Study)  Aspiration hazard : May be fatal if swallowed and enters airways.  Kroon-Oil Viscor NF  Viscosity, kinematic 2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic 3,5 mm²/s (40 °C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic 2,4 mm²/s Temp.: '20 °C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	NOAEL (oral, rat, 90 days)	> 5000 mg/kg bodyweight/day		
Viscosity, kinematic  2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic  3,5 mm²/s (40 °C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic  2,4 mm²/s Temp.: '20 °C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	NOAEL (dermal, rat/rabbit, 90 days)	> 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)		
Viscosity, kinematic  2,64 mm²/s (40 °C) - ASTM D7042  Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic  3,5 mm²/s (40 °C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic  2,4 mm²/s Temp.: '20 °C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	Aspiration hazard	: May be fatal if swallowed and enters airways.		
Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics  Viscosity, kinematic  3,5 mm²/s (40°C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic  2,4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	Kroon-Oil Viscor NF			
Viscosity, kinematic  3,5 mm²/s (40°C)  Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic  2,4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	Viscosity, kinematic	2,64 mm²/s (40 °C) - ASTM D7042		
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)  Viscosity, kinematic  2,4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics			
Viscosity, kinematic  2,4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'  Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	Viscosity, kinematic	3,5 mm²/s (40°C)		
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	Hydrocarbons, C11-C14, n-alkanes, isoalka	nes, cyclics, < 2% aromatics (64742-47-8)		
	Viscosity, kinematic	2,4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'		
Viscosity, kinematic 9 mm²/s	Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)			
	Viscosity, kinematic	9 mm²/s		

## 11.2. Information on other hazards

No additional information available

### **SECTION 12: Ecological information**

### 12.1. Toxicity

: Harmful to aquatic life with long lasting effects. Ecology - general

3-9-2024 (Revision date) 3-9-2024 (Printing date) EN (English) 8/14

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term  $% \left( \mathbf{r}_{\mathbf{r}}^{\prime }\right) =\mathbf{r}_{\mathbf{r}}^{\prime }$ 

: Harmful to aquatic life with long lasting effects.

(chronic)

White mineral oil (petroleum) (8042-47-5)		
LC50 - Fish [1] > 400000 ppm		
2,6-di-tert-butyl-p-cresol (128-37-0)		
LC50 - Fish [1]	0,57 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	0,48 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 0,4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
LOEC (chronic)	1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0,023 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
Hydrocarbons, C14-C18, n-alkanes isoa	lkanes, cyclics; <2% aromatics	
LC50 - Fish [1]	> 1028 mg/l (96h) (OECD 203 method)	
EC50 - Crustacea [1]	> 3000 mg/l (24h)	
EC50 - Other aquatic organisms [1]	> 100 mg/l (Activated sludge, 3h) (OECD 209 method)	
EC50 72h - Algae [1]	> 10000 mg/l [ISO 10253]	
ErC50 algae	> 10000 mg/l (72h)	
NOEC chronic fish	> 1000 mg/l (28d)	
NOEC chronic crustacea	> 1000 mg/l (21d)	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)		
LC50 - Fish [1]	> 1000 mg/l (OECD 203 method)	
EC50 - Crustacea [1]	> 1000 mg/l (OECD 202 method)	
EC50 72h - Algae [1]	> 1000 mg/l (OECD 201 method)	
NOEC chronic crustacea	1,22 g/l (21d)	
NOEC chronic algae	1000 mg/l (OECD 201 method)	
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)		
LC50 - Fish [1]	> 100 mg/l (96 h)	
EC50 - Crustacea [1]	> 10 g/l	
EC50 72h - Algae [1]	> 100 mg/l	
NOEC (acute)	≥ 100 (72h)	

## 12.2. Persistence and degradability

Kroon-Oil Viscor NF		
Persistence and degradability Rapidly degradable		
White mineral oil (petroleum) (8042-47-5)		
Persistence and degradability Rapidly degradable		
2,6-di-tert-butyl-p-cresol (128-37-0)		
Persistence and degradability Not rapidly degradable		

9-2024 (Revision date) EN (English) 9/14

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2,6-di-tert-butyl-p-cresol (128-37-0)		
Biodegradation	30 % (OECD 302C method)	
Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics		
Persistence and degradability	Not rapidly degradable	
Biodegradation	74 %	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)		
Persistence and degradability	Not rapidly degradable	
Biodegradation	69 % 28d, (OECD 301F method)	
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)		
Persistence and degradability	Not readily biodegradable, Inherently biodegradable.	

### 12.3. Bioaccumulative potential

2,6-di-tert-butyl-p-cresol (128-37-0)	
Partition coefficient n-octanol/water (Log Kow)	5,03
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	
Bioaccumulative potential Bioaccumulative potential.	

### 12.4. Mobility in soil

Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics	
Surface tension	≈ 28 mN/m (25°C)
Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)	
Ecology - soil	Insoluble in water.

### 12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)

#### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Do not allow into drains or water courses. Dispose of contents/container in accordance with

licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Additional information

European List of Waste (LoW, EC 2000/532)

HP Code

: Do not re-use empty containers.

: 13 07 03\* - other fuels (including mixtures)

: HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not regulated for transport				
14.2. UN proper shippin	14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

#### 14.6. Special precautions for user

### Overland transport

Not regulated

### Transport by sea

Not regulated

### Air transport

Not regulated

#### **Inland waterway transport**

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

3-9-2024 (Revision date) EN (English) 11/14
3-9-2024 (Printing date)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Kroon-Oil Viscor NF; White mineral oil (petroleum); Hydrocarbons, C14-C18, n-alkanes isoalkanes, cyclics; <2% aromatics; Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics; Distillates (petroleum), hydrotreated light naphthenic	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Kroon-Oil Viscor NF	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### VOC Directive (2004/42)

VOC content : 0 %

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### For the following substances of this mixture a chemical safety assessment has been carried out:

Distillates (petroleum), hydrotreated light naphthenic

3-9-2024 (Revision date) EN (English) 12/14

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
1.1	UFI on SDS 1.1	Added	
9.1	Density	Modified	
9.1	Viscosity, kinematic	Modified	
9.1	Flash point	Modified	
9.1	Freezing point	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	

EN (English) 13/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
EUH066	Repeated exposure may cause skin dryness or cracking.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.