

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 21-9-2018 Revision date: 6-1-2023 Supersedes version of: 13-9-2022 Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Kroon-Oil Compound OGL
UFI	: VF10-605A-G009-XN72
Product code	: 07.30.01
Type of product	: Lubricants
Vaporizer	: Aerosol
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category Use of the substance/mixture Industrial use,Professional useLubricating agent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Kroon Oil BV B.V. Dollegoorweg, 15 NL– 7602 EC Almelo Netherlands T 0031 (0)546 81 81 65 vib@kroon-oil.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Cardiff	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1H222;H229Specific target organ toxicity – Single exposure, Category 3, NarcosisH336Aspiration hazard, Category 1H304Hazardous to the aquatic environment – Chronic Hazard, Category 2H411Full text of H- and EUH-statements: see section 16H411

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Hazard pictograms (CLP):: <t< th=""><th>Labelling according to Regulation (EC) No. 1272</th><th>/2008 [CLP]</th></t<>	Labelling according to Regulation (EC) No. 1272	/2008 [CLP]
Signal word (CLP) : Danger Contains : Hydrocarbons, C9, aromatics, Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics, pentane	Hazard pictograms (CLP)	
Contains: Hydrocarbons, C9, aromatics, Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics, pentaneHazard statements (CLP): H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H336 - May cause drowsiness or dizziness. H411 - Toxic to aquatic life with long lasting effects.Precautionary statements (CLP): P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P271 - Use only outdoors or in a well-ventilated area. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	Signal word (CLP)	
 H229 - Pressurised container: May burst if heated. H336 - May cause drowsiness or dizziness. H411 - Toxic to aquatic life with long lasting effects. P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P271 - Use only outdoors or in a well-ventilated area. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. 		: Hydrocarbons, C9, aromatics, Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2%
Precautionary statements (CLP): P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P271 - Use only outdoors or in a well-ventilated area. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	Hazard statements (CLP)	H229 - Pressurised container: May burst if heated. H336 - May cause drowsiness or dizziness.
EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking.	Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P271 - Use only outdoors or in a well-ventilated area. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 - Dispose of contents/container to hazardous or special waste collection point, in
	EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances \geq 0.1% assessed in accordance with REACH Annex XIII

Component	
Hydrocarbons, C9, aromatics (128601-23-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Butane substance with national workplace exposure limit(s) (GB, IE) (Note K)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691- 32	25 – 50	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
pentane substance with national workplace exposure limit(s) (GB, IE); substance with a Community workplace exposure limit (Note C)	CAS-No.: 109-66-0 EC-No.: 203-692-4 EC Index-No.: 601-006-00-1 REACH-no: 01-2119459286- 30	10 – 25	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 EUH066
Propane substance with a Community workplace exposure limit (Note U)	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	10 – 25	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics substance with a Community workplace exposure limit	CAS-No.: 64742-48-9 EC-No.: 919-857-5 REACH-no: 01-2119463258- 33	2,5 – 10	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304 EUH066
isobutane substance with national workplace exposure limit(s) (IE) (Note K)	CAS-No.: 75-28-5 EC-No.: 200-857-2 REACH-no: 01-2119485395- 27	2,5 – 10	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Hydrocarbons, C9, aromatics	CAS-No.: 128601-23-0 EC-No.: 918-668-5 REACH-no: 01-2119455851- 35	2,5 – 10	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 EUH066
Oleic acid, compound with (Z)-N-octadec-9- enylpropane-1,3-diamine (2:1)	CAS-No.: 34140-91-5 EC-No.: 251-846-4 REACH-no: 01-2119974119- 29	0,1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
pentane	CAS-No.: 109-66-0 EC-No.: 203-692-4 EC Index-No.: 601-006-00-1 REACH-no: 01-2119459286- 30	(25 ≤C < 100) EUH066
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	CAS-No.: 64742-48-9 EC-No.: 919-857-5 REACH-no: 01-2119463258- 33	(25 ≤C < 100) EUH066
Hydrocarbons, C9, aromatics	CAS-No.: 128601-23-0 EC-No.: 918-668-5 REACH-no: 01-2119455851- 35	(25 ≤C < 100) EUH066

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note K : The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w 1,3- butadiene (Einecs No 203-450-8), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 shall apply.

Note U (Table 3): When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.), Press. Gas (Liq.), Press. Gas (Ref. Liq.), Press. Gas (Diss.). Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2)

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.	
5.2. Special hazards arising from the subs	tance or mixture	
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Combustible liquid. Pressurised container: May burst if heated. Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. 	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures	

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid contact with skin and eyes. No open flames, no sparks, and no smoking. Avoid breathing mist, spray, vapours.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters. Do not allow to enter drains or water courses.

6.3. Methods and material for cont	tainment and cleaning up
For containment Methods for cleaning up Other information	Collect spillage.Mechanically recover the product.Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	 Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing mist, spray, vapours. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 	
7.2. Conditions for safe storage, including	any incompatibilities	
Storage conditions Storage temperature	 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. < 40 °C 	
7.3. Specific end use(s)		

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Kroon-Oil Compound OGL	
EU - Indicative Occupational Exposure Limit (IOEL)	
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended 5 mg/m³ - ACGIH TLV (inhalable fraction).	
pentane (109-66-0)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Pentane
IOEL TWA	3000 mg/m ³ 3000 mg/m ³
IOEL TWA [ppm]	1000 ppm

Safety Data Sheet

pentane (109-66-0)		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits		
Local name	Pentane	
OEL TWA [1]	3000 mg/m ³	
OEL TWA [2]	1000 ppm	
Remark	IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits		
Local name	Pentane	
WEL TWA (OEL TWA) [1]	1800 mg/m ³	
WEL TWA (OEL TWA) [2]	600 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Butane (106-97-8)		
Ireland - Occupational Exposure Limits		
Local name	Butane, all isomers: Butane	
OEL STEL [ppm]	1000 ppm	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits		
Local name	Butane	
WEL TWA (OEL TWA) [1]	1450 mg/m³	
WEL TWA (OEL TWA) [2]	600 ppm	
WEL STEL (OEL STEL)	1810 mg/m³	
WEL STEL (OEL STEL) [ppm]	750 ppm	
Remark	Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Propane (74-98-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA [ppm]	1000 ppm	
Ireland - Occupational Exposure Limits		
Local name	Aliphatic hydrocarbon gases Alkanes (C1-C3): Propane	
Remark	Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)	
Regulatory reference	Chemical Agents Code of Practice 2021	
Hydrocarbons, C9-C11, n-alkanes, isoalkanes	s, cyclics, <2% aromatics (64742-48-9)	
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	White spirit Type 3	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)	
IOEL TWA	116 mg/m³
IOEL TWA [ppm]	20 ppm
IOEL STEL	290 mg/m³
IOEL STEL [ppm]	50 ppm
Remark	Skin. (Year of adoption 2007)
Regulatory reference SCOEL Recommendations	
isobutane (75-28-5)	
Ireland - Occupational Exposure Limits	
Local name	Butane, all isomers: Isobutane
OEL STEL [ppm]	1000 ppm
Regulatory reference	Chemical Agents Code of Practice 2021

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: amber.
Appearance	: Aerosols.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: -44,5 °C
Flammability	: Extremely flammable aerosol.
Explosive properties	: Pressurised container: May burst if heated.
Explosive limits	: Not available
Lower explosion limit	: 0,6 vol %
Upper explosion limit	: 10,9 vol %
Flash point	: -97 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: substance/mixture is non-polar/aprotic
Viscosity, kinematic	: ≤ 20,5 mm²/s (40°C)
Solubility	: Water: Insoluble / Slightly miscible
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0,654 g/cm³ at 20 °C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard	cla	sses
% of flammable ingredients Critical temperature		100 285 °C
9.2.2. Other safety characteristics		
VOC content	:	499 g/l

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Not classified Not classified Not classified	
pentane (109-66-0)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral))	
Oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine (2:1) (34140-91-5)		
LD50 oral rat	2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other:	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:	
Hydrocarbons, C9-C11, n-alkanes, isoalkane	s, cyclics, <2% aromatics (64742-48-9)	
LD50 oral rat	> 5000 mg/kg (OECD 401 method)	
LD50 dermal rabbit	> 5000 mg/kg (OECD 402 method)	
LC50 Inhalation - Rat	> 5000 mg/m³ (OECD 403 method)	
Hydrocarbons, C9, aromatics (128601-23-0)		
LD50 oral rat	3492 mg/kg (OECD 401 method)	
LD50 dermal rabbit	> 3160 mg/kg (OECD 402 method)	
LC50 Inhalation - Rat	> 6193 mg/m³ (OECD 403 method)	
Skin corrosion/irritation	Not classified	
Serious eye damage/irritation	pH: substance/mixture is non-polar/aprotic Not classified pH: substance/mixture is non-polar/aprotic	
Respiratory or skin sensitisation	Not classified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity: Not ofReproductive toxicity: Not ofpentane (109-66-0)NOAEL (animal/male, F0/P)300 (OneNOAEL (animal/female, F0/P)≥ 10 415STOT-single exposure: Maypentane (109-66-0)STOT-single exposureSTOT-single exposureMayHydrocarbons, C9-C11, n-alkanes, isoalkanes, cyceSTOT-single exposureMayHydrocarbons, C9, aromatics (128601-23-0)STOT-single exposureMaySTOT-single exposureMaySTOT-single exposureMaySTOT-single exposureMaySTOT-single exposureMaySTOT-single exposureMaySTOT-single exposureSTOTSTOT-single exposureMaySTOT-single exposureMaySTOT-single exposureSTOTColeic acid, compound with (Z)-N-octadec-9-en-ylprLOAEL (oral, rat, 90 days)20 m Day	classified classified mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 415 ne-Generation Reproduction Toxicity Study) 000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 6 (One-Generation Reproduction Toxicity Study) cause drowsiness or dizziness. y cause drowsiness or dizziness. clics, <2% aromatics (64742-48-9) y cause drowsiness or dizziness.
Reproductive toxicity: Not ofpentane (109-66-0)300 (OneNOAEL (animal/male, F0/P)300 (OneNOAEL (animal/female, F0/P)≥ 10 415STOT-single exposure: Maypentane (109-66-0)STOT-single exposureSTOT-single exposureMayHydrocarbons, C9-C11, n-alkanes, isoalkanes, cyccSTOT-single exposureMayHydrocarbons, C9, aromatics (128601-23-0)STOT-single exposureSTOT-single exposureMaySTOT-single exposureMaySTOT-single exposure: Not ofSTOT-single exposure: Not ofDentane (109-66-0): Not ofNOAEC (inhalation, rat, vapour, 90 days): 30 n 90-E ToxiOleic acid, compound with (Z)-N-octadec-9-en Day: 20 n Day	 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 415 e-Generation Reproduction Toxicity Study) 000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline i (One-Generation Reproduction Toxicity Study) cause drowsiness or dizziness. y cause drowsiness or dizziness. clics, <2% aromatics (64742-48-9) y cause drowsiness or dizziness.
NOAEL (animal/male, F0/P)300 (OneNOAEL (animal/female, F0/P)≥ 10 415NOAEL (animal/female, F0/P)≥ 10 415STOT-single exposureMaypentane (109-66-0)STOT-single exposureSTOT-single exposureMayHydrocarbons, C9-C11, n-alkanes, isoalkanes, cycSTOT-single exposureMayHydrocarbons, C9, aromatics (128601-23-0)STOT-single exposureMayHydrocarbons, C9, aromatics (128601-23-0)STOT-single exposureSTOT-single exposureMaySTOT-single exposureNaySTOT-single exposureSTOTSTOT-single exposureNaySTOT-single exposureSTOTSTOT-single exposureSTOTColeic acid, compound with (Z)-N-octadec-9-en-ylprLOAEL (oral, rat, 90 days)20 m Day	<pre>de-Generation Reproduction Toxicity Study) 000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline i (One-Generation Reproduction Toxicity Study) cause drowsiness or dizziness. y cause drowsiness or dizziness. clics, <2% aromatics (64742-48-9) y cause drowsiness or dizziness.</pre>
Image: constraint of the system(One of the systemNOAEL (animal/female, F0/P)≥ 10A15STOT-single exposureMaypentane (109-66-0)Image: constraint of the systemSTOT-single exposureMayHydrocarbons, C9-C11, n-alkanes, isoalkanes, cyccSTOT-single exposureMayHydrocarbons, C9, aromatics (128601-23-0)STOT-single exposureMaySTOT-single exposureMaySTOT-single exposureNaySTOT-repeated exposureNaySTOT-repeated exposureNot constrained (109-66-0)NOAEC (inhalation, rat, vapour, 90 days)30 m90-EToxiOleic acid, compound with (Z)-N-octadec-9-envlprLOAEL (oral, rat, 90 days)20 mDay20 mDay20 mDay20 mDay30 m	<pre>de-Generation Reproduction Toxicity Study) 000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline i (One-Generation Reproduction Toxicity Study) cause drowsiness or dizziness. y cause drowsiness or dizziness. clics, <2% aromatics (64742-48-9) y cause drowsiness or dizziness.</pre>
415STOT-single exposureMaypentane (109-66-0)STOT-single exposureSTOT-single exposureMayHydrocarbons, C9-C11, n-alkanes, isoalkanes, cycSTOT-single exposureMayHydrocarbons, C9, aromatics (128601-23-0)STOT-single exposureMaySTOT-single exposureMaySTOT-single exposureMaySTOT-single exposureNaySTOT-repeated exposureNot compound exposureNOAEC (inhalation, rat, vapour, 90 days)30 m90-EToxiOleic acid, compound with (Z)-N-octadec-9-envlprLOAEL (oral, rat, 90 days)20 mDay20 mDay20 m	i (One-Generation Reproduction Toxicity Study) cause drowsiness or dizziness. y cause drowsiness or dizziness. clics, <2% aromatics (64742-48-9) y cause drowsiness or dizziness.
pentane (109-66-0)STOT-single exposureMayHydrocarbons, C9-C11, n-alkanes, isoalkanes, cycSTOT-single exposureMayHydrocarbons, C9, aromatics (128601-23-0)STOT-single exposureMaySTOT-single exposureMaySTOT-repeated exposureNot cpentane (109-66-0)30 mNOAEC (inhalation, rat, vapour, 90 days)30 mOleic acid, compound with (Z)-N-octadec-9-envlprLOAEL (oral, rat, 90 days)20 mDay	y cause drowsiness or dizziness. clics, <2% aromatics (64742-48-9) y cause drowsiness or dizziness.
STOT-single exposure May Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyc STOT-single exposure May Hydrocarbons, C9, aromatics (128601-23-0) STOT-single exposure May STOT-single exposure May STOT-repeated exposure May STOT-repeated exposure : Not c pentane (109-66-0) : NOAEC (inhalation, rat, vapour, 90 days) 30 m NOAEC (inhalation, rat, vapour, 90 days) 30 m : 90-E Toxi Dleic acid, compound with (Z)-N-octadec-9-envlpr LOAEL (oral, rat, 90 days) 20 m	clics, <2% aromatics (64742-48-9) y cause drowsiness or dizziness.
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyc STOT-single exposure May Hydrocarbons, C9, aromatics (128601-23-0) STOT-single exposure May STOT-repeated exposure May STOT-repeated exposure : Not c pentane (109-66-0)	clics, <2% aromatics (64742-48-9) y cause drowsiness or dizziness.
STOT-single exposure May Hydrocarbons, C9, aromatics (128601-23-0) STOT-single exposure STOT-single exposure May STOT-repeated exposure Not c pentane (109-66-0) NOAEC (inhalation, rat, vapour, 90 days) 30 n NOAEC (inhalation, rat, vapour, 90 days) 30 n 90-E Toxi Oleic acid, compound with (Z)-N-octadec-9-en-ylpr LOAEL (oral, rat, 90 days) 20 n	y cause drowsiness or dizziness.
Hydrocarbons, C9, aromatics (128601-23-0) STOT-single exposure May STOT-repeated exposure Not c pentane (109-66-0) Image: Compound with (2)-N-octadec-9-envlpr NOAEC (inhalation, rat, vapour, 90 days) 30 m 90-E Toxi Oleic acid, compound with (Z)-N-octadec-9-envlpr LOAEL (oral, rat, 90 days) 20 m Day	
STOT-single exposure May STOT-repeated exposure : Not of pentane (109-66-0) NOAEC (inhalation, rat, vapour, 90 days) 30 m 90-E Toxi Oleic acid, compound with (Z)-N-octadec-9-envlpr LOAEL (oral, rat, 90 days) 20 m Day	y cause drowsiness or dizziness. May cause respiratory irritation.
STOT-repeated exposure : Not c pentane (109-66-0)	y cause drowsiness or dizziness. May cause respiratory irritation.
pentane (109-66-0) NOAEC (inhalation, rat, vapour, 90 days) 30 m 90-E Toxi Oleic acid, compound with (Z)-N-octadec-9-envlpr LOAEL (oral, rat, 90 days) 20 m Day	
NOAEC (inhalation, rat, vapour, 90 days) 30 m 90-E Toxi Oleic acid, compound with (Z)-N-octadec-9-enylpr LOAEL (oral, rat, 90 days) 20 m Day	classified
90-E Toxi Oleic acid, compound with (Z)-N-octadec-9-enylpr LOAEL (oral, rat, 90 days) 20 m Day	
LOAEL (oral, rat, 90 days) 20 m Day	mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: Day Study), Guideline: other:, Guideline: EPA OTS 798.2450 (90-Day Inhalation ricity), Guideline: other:, Guideline: other:
Day	ropane-1,3-diamine (2:1) (34140-91-5)
Day	mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- / Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 /s) Toxicity (Oral)), Guideline: other:
Day Day Day	mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- / Oral Toxicity Study in Rodents), Guideline: OECD Guideline 408 (Repeated Dose 90- / Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 /s) Toxicity (Oral)), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Deated Dose 90-Day Oral Toxicity Study in Rodents)
STOT-repeated exposure May	y cause damage to organs through prolonged or repeated exposure.
Aspiration hazard : May	be fatal if swallowed and enters airways.
Kroon-Oil Compound OGL	
Vaporizer Aero	osol
Viscosity, kinematic ≤ 20	0,5 mm²/s (40°C)
pentane (109-66-0)	
Viscosity, kinematic 0,35	56 mm²/s
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyc	clics, <2% aromatics (64742-48-9)
Viscosity, kinematic 1,33	3 mm²/s
Hydrocarbons, C9, aromatics (128601-23-0)	
Viscosity, kinematic < 20	

No additional information available

Safety Data Sheet

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.	
(chronic)		
Oleic acid, compound with (Z)-N-octadec-9-er	ylpropane-1,3-diamine (2:1) (34140-91-5)	
LC50 - Fish [1]	0,95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 72h - Algae [1]	0,41 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
ErC50 algae	0,41 mg/l	
Hydrocarbons, C9-C11, n-alkanes, isoalkanes	, cyclics, <2% aromatics (64742-48-9)	
LC50 - Fish [1]	> 1000 mg/l (Oncorhynchus mykiss, 96h) [OCDE 203]	
EC50 - Crustacea [1]	> 1000 mg/l (Daphnia magna, 48h) [OCDE 202]	
ErC50 algae	> 1000 mg/l (Pseudokirchnerella subcapitata, 72h) [OCDE 201]	
Hydrocarbons, C9, aromatics (128601-23-0)		
LC50 - Fish [1]	9,2 mg/l (96h, Oncorhynchus mykiss)	
EC50 - Crustacea [1]	3,2 mg/l (48h, Daphnia magna)	
ErC50 algae	2,9 mg/l (72h, Pseudokirchneriella subcapitata)	
12.2. Persistence and degradability		
Kroon-Oil Compound OGL		
Persistence and degradability	Not readily biodegradable.	
Hydrocarbons, C9-C11, n-alkanes, isoalkanes	, cyclics, <2% aromatics (64742-48-9)	
Persistence and degradability	Readily biodegradable, according to appropriate OECD test.	
Hydrocarbons, C9, aromatics (128601-23-0)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	78 % (28d)	
12.3. Bioaccumulative potential		
Kroon-Oil Compound OGL		
Bioaccumulative potential	No data available.	
Hydrocarbons, C9-C11, n-alkanes, isoalkanes	, cyclics, <2% aromatics (64742-48-9)	
Bioconcentration factor (BCF REACH)	≥ 500	
Partition coefficient n-octanol/water (Log Kow)	≥ 4 Octanol/water coefficient	
Hydrocarbons, C9, aromatics (128601-23-0)		
Bioconcentration factor (BCF REACH)	≥ 500	
Partition coefficient n-octanol/water (Log Kow)	≥ 4 Octanol/water coefficient	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil		
Kroon-Oil Compound OGL		
Ecology - soil No data available.		
Hydrocarbons, C9, aromatics (128601-23-0)		
Ecology - soil Extremely volatile.		
12.5. Results of PBT and vPvB assessment		
Kroon-Oil Compound OGL		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
12.6. Endocrine disrupting properties		
No additional information available		

12.7. Other adverse effects

Other adverse effects

: Harmful to aquatic life.

SECTION 13: Disposal consideration	ations
13.1. Waste treatment methods	
Waste treatment methods	: Do not dispose of with domestic waste. Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.
HP Code	: HP3 - "Flammable:"
	 – flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
	 – flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
	 – flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
	 – flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
	 water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
	 – other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
	HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN RID	
14.1. UN number or ID n	umber	·	·	
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	DG IATA ADN		RID	
Transport document descr	iption		1		
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard o	class(es)				
2.1	2.1	2.1	2.1	2.1	
14.4. Packing group	· ·				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental haz	ards			·	
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary informatio	n available		1		

14.6. Special precautions for user

Overland transport

Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading	: CV9, CV12
and handling (ADR)	
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (IATA) ERG code (IATA)		A145, A167, A802 10L
	•	IUL
Inland waterway transport		
Classification code (ADN)	:	5F
Special provisions (ADN)	:	190, 327, 344, 625
Limited quantities (ADN)	:	1 L
Excepted quantities (ADN)	:	E0
Equipment required (ADN)	:	PP, EX, A
Ventilation (ADN)	:	VE01, VE04
Number of blue cones/lights (ADN)	:	1
Rail transport		
Classification code (RID)	:	5F
Special provisions (RID)		190, 327, 344, 625
Limited quantities (RID)		1L
Excepted quantities (RID)		E0
Packing instructions (RID)		P207, LP200
Special packing provisions (RID)		PP87, RR6, L2
Mixed packing provisions (RID)		MP9
Transport category (RID)		2
Special provisions for carriage – Packages (RID)	:	W14
Special provisions for carriage - Loading, unloading		CW9, CW12
and handling (RID)		
Colis express (express parcels) (RID)	:	CE2
Hazard identification number (RID)	:	23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content	: 499 g/l
Biocide Regulation (528/2012)	
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Seveso Directive (Disaster Risk Reduction)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)		
	Lower-tier	Upper-tier	
P3a FLAMMABLE AEROSOLS 'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids Category 1	150	500	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Type of product	Added	
1.2	Main use category	Modified	
2.1	Adverse physicochemical, human health and environmental effects	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Hazard pictograms (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.1	First-aid measures general	Modified	
4.1	First-aid measures after ingestion	Modified	
4.2	Symptoms/effects after ingestion	Modified	
4.2	Symptoms/effects	Modified	
6.1	Emergency procedures	Modified	
6.2	Environmental precautions	Modified	
6.3	For containment	Added	
7.1	Precautions for safe handling	Modified	
9.1	pH	Added	
9.1	Viscosity, kinematic	Modified	
9.2	VOC content	Modified	
10.3	Possibility of hazardous reactions	Modified	
12.1	Ecology - general	Modified	

Safety Data Sheet

Indication of changes			
Section	Changed item	Change	Comments
12.2	Persistence and degradability	Added	
12.3	Bioaccumulative potential	Added	
12.4	Ecology - soil	Added	
12.7	Other adverse effects	Added	
13.1	Waste treatment methods	Modified	
15.1	VOC content	Modified	
16	Abbreviations and acronyms	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.